

Sample Reference	Depth (m)	Laboratory Reference	Asbestos	Asbestos Type 1	Asbestos Type 2	Asbestos Type 3	Asbestos Description
BH1622	0.10	LN3079/05	ABSENT				
BH1622	0.35	LN3080/05	ABSENT				
HA1639	0.10	LN4721/05	ABSENT				
HA1639	0.40	LN4722/05	ABSENT				
TP1001	0.30	LN3571/05	ABSENT				
TP1001	2.30	LN3572/05	ABSENT				
TP1002	0.10	LN3573/05	ABSENT				
TP1002	0.30	LN3574/05	ABSENT				
TP1003	0.20	LN3575/05	ABSENT				
TP1003	0.60	LN3576/05	ABSENT				
TP1004	0.30	LN3577/05	ABSENT				
TP1004	0.70	LN3578/05	ABSENT				
TP1005	0.10	LN3579/05	ABSENT				
TP1005	1.10	LN3580/05	ABSENT				
TP1006	0.10	LN3581/05	ABSENT				
TP1006	1.10	LN3582/05	ABSENT				
TP1007	0.10	LN3583/05	ABSENT				
TP1007	0.60	LN3584/05	ABSENT				
TP1008	0.05	LN3585/05	ABSENT				
TP1008	0.50	LN3586/05	ABSENT				
TP1009	0.30	LN3587/05	ABSENT				
TP1009	0.50	LN3588/05	ABSENT				
TP1010	0.10	LN3589/05	ABSENT				
TP1010	1.00	LN3590/05	ABSENT				
TP1011	0.60	LN3591/05	ABSENT				
TP1011	2.00	LN4028/05	ABSENT				
TP1012	0.30	LN3105/05	ABSENT				
TP1012	1.00	LN3106/05	ABSENT				
TP1013	0.30	LN3592/05	ABSENT				
TP1013	1.00	LN3593/05	ABSENT				
TP1014	0.25	LN3594/05	ABSENT				
TP1014	0.50	LN3595/05	ABSENT				
TP1015	0.10	LN3596/05	ABSENT				
TP1015	2.00	LN3597/05	ABSENT				
TP1016	0.10	LN3598/05	ABSENT				
TP1016	1.00	LN3599/05	ABSENT				
TP1017	0.20	LN3600/05	ABSENT				
TP1017	2.00	LN3601/05	ABSENT				
TP1018	0.20	LN3602/05	ABSENT				
TP1018	1.10	LN3603/05	ABSENT				
TP1019	0.20	LN3604/05	ABSENT				
TP1019	1.10	LN3605/05	ABSENT				
TP1020	0.30	LN3107/05	ABSENT				
TP1020	0.50	LN3108/05	ABSENT				
TP1021	0.30	LN3606/05	PRESENT	Amosite	Chrysotile	Crocidolite	No Description
TP1021	0.50	LN3607/05	PRESENT	Chysotile	Amosite		No Description
TP1022	0.30	LN3608/05	ABSENT				
TP1022	1.00	LN3609/05	ABSENT				
TP1023	0.20	LN3610/05	ABSENT				
TP1023	1.00	LN3611/05	ABSENT				
TP1024	0.10	LN3612/05	ABSENT				
TP1024	0.60	LN3613/05	ABSENT				

Sample Reference	Depth (m)	Laboratory Reference	Asbestos	Asbestos Type 1	Asbestos Type 2	Asbestos Type 3	Asbestos Description
BH1027	0.10	LN2523/05	ABSENT				
BH1027	0.50	LN2524/05	ABSENT				
BH1027	4.50	LN3323/05	ABSENT				
BH1027	7.50	LN3324/05	ABSENT				
BH1623	0.10	LN3333/05	ABSENT				
BH1623	0.50	LN3334/05	ABSENT				
BH1623	3.00	LN3335/05	ABSENT				
TP1025	0.10	LN3109/05	ABSENT				
TP1025	0.30	LN3110/05	ABSENT				
TP1026	0.30	LN2807/05	ABSENT				
TP1026	0.50	LN2808/05	ABSENT				
TP1026	3.90	LN2809/05	ABSENT				
TP1028	0.00	LN2810/05	ABSENT				
TP1028	0.10	LN2811/05	ABSENT				
TP1028	0.50	LN2812/05	ABSENT				
TP1028	3.00	LN2813/05	ABSENT				
TP1029	0.40	LN3111/05	ABSENT				
TP1029	2.40	LN3112/05	ABSENT				
TP1030	0.10	LN3113/05	ABSENT				
TP1030	2.00	LN3114/05	ABSENT				
TP1031	0.10	LN3115/05	ABSENT				
TP1031	0.35	LN3116/05	ABSENT				
TP1032	0.25	LN3117/05	ABSENT				
TP1032	0.50	LN3118/05	ABSENT				
TP1033	0.10	LN3119/05	ABSENT				
TP1033	0.30	LN3120/05	ABSENT				
TP1034	0.10	LN3121/05	ABSENT				
TP1034	0.35	LN3122/05	ABSENT				
TP1035	0.10	LN3123/05	ABSENT				
TP1035	0.40	LN3124/05	ABSENT				
TP1036	0.45	LN3125/05	ABSENT				
TP1036	1.80	LN3126/05	ABSENT				
TP1037	0.10	LN2814/05	ABSENT				
TP1037	0.30	LN2815/05	ABSENT				
TP1037	3.50	LN2816/05	ABSENT				

Sample Reference	Depth (m)	Laboratory Reference	Asbestos	Asbestos Type 1	Asbestos Type 2	Asbestos Type 3	Asbestos Description
BH1046	0.35	LN3030/05	ABSENT				
BH1046	1.00	LN3031/05	ABSENT				
BH1050	0.10	LN3032/05	ABSENT				
BH1050	0.35	LN3033/05	ABSENT				
HA1049	0.10	LN3555/05	ABSENT				
HA1051	0.10	LN3556/05	ABSENT				
HA1051	0.40	LN3557/05	ABSENT				
TP1040	0.40	LN3616/05	ABSENT				
TP1040	1.30	LN3617/05	ABSENT				
TP1041	0.50	LN3618/05	ABSENT				
TP1041	1.00	LN3619/05	ABSENT				
TP1042	0.30	LN3620/05	ABSENT				
TP1042	2.30	LN3621/05	ABSENT				
TP1043	0.10	LN3127/05	ABSENT				
TP1043	0.50	LN3128/05	ABSENT				
TP1044	0.10	LN3622/05	ABSENT				
TP1044	0.70	LN3623/05	ABSENT				
TP1045	0.30	LN3624/05	ABSENT				
TP1045	2.60	LN3625/05	ABSENT				
TP1048	0.50	LN3628/05	ABSENT				
TP1048	1.20	LN3629/05	ABSENT				
TP1052	0.30	LN3630/05	ABSENT				
TP1052	1.20	LN3631/05	ABSENT				
TP1053	0.30	LN4029/05	ABSENT				
TP1053	1.30	LN4030/05	ABSENT				
TP1497	0.25	LN3739/05	ABSENT				
TP1497	0.50	LN3740/05	ABSENT				

Sample Reference	Depth (m)	Laboratory Reference	Asbestos	Asbestos Type 1	Asbestos Type 2	Asbestos Type 3	Asbestos Description
BH1074	0.30	LN2354/05	ABSENT				
BH1074	3.00	LN2771/05	ABSENT				
BH1074	4.30	LN2772/05	ABSENT				
BH1089	0.50	LN2355/05	ABSENT				
BH1089	2.00	LN2645/05	ABSENT				
BH1089	4.00	LN2646/05	ABSENT				
BH1108	0.10	LN2356/05	ABSENT				
BH1108	3.00	LN2647/05	ABSENT				
TP1056	0.10	LN2393/05	ABSENT				
TP1056	0.70	LN2394/05	ABSENT				
TP1057	0.10	LN2395/05	ABSENT				
TP1057	1.20	LN2396/05	ABSENT				
TP1058	0.30	LN2397/05	ABSENT				
TP1058	1.20	LN2398/05	ABSENT				
TP1059	0.30	LN2399/05	ABSENT				
TP1059	0.85	LN2400/05	ABSENT				
TP1060	0.10	LN2401/05	ABSENT				
TP1060	0.60	LN2402/05	ABSENT				
TP1061	0.30	LN2403/05	ABSENT				
TP1061	1.10	LN2404/05	ABSENT				
TP1062	0.30	LN2405/05	ABSENT				
TP1062	1.00	LN2406/05	ABSENT				
TP1063	0.30	LN2407/05	ABSENT				
TP1063	0.60	LN2408/05	ABSENT				
TP1064	0.10	LN2409/05	ABSENT				
TP1064	0.50	LN2410/05	ABSENT				
TP1065	0.10	LN2411/05	ABSENT				
TP1065	0.50	LN2412/05	ABSENT				
TP1066	0.10	LN2539/05	ABSENT				
TP1066	0.30	LN2540/05	ABSENT				
TP1067	0.40	LN2413/05	ABSENT				
TP1067	1.20	LN2414/05	ABSENT				
TP1068	0.10	LN2541/05	ABSENT				
TP1068	0.30	LN2542/05	ABSENT				
TP1069	0.10	LN2415/05	ABSENT				
TP1069	0.70	LN2416/05	ABSENT				
TP1070	0.40	LN2417/05	ABSENT				
TP1070	1.00	LN2418/05	ABSENT				
TP1071	0.10	LN2419/05	ABSENT				
TP1071	0.30	LN2420/05	ABSENT				
TP1072	0.10	LN2543/05	ABSENT				
TP1072	0.30	LN2544/05	ABSENT				
TP1073	0.30	LN2421/05	ABSENT				
TP1073	0.70	LN2422/05	ABSENT				
TP1075	0.10	LN2545/05	ABSENT				
TP1075	0.60	LN2546/05	ABSENT				
TP1076	0.10	LN2423/05	ABSENT				
TP1076	0.50	LN2424/05	ABSENT				
TP1077	0.30	LN2547/05	ABSENT				
TP1077	0.50	LN2548/05	ABSENT				
TP1078	0.50	LN2425/05	ABSENT				
TP1078	1.00	LN2426/05	ABSENT				
TP1078	1.50	LN2427/05	ABSENT				
TP1079	0.10	LN2549/05	ABSENT				
TP1079	0.30	LN2550/05	ABSENT				

Sample Reference	Depth (m)	Laboratory Reference	Asbestos	Asbestos Type 1	Asbestos Type 2	Asbestos Type 3	Asbestos Description
TP1080	0.50	LN2428/05	ABSENT				
TP1080	2.00	LN2429/05	ABSENT				
TP1081	0.30	LN2551/05	ABSENT				
TP1081	1.20	LN2552/05	ABSENT				
TP1082	0.20	LN2430/05	ABSENT				
TP1082	0.50	LN2431/05	ABSENT				
TP1083	0.50	LN2432/05	ABSENT				
TP1083	1.50	LN2433/05	ABSENT				
TP1083	2.30	LN2434/05	ABSENT				
TP1085	0.20	LN2437/05	ABSENT				
TP1085	0.50	LN2438/05	PRESENT	Crocidolite	Chrysotile		Insulation (Trace)
TP1086	0.10	LN2439/05	ABSENT				
TP1086	0.60	LN2440/05	ABSENT				
TP1087	0.30	LN2553/05	ABSENT				
TP1087	0.70	LN2554/05	ABSENT				
TP1088	0.10	LN2555/05	ABSENT				
TP1088	0.50	LN2556/05	ABSENT				
TP1090	0.30	LN2441/05	ABSENT				
TP1090	1.70	LN2442/05	ABSENT				
TP1091	0.10	LN2443/05	ABSENT				
TP1091	1.20	LN2444/05	ABSENT				
TP1092	0.30	LN2445/05	ABSENT				
TP1092	2.00	LN2446/05	ABSENT				
TP1094	0.10	LN2447/05	ABSENT				
TP1094	0.50	LN2448/05	ABSENT				
TP1096	0.10	LN2451/05	ABSENT				
TP1096	1.00	LN2452/05	ABSENT				
TP1097	0.30	LN2453/05	ABSENT				
TP1097	0.60	LN2454/05	ABSENT				
TP1098	0.10	LN2559/05	ABSENT				
TP1098	0.50	LN2560/05	ABSENT				
TP1099	0.10	LN2561/05	ABSENT				
TP1099	0.30	LN2562/05	ABSENT				
TP1100	0.30	LN2455/05	ABSENT				
TP1100	1.00	LN2456/05	ABSENT				
TP1101	0.20	LN2457/05	ABSENT				
TP1101	2.80	LN2458/05	ABSENT				
TP1102	0.10	LN2563/05	ABSENT				
TP1102	1.00	LN2564/05	ABSENT				
TP1102	1.50	LN2565/05	ABSENT				
TP1103	0.10	LN2566/05	ABSENT				
TP1103	0.30	LN2567/05	ABSENT				
TP1104	0.10	LN2568/05	ABSENT				
TP1104	0.30	LN2569/05	ABSENT				
TP1105	0.10	LN2570/05	ABSENT				
TP1105	0.60	LN2571/05	ABSENT				
TP1106	0.10	LN2572/05	ABSENT				
TP1106	0.30	LN2573/05	ABSENT				
TP1107	0.10	LN2574/05	ABSENT				
TP1107	0.50	LN2575/05	ABSENT				
TP1109	0.10	LN2576/05	ABSENT				
TP1109	0.30	LN2577/05	ABSENT				
TP1110	0.10	LN2578/05	ABSENT				
TP1110	0.30	LN2579/05	ABSENT				
TP1111	0.10	LN2580/05	ABSENT				

Sample Reference	Depth (m)	Laboratory Reference	Asbestos	Asbestos Type 1	Asbestos Type 2	Asbestos Type 3	Asbestos Description
TP1111	0.50	LN2581/05	ABSENT				
TP1112	0.10	LN2582/05	ABSENT				
TP1112	0.50	LN2583/05	ABSENT				
TP1113	0.10	LN2584/05	ABSENT				
TP1113	0.50	LN2585/05	ABSENT				
TP1114	0.10	LN2586/05	ABSENT				
TP1114	0.30	LN2587/05	ABSENT				
TP1115	0.10	LN2656/05	ABSENT				
TP1115	0.50	LN2657/05	ABSENT				
TP1116	0.10	LN2588/05	ABSENT				
TP1116	0.50	LN2589/05	ABSENT				
TP1117	0.10	LN2590/05	ABSENT				
TP1117	0.30	LN2591/05	ABSENT				
TP1118	0.10	LN2592/05	ABSENT				
TP1118	0.30	LN2593/05	ABSENT				
TP1119	0.10	LN2594/05	ABSENT				
TP1119	0.30	LN2595/05	ABSENT				
TP1119	1.00	LN2596/05	ABSENT				
TP1120	0.10	LN2597/05	ABSENT				
TP1120	0.30	LN2598/05	ABSENT				
TP1121	0.30	LN2658/05	ABSENT				
TP1121	2.20	LN2659/05	ABSENT				
TP1123	0.10	LN2662/05	ABSENT				
TP1123	0.50	LN2663/05	ABSENT				
TP1123	1.00	LN2664/05	ABSENT				
TP1124	0.10	LN2665/05	ABSENT				
TP1124	0.30	LN2666/05	ABSENT				
TP1125	0.10	LN2667/05	ABSENT				
TP1125	0.30	LN2668/05	ABSENT				
TP1126	0.10	LN2669/05	PRESENT	Crocidolite	Amosite		No Description
TP1126	0.50	LN2670/05	ABSENT				
TP1127	0.30	LN2671/05	ABSENT				
TP1127	0.50	LN2672/05	ABSENT				

Sample Reference	Depth (m)	Laboratory Reference	Asbestos	Asbestos Type 1	Asbestos Type 2	Asbestos Type 3	Asbestos Description
BH1134	0.10	LN3034/05	ABSENT				
BH1134	0.35	LN3035/05	ABSENT				
BH1134	2.00	LN3036/05	ABSENT				
BH1134	3.00	LN3037/05	ABSENT				
HA1142	0.10	LN4011/05	ABSENT				
HA1640	0.10	LN4723/05	ABSENT				
TP1128	0.10	LN2817/05	ABSENT				
TP1128	0.70	LN2818/05	ABSENT				
TP1129	0.10	LN2819/05	ABSENT				
TP1129	0.90	LN2820/05	ABSENT				
TP1130	0.10	LN3129/05	ABSENT				
TP1130	0.50	LN3130/05	ABSENT				
TP1131	0.10	LN3131/05	ABSENT				
TP1131	0.45	LN3132/05	ABSENT				
TP1132	0.10	LN2821/05	ABSENT				
TP1132	1.00	LN2822/05	ABSENT				
TP1133	0.10	LN2823/05	ABSENT				
TP1133	0.40	LN2824/05	ABSENT				
TP1135	0.30	LN3133/05	ABSENT				
TP1135	0.50	LN3134/05	ABSENT				
TP1136	0.10	LN2825/05	ABSENT				
TP1136	0.40	LN2826/05	ABSENT				
TP1137	0.45	LN3135/05	ABSENT				
TP1137	1.40	LN3136/05	ABSENT				
TP1138	0.10	LN3137/05	ABSENT				
TP1138	0.50	LN3138/05	ABSENT				
TP1139	0.10	LN3139/05	ABSENT				
TP1139	0.30	LN3140/05	ABSENT				
TP1140	0.30	LN3141/05	ABSENT				
TP1140	0.50	LN3142/05	ABSENT				
TP1141	0.20	LN3143/05	ABSENT				
TP1141	1.00	LN3144/05	ABSENT				
TP1143	0.10	LN3145/05	ABSENT				
TP1143	0.50	LN3146/05	ABSENT				
TP1472	0.15	LN4085/05	ABSENT				
TP1472	0.40	LN4086/05	ABSENT				

Sample Reference	Depth (m)	Laboratory Reference	Asbestos	Asbestos Type 1	Asbestos Type 2	Asbestos Type 3	Asbestos Description
BH1167	0.30	LN2525/05	ABSENT				
BH1167	1.00	LN2526/05	ABSENT				
BH1167	3.00	LN3039/05	ABSENT				
BH1167	1.50	LN3038/05	ABSENT				
BH1297	0.10	LN2533/05	ABSENT				
BH1297	0.30	LN2534/05	ABSENT				
BH1297	3.00	LN3047/05	ABSENT				
BH1297	4.50	LN3048/05	ABSENT				
HA1159	0.10	LN4012/05	ABSENT				
HS1628	0.10	LN4027/05	ABSENT				
TP1054	0.40	LN3632/05	ABSENT				
TP1054	1.10	LN3633/05	ABSENT				
TP1055	0.20	LN3634/05	ABSENT				
TP1055	2.00	LN3635/05	ABSENT				
TP1144	0.20	LN3636/05	PRESENT	Chrysotile			No Description
TP1144	0.40	LN3637/05	ABSENT				
TP1145	0.20	LN3638/05	ABSENT				
TP1145	0.50	LN3639/05	ABSENT				
TP1146	0.25	LN3640/05	ABSENT				
TP1146	0.50	LN3641/05	ABSENT				
TP1147	0.10	LN2827/05	ABSENT				
TP1147	0.30	LN2828/05	ABSENT				
TP1148	0.30	LN3642/05	ABSENT				
TP1148	1.10	LN3643/05	ABSENT				
TP1149	0.30	LN3644/05	ABSENT				
TP1149	1.00	LN3645/05	ABSENT				
TP1150	0.20	LN3646/05	ABSENT				
TP1150	0.50	LN3647/05	ABSENT				
TP1151	0.10	LN2829/05	ABSENT				
TP1151	0.50	LN2830/05	ABSENT				
TP1152	0.30	LN3648/05	ABSENT				
TP1152	0.50	LN3649/05	ABSENT				
TP1153	0.10	LN2831/05	ABSENT				
TP1153	1.50	LN2832/05	ABSENT				
TP1154	0.30	LN3650/05	ABSENT				
TP1154	0.60	LN3651/05	ABSENT				
TP1155	0.10	LN2673/05	ABSENT				
TP1155	1.00	LN2674/05	ABSENT				
TP1156	0.10	LN3652/05	ABSENT				
TP1156	0.30	LN3653/05	ABSENT				
TP1157	0.20	LN3654/05	ABSENT				
TP1157	0.90	LN3655/05	ABSENT				
TP1158	0.15	LN3656/05	ABSENT				
TP1158	0.45	LN3749/05	ABSENT				
TP1160	0.05	LN3657/05	ABSENT				
TP1160	2.80	LN3658/05	ABSENT				
TP1161	0.10	LN3659/05	ABSENT				
TP1161	0.60	LN3660/05	ABSENT				
TP1162	0.10	LN3661/05	ABSENT				
TP1162	0.50	LN3662/05	ABSENT				
TP1163	0.50	LN3663/05	ABSENT				
TP1163	1.60	LN3664/05	ABSENT				
TP1164	0.30	LN3665/05	ABSENT				
TP1164	1.30	LN3666/05	ABSENT				
TP1165	0.10	LN3667/05	ABSENT				

Sample Reference	Depth (m)	Laboratory Reference	Asbestos	Asbestos Type 1	Asbestos Type 2	Asbestos Type 3	Asbestos Description
TP1165	0.60	LN3668/05	ABSENT				
TP1166	0.30	LN3669/05	ABSENT				
TP1166	1.00	LN3670/05	ABSENT				
TP1168	0.05	LN3671/05	ABSENT				
TP1168	0.50	LN3672/05	ABSENT				
TP1169	0.10	LN3673/05	ABSENT				
TP1169	0.60	LN3674/05	ABSENT				
TP1170	0.10	LN3675/05	ABSENT				
TP1170	0.50	LN3676/05	ABSENT				
TP1171	0.40	LN3677/05	PRESENT	Chrysotile			No Description
TP1171	1.20	LN3678/05	ABSENT				
TP1172	0.10	LN3679/05	ABSENT				
TP1172	0.80	LN3680/05	ABSENT				
TP1300	0.30	LN3449/05	ABSENT				
TP1300	0.70	LN3450/05	ABSENT				
TP1393	0.10	LN3463/05	ABSENT				
TP1393	0.70	LN3464/05	ABSENT				

Sample Reference	Depth (m)	Laboratory Reference	Asbestos	Asbestos Type 1	Asbestos Type 2	Asbestos Type 3	Asbestos Description
BH1194	0.30	LN2357/05	ABSENT				
BH1194	0.50	LN2358/05	ABSENT				
BH1194	12.00	LN3041/05	ABSENT				
BH1194	6.00	LN3040/05	ABSENT				
BH1219	0.10	LN2359/05	ABSENT				
BH1219	0.50	LN2360/05	ABSENT				
BH1219	3.00	LN3042/05	ABSENT				
BH1231	0.10	LN2361/05	ABSENT				
BH1231	0.50	LN2362/05	ABSENT				
BH1231	3.00	LN2773/05	ABSENT				
BH1231	8.50	LN2774/05	ABSENT				
BH1242	0.10	LN2363/05	ABSENT				
BH1242	0.50	LN2364/05	ABSENT				
BH1242	3.50	LN2775/05	ABSENT				
BH1242	4.50	LN2776/05	ABSENT				
BH1532	0.10	LN2379/05	ABSENT				
BH1532	0.50	LN2380/05	ABSENT				
BH1532	3.00	LN2784/05	ABSENT				
BH1532	4.50	LN2785/05	ABSENT				
HA1212	0.10	LN3081/05	ABSENT				
HA1212	0.40	LN3082/05	ABSENT				
TP1084	0.40	LN2435/05	ABSENT				
TP1084	0.80	LN2436/05	ABSENT				
TP1095	0.10	LN2449/05	ABSENT				
TP1095	0.50	LN2450/05	ABSENT				
TP1173	0.50	LN3363/05	ABSENT				
TP1173	1.00	LN3364/05	ABSENT				
TP1174	0.10	LN3147/05	ABSENT				
TP1174	0.50	LN3148/05	ABSENT				
TP1175	0.10	LN3365/05	ABSENT				
TP1175	0.30	LN3366/05	PRESENT	Chrysotile			Loose Fibres
TP1176	0.10	LN3367/05	ABSENT				
TP1176	0.30	LN3368/05	ABSENT				
TP1177	0.10	LN3149/05	ABSENT				
TP1177	0.30	LN3150/05	ABSENT				
TP1178	0.50	LN3369/05	ABSENT				
TP1178	1.20	LN3370/05	ABSENT				
TP1179	0.10	LN3371/05	ABSENT				
TP1179	0.50	LN3372/05	ABSENT				
TP1180	0.30	LN3151/05	ABSENT				
TP1180	0.50	LN3152/05	ABSENT				
TP1181	0.20	LN3153/05	ABSENT				
TP1181	0.50	LN3154/05	ABSENT				
TP1182	0.30	LN3155/05	ABSENT				
TP1182	0.50	LN3156/05	ABSENT				
TP1183	0.10	LN3157/05	ABSENT				
TP1183	0.80	LN3158/05	ABSENT				
TP1184	0.20	LN3373/05	ABSENT				
TP1184	0.50	LN3374/05	ABSENT				
TP1185	0.15	LN3159/05	ABSENT				
TP1185	0.35	LN3160/05	ABSENT				
TP1186	0.20	LN3161/05	ABSENT				
TP1186	0.50	LN3162/05	ABSENT				
TP1187	0.10	LN3375/05	ABSENT				
TP1187	0.30	LN3376/05	ABSENT				

Sample Reference	Depth (m)	Laboratory Reference	Asbestos	Asbestos Type 1	Asbestos Type 2	Asbestos Type 3	Asbestos Description
TP1189	0.10	LN3377/05	ABSENT				
TP1189	0.60	LN3378/05	ABSENT				
TP1190	0.10	LN3379/05	ABSENT				
TP1190	0.30	LN3380/05	ABSENT				
TP1192	0.10	LN3163/05	ABSENT				
TP1192	0.60	LN3164/05	ABSENT				
TP1193	0.30	LN3165/05	ABSENT				
TP1193	1.70	LN3166/05	ABSENT				
TP1195	0.10	LN3167/05	ABSENT				
TP1195	0.30	LN3168/05	ABSENT				
TP1196	0.30	LN3169/05	ABSENT				
TP1196	0.50	LN3170/05	ABSENT				
TP1196	1.10	LN3171/05	ABSENT				
TP1197	0.30	LN3381/05	ABSENT				
TP1197	0.50	LN3382/05	ABSENT				
TP1198	0.10	LN3383/05	ABSENT				
TP1198	0.30	LN3384/05	ABSENT				
TP1199	0.10	LN3385/05	ABSENT				
TP1199	0.30	LN3386/05	ABSENT				
TP1199	0.70	LN4031/05	ABSENT				
TP1200	0.10	LN4032/05	ABSENT				
TP1201	0.10	LN4033/05	ABSENT				
TP1201	0.30	LN4034/05	ABSENT				
TP1202	0.10	LN3387/05	ABSENT				
TP1202	0.60	LN3388/05	ABSENT				
TP1203	0.15	LN3172/05	ABSENT				
TP1203	0.50	LN3173/05	ABSENT				
TP1204	0.10	LN3389/05	ABSENT				
TP1204	0.50	LN3390/05	ABSENT				
TP1205	0.30	LN3174/05	ABSENT				
TP1205	1.40	LN3175/05	ABSENT				
TP1206	0.10	LN3176/05	ABSENT				
TP1206	0.30	LN3177/05	ABSENT				
TP1207	0.10	LN3178/05	ABSENT				
TP1207	0.60	LN3179/05	ABSENT				
TP1208	0.10	LN3180/05	PRESENT	Chrysotile			No Description
TP1208	0.35	LN3181/05	ABSENT				
TP1209	0.20	LN3182/05	ABSENT				
TP1209	1.10	LN3183/05	ABSENT				
TP1210	0.10	LN3391/05	ABSENT				
TP1210	0.30	LN3392/05	ABSENT				
TP1211	0.10	LN3184/05	ABSENT				
TP1211	0.30	LN3185/05	ABSENT				
TP1213	0.30	LN3186/05	ABSENT				
TP1213	1.30	LN3187/05	ABSENT				
TP1214	0.10	LN3188/05	ABSENT				
TP1214	1.10	LN3189/05	ABSENT				
TP1215	0.10	LN3393/05	ABSENT				
TP1215	0.45	LN3394/05	ABSENT				
TP1216	0.30	LN3190/05	ABSENT				
TP1216	0.70	LN3191/05	ABSENT				
TP1217	0.10	LN3192/05	ABSENT				
TP1217	0.50	LN3193/05	ABSENT				
TP1218	0.50	LN3194/05	ABSENT				
TP1218	1.20	LN3195/05	ABSENT				

Sample Reference	Depth (m)	Laboratory Reference	Asbestos	Asbestos Type 1	Asbestos Type 2	Asbestos Type 3	Asbestos Description
TP1220	0.10	LN3196/05	ABSENT				
TP1220	0.50	LN3197/05	ABSENT				
TP1221	0.20	LN3198/05	ABSENT				
TP1221	1.00	LN3199/05	PRESENT	Amosite			No Description
TP1223	0.10	LN3202/05	ABSENT				
TP1223	0.30	LN3203/05	ABSENT				
TP1224	0.20	LN3204/05	ABSENT				
TP1224	0.50	LN3205/05	ABSENT				
TP1225	0.10	LN3395/05	ABSENT				
TP1225	0.50	LN3396/05	ABSENT				
TP1226	0.25	LN3206/05	ABSENT				
TP1226	0.50	LN3207/05	ABSENT				
TP1227	0.20	LN3208/05	ABSENT				
TP1227	1.10	LN3209/05	ABSENT				
TP1228	0.10	LN3397/05	ABSENT				
TP1228	0.30	LN3398/05	ABSENT				
TP1229	0.25	LN3399/05	ABSENT				
TP1229	0.50	LN3400/05	ABSENT				
TP1230	0.10	LN3210/05	ABSENT				
TP1230	0.30	LN3211/05	ABSENT				
TP1232	0.30	LN3401/05	ABSENT				
TP1232	2.50	LN3402/05	ABSENT				
TP1233	0.25	LN3681/05	ABSENT				
TP1233	0.50	LN3682/05	ABSENT				
TP1234	0.10	LN3212/05	ABSENT				
TP1234	0.60	LN3213/05	ABSENT				
TP1235	0.10	LN3214/05	ABSENT				
TP1235	0.40	LN3215/05	ABSENT				
TP1236	0.30	LN3403/05	ABSENT				
TP1236	0.50	LN3404/05	ABSENT				
TP1237	0.30	LN3216/05	ABSENT				
TP1237	0.50	LN3217/05	ABSENT				
TP1238	0.10	LN3218/05	ABSENT				
TP1238	0.30	LN3219/05	ABSENT				
TP1239	0.10	LN3220/05	ABSENT				
TP1239	0.50	LN3221/05	ABSENT				
TP1240	0.10	LN3222/05	ABSENT				
TP1240	0.30	LN3223/05	ABSENT				
TP1241	0.10	LN2834/05	ABSENT				
TP1241	1.00	LN2835/05	ABSENT				
TP1243	0.10	LN3405/05	ABSENT				
TP1243	0.30	LN3406/05	ABSENT				
TP1244	0.10	LN3407/05	ABSENT				
TP1244	0.50	LN3408/05	ABSENT				
TP1245	0.10	LN3409/05	ABSENT				
TP1245	0.50	LN3410/05	ABSENT				
TP1246	0.30	LN3411/05	ABSENT				
TP1246	0.50	LN3412/05	ABSENT				
TP1247	0.50	LN3413/05	ABSENT				
TP1247	2.20	LN3414/05	ABSENT				
TP1249	0.10	LN3417/05	ABSENT				
TP1249	1.40	LN3418/05	ABSENT				
TP1250	0.10	LN3419/05	ABSENT				
TP1250	0.30	LN3420/05	ABSENT				
TP1251	0.30	LN3421/05	ABSENT				

Sample Reference	Depth (m)	Laboratory Reference	Asbestos	Asbestos Type 1	Asbestos Type 2	Asbestos Type 3	Asbestos Description
TP1251	0.70	LN3422/05	ABSENT				
TP1253	0.10	LN3425/05	ABSENT				
TP1253	0.30	LN3426/05	ABSENT				
TP1287	0.10	LN3224/05	ABSENT				
TP1287	1.05	LN3225/05	ABSENT				

Sample Reference	Depth (m)	Laboratory Reference	Asbestos	Asbestos Type 1	Asbestos Type 2	Asbestos Type 3	Asbestos Description
BH1258	0.10	LN2527/05	ABSENT				
BH1258	0.50	LN2528/05	ABSENT				
BH1258	1.50	LN3043/05	ABSENT				
BH1258	4.50	LN3044/05	ABSENT				
BH1259	0.10	LN2529/05	ABSENT				
BH1259	0.30	LN2530/05	ABSENT				
BH1271	0.10	LN2531/05	ABSENT				
BH1271	0.30	LN2532/05	ABSENT				
BH1271	3.00	LN3045/05	ABSENT				
BH1271	7.50	LN3046/05	ABSENT				
HA1264	0.40	LN3355/05	ABSENT				
HA1264	1.00	LN3356/05	ABSENT				
HA1265	0.10	LN2788/05	ABSENT				
HA1265	0.40	LN2789/05	ABSENT				
TP1254	0.30	LN4035/05	ABSENT				
TP1254	0.50	LN4036/05	ABSENT				
TP1255	0.15	LN4037/05	ABSENT				
TP1255	0.50	LN4038/05	ABSENT				
TP1256	0.30	LN4039/05	ABSENT				
TP1256	1.20	LN4040/05	ABSENT				
TP1257	0.10	LN4041/05	ABSENT				
TP1257	0.50	LN4042/05	ABSENT				
TP1260	0.15	LN4043/05	ABSENT				
TP1260	0.30	LN4044/05	ABSENT				
TP1261	0.40	LN4045/05	ABSENT				
TP1261	1.00	LN4046/05	ABSENT				
TP1262	0.15	LN4047/05	ABSENT				
TP1262	0.50	LN4048/05	ABSENT				
TP1263	0.20	LN4049/05	ABSENT				
TP1263	0.45	LN4050/05	ABSENT				
TP1266	0.30	LN4051/05	ABSENT				
TP1266	1.00	LN4052/05	ABSENT				
TP1267	0.25	LN4053/05	ABSENT				
TP1267	1.20	LN4054/05	ABSENT				
TP1268	0.15	LN4055/05	ABSENT				
TP1268	0.50	LN4056/05	ABSENT				
TP1269	0.20	LN4057/05	ABSENT				
TP1269	0.50	LN4058/05	ABSENT				
TP1270	0.10	LN4059/05	ABSENT				
TP1270	0.30	LN4060/05	ABSENT				
TP1272	0.50	LN3683/05	ABSENT				
TP1272	2.50	LN3684/05	ABSENT				
TP1273	0.30	LN4061/05	ABSENT				
TP1273	0.70	LN4062/05	ABSENT				
TP1274	0.30	LN4063/05	ABSENT				
TP1274	0.50	LN4064/05	ABSENT				
TP1275	0.30	LN4065/05	ABSENT				
TP1275	0.60	LN4066/05	ABSENT				
TP1276	0.30	LN4067/05	ABSENT				
TP1276	2.20	LN4068/05	ABSENT				
TP1277	0.30	LN4069/05	ABSENT				
TP1277	0.50	LN4070/05	ABSENT				
TP1279	0.10	LN4073/05	ABSENT				
TP1279	1.00	LN4074/05	ABSENT				
TP1280	0.30	LN4075/05	ABSENT				

Sample Reference	Depth (m)	Laboratory Reference	Asbestos	Asbestos Type 1	Asbestos Type 2	Asbestos Type 3	Asbestos Description
TP1280	1.00	LN4076/05	ABSENT				
TP1281	0.30	LN3685/05	ABSENT				
TP1281	0.60	LN3686/05	ABSENT				
TP1282	0.70	LN3687/05	ABSENT				
TP1282	1.30	LN3688/05	ABSENT				
TP1283	0.10	LN3689/05	ABSENT				
TP1283	2.60	LN3690/05	ABSENT				
TP1284	0.10	LN4077/05	ABSENT				
TP1284	0.50	LN4078/05	ABSENT				
TP1286	0.70	LN3691/05	ABSENT				
TP1286	1.40	LN3692/05	ABSENT				
TP1286	2.50	LN3693/05	ABSENT				

Sample Reference	Depth (m)	Laboratory Reference	Asbestos	Asbestos Type 1	Asbestos Type 2	Asbestos Type 3	Asbestos Description
BH1306	0.10	LN2535/05	ABSENT				
BH1306	0.30	LN2536/05	ABSENT				
BH1306	2.00	LN2777/05	ABSENT				
BH1306	4.50	LN2778/05	ABSENT				
HA1303	0.10	LN3558/05	ABSENT				
HA1303	0.40	LN3559/05	ABSENT				
HA1642	0.10	LN4724/05	ABSENT				
TP1047	0.10	LN3626/05	ABSENT				
TP1047	0.50	LN3627/05	ABSENT				
TP1222	0.10	LN3200/05	ABSENT				
TP1222	0.50	LN3201/05	ABSENT				
TP1248	0.10	LN3415/05	ABSENT				
TP1248	0.50	LN3416/05	ABSENT				
TP1252	0.10	LN3423/05	ABSENT				
TP1252	0.30	LN3424/05	ABSENT				
TP1288	0.30	LN3427/05	ABSENT				
TP1288	0.60	LN3428/05	ABSENT				
TP1289	0.30	LN3429/05	ABSENT				
TP1289	0.80	LN3430/05	ABSENT				
TP1290	0.05	LN3431/05	ABSENT				
TP1290	1.30	LN3432/05	ABSENT				
TP1291	0.10	LN3433/05	ABSENT				
TP1291	0.50	LN3434/05	ABSENT				
TP1292	0.10	LN3435/05	ABSENT				
TP1292	0.30	LN3436/05	ABSENT				
TP1293	0.10	LN3437/05	PRESENT	Chrysotile	Amosite		Insulation
TP1293	0.30	LN3438/05	PRESENT	Amosite			Loose Fibres
TP1294	0.10	LN3439/05	ABSENT				
TP1294	0.50	LN3440/05	ABSENT				
TP1295	0.30	LN3441/05	ABSENT				
TP1295	1.90	LN3442/05	ABSENT				
TP1296	0.20	LN3443/05	ABSENT				
TP1296	1.20	LN3444/05	ABSENT				
TP1298	0.10	LN3445/05	ABSENT				
TP1298	0.50	LN3446/05	ABSENT				
TP1299	0.30	LN3447/05	ABSENT				
TP1299	0.50	LN3448/05	ABSENT				
TP1301	0.10	LN3451/05	ABSENT				
TP1301	0.50	LN3452/05	ABSENT				
TP1302	0.10	LN3453/05	ABSENT				
TP1302	0.50	LN3454/05	ABSENT				
TP1304	0.20	LN3455/05	ABSENT				
TP1304	0.40	LN3456/05	ABSENT				
TP1305	0.30	LN3457/05	ABSENT				
TP1305	1.20	LN3458/05	ABSENT				
TP1307	0.20	LN3459/05	ABSENT				
TP1307	1.10	LN3460/05	ABSENT				
TP1310	0.30	LN3461/05	ABSENT				
TP1310	0.50	LN3462/05	ABSENT				

Sample Reference	Depth (m)	Laboratory Reference	Asbestos	Asbestos Type 1	Asbestos Type 2	Asbestos Type 3	Asbestos Description
BH1349	0.10	LN2365/05	ABSENT				
BH1349	0.50	LN2366/05	ABSENT				
BH1349	4.50	LN2779/05	ABSENT				
HA1313	0.10	LN2648/05	ABSENT				
HA1313	0.40	LN2649/05	ABSENT				
HA1315	0.40	LN3083/05	ABSENT				
HA1315	1.40	LN3084/05	ABSENT				
HA1318	0.10	LN2650/05	ABSENT				
HA1322	0.10	LN3357/05	ABSENT				
HA1322	0.40	LN3358/05	ABSENT				
HA1324	0.10	LN3085/05	ABSENT				
HA1324	0.80	LN3086/05	ABSENT				
HA1325	0.10	LN2651/05	ABSENT				
HA1329	0.10	LN3359/05	ABSENT				
HA1329	0.40	LN3360/05	ABSENT				
HA1457	0.10	LN3093/05	ABSENT				
HA1457	0.40	LN3094/05	ABSENT				
HS1627	0.10	LN4026/05	ABSENT				
TP1311	0.10	LN2836/05	ABSENT				
TP1311	0.30	LN2837/05	ABSENT				
TP1312	0.30	LN2838/05	ABSENT				
TP1312	2.20	LN2839/05	ABSENT				
TP1314	0.30	LN2840/05	ABSENT				
TP1314	2.00	LN2841/05	ABSENT				
TP1316	0.10	LN2842/05	ABSENT				
TP1316	0.50	LN2843/05	ABSENT				
TP1317	0.30	LN2844/05	ABSENT				
TP1317	1.00	LN2845/05	ABSENT				
TP1319	0.10	LN2846/05	ABSENT				
TP1319	0.30	LN2847/05	ABSENT				
TP1320	0.20	LN2848/05	ABSENT				
TP1320	0.50	LN2849/05	ABSENT				
TP1321	0.10	LN2850/05	ABSENT				
TP1321	0.30	LN2851/05	ABSENT				
TP1323	0.30	LN2852/05	ABSENT				
TP1323	0.50	LN2853/05	ABSENT				
TP1326	0.30	LN2854/05	ABSENT				
TP1326	0.50	LN2855/05	ABSENT				
TP1327	0.10	LN3226/05	ABSENT				
TP1327	0.30	LN3227/05	ABSENT				
TP1328	0.30	LN3228/05	ABSENT				
TP1328	0.50	LN3229/05	ABSENT				
TP1330	0.30	LN2856/05	ABSENT				
TP1330	0.50	LN2857/05	ABSENT				
TP1331	0.10	LN3230/05	ABSENT				
TP1331	0.50	LN3231/05	ABSENT				
TP1332	0.10	LN3232/05	ABSENT				
TP1332	0.50	LN3233/05	ABSENT				
TP1333	0.10	LN3234/05	ABSENT				
TP1333	0.50	LN3235/05	PRESENT	Chrysotile	Amosite		No Description
TP1334	0.50	LN2858/05	ABSENT				
TP1335	0.20	LN4081/05	ABSENT				
TP1335	0.60	LN4082/05	ABSENT				
TP1336	0.30	LN3236/05	ABSENT				
TP1336	0.50	LN3237/05	ABSENT				

Sample Reference	Depth (m)	Laboratory Reference	Asbestos	Asbestos Type 1	Asbestos Type 2	Asbestos Type 3	Asbestos Description
TP1337	0.30	LN2859/05	ABSENT				
TP1337	1.00	LN2860/05	ABSENT				
TP1338	0.10	LN2861/05	ABSENT				
TP1338	0.50	LN2862/05	ABSENT				
TP1339	0.10	LN2863/05	ABSENT				
TP1339	0.30	LN2864/05	ABSENT				
TP1340	0.25	LN3238/05	ABSENT				
TP1340	0.50	LN3239/05	ABSENT				
TP1341	0.50	LN3240/05	ABSENT				
TP1341	1.00	LN3241/05	ABSENT				
TP1342	0.50	LN2865/05	ABSENT				
TP1342	1.00	LN2866/05	ABSENT				
TP1343	0.10	LN3242/05	ABSENT				
TP1343	1.00	LN3243/05	ABSENT				
TP1344	0.30	LN2867/05	ABSENT				
TP1344	1.00	LN2868/05	ABSENT				
TP1345	0.30	LN3244/05	ABSENT				
TP1345	0.50	LN3245/05	ABSENT				
TP1346	0.10	LN3246/05	ABSENT				
TP1346	0.80	LN3247/05	ABSENT				
TP1347	0.50	LN2869/05	ABSENT				
TP1347	1.55	LN2870/05	ABSENT				
TP1348	0.30	LN3248/05	ABSENT				
TP1348	0.50	LN3249/05	ABSENT				
TP1350	0.10	LN3250/05	PRESENT	Chrysotile			No Description
TP1350	0.30	LN3251/05	ABSENT				
TP1351	0.50	LN2871/05	ABSENT				
TP1351	2.00	LN2872/05	ABSENT				
TP1352	0.10	LN2873/05	ABSENT				
TP1352	0.50	LN2874/05	ABSENT				
TP1353	0.10	LN2875/05	ABSENT				
TP1353	0.50	LN2876/05	ABSENT				
TP1354	0.50	LN2877/05	ABSENT				
TP1354	1.00	LN2878/05	ABSENT				
TP1355	0.10	LN2879/05	ABSENT				
TP1355	0.50	LN2880/05	ABSENT				
TP1356	0.10	LN2881/05	ABSENT				
TP1356	0.30	LN2882/05	ABSENT				
TP1356	1.00	LN2883/05	ABSENT				
TP1357	0.10	LN2884/05	ABSENT				
TP1357	0.40	LN2885/05	ABSENT				
TP1358	0.30	LN2886/05	ABSENT				
TP1358	1.00	LN2887/05	ABSENT				
TP1359	0.10	LN2888/05	ABSENT				
TP1359	0.30	LN2889/05	ABSENT				
TP1360	0.40	LN2890/05	ABSENT				
TP1360	1.00	LN2891/05	ABSENT				
TP1361	0.10	LN2892/05	ABSENT				
TP1361	0.50	LN2893/05	ABSENT				

Sample Reference	Depth (m)	Laboratory Reference	Asbestos	Asbestos Type 1	Asbestos Type 2	Asbestos Type 3	Asbestos Description
BH1366	0.10	LN3049/05	ABSENT				
BH1366	0.50	LN3050/05	ABSENT				
BH1366	3.00	LN3051/05	ABSENT				
BH1366	4.80	LN3052/05	ABSENT				
BH1375	0.35	LN3053/05	ABSENT				
BH1375	0.50	LN3054/05	ABSENT				
BH1375	7.50	LN3325/05	ABSENT				
BH1375	12.00	LN3326/05	ABSENT				
HA1371	0.10	LN3087/05	ABSENT				
HA1371	0.40	LN3088/05	ABSENT				
HA1385	0.10	LN3089/05	ABSENT				
HA1385	0.30	LN3090/05	ABSENT				
HA1388	0.10	LN4013/05	ABSENT				
HA1388	1.00	LN4014/05	ABSENT				
HA1389	0.10	LN3091/05	PRESENT	Amosite			No Description
HA1389	0.40	LN3092/05	ABSENT				
TP1362	0.30	LN3694/05	ABSENT				
TP1362	1.20	LN3695/05	ABSENT				
TP1363	0.10	LN2894/05	ABSENT				
TP1363	0.30	LN2895/05	ABSENT				
TP1364	0.25	LN2896/05	ABSENT				
TP1364	1.50	LN2897/05	ABSENT				
TP1365	0.50	LN2898/05	ABSENT				
TP1365	1.80	LN2899/05	ABSENT				
TP1367	0.40	LN2900/05	ABSENT				
TP1367	0.80	LN2901/05	ABSENT				
TP1368	0.35	LN2902/05	ABSENT				
TP1368	1.90	LN2903/05	ABSENT				
TP1369	0.30	LN2904/05	ABSENT				
TP1369	0.70	LN2905/05	ABSENT				
TP1370	0.10	LN2906/05	ABSENT				
TP1370	0.60	LN2907/05	ABSENT				
TP1372	0.10	LN2908/05	ABSENT				
TP1372	0.25	LN2909/05	ABSENT				
TP1373	0.10	LN2910/05	ABSENT				
TP1373	0.50	LN2911/05	ABSENT				
TP1374	0.10	LN2912/05	ABSENT				
TP1374	0.80	LN2913/05	ABSENT				
TP1376	0.10	LN2914/05	ABSENT				
TP1376	0.35	LN2915/05	ABSENT				
TP1377	0.30	LN2916/05	ABSENT				
TP1377	0.90	LN2917/05	ABSENT				
TP1378	0.10	LN2918/05	ABSENT				
TP1378	0.40	LN2919/05	ABSENT				
TP1379	0.10	LN2920/05	ABSENT				
TP1379	0.70	LN2921/05	ABSENT				
TP1380	0.10	LN3252/05	ABSENT				
TP1380	0.60	LN3253/05	ABSENT				
TP1381	0.70	LN3696/05	ABSENT				
TP1381	1.30	LN3697/05	ABSENT				
TP1382	0.10	LN2922/05	ABSENT				
TP1382	0.50	LN2923/05	ABSENT				
TP1383	0.40	LN2924/05	ABSENT				
TP1383	1.10	LN2925/05	ABSENT				
TP1384	0.10	LN3254/05	ABSENT				

Sample Reference	Depth (m)	Laboratory Reference	Asbestos	Asbestos Type 1	Asbestos Type 2	Asbestos Type 3	Asbestos Description
TP1384	0.40	LN3255/05	ABSENT				
TP1386	0.30	LN2926/05	ABSENT				
TP1386	1.10	LN2927/05	ABSENT				
TP1387	0.30	LN3698/05	ABSENT				
TP1387	1.20	LN3699/05	ABSENT				
TP1390	0.10	LN2928/05	ABSENT				
TP1390	0.50	LN2929/05	ABSENT				
TP1391	0.10	LN2930/05	PRESENT	Chrysotile	Crocidolite		
TP1391	0.40	LN2931/05	ABSENT				
TP1392	0.10	LN2932/05	ABSENT				
TP1392	0.30	LN2933/05	ABSENT				
TP1392	0.70	LN2934/05	ABSENT				

Sample Reference	Depth (m)	Laboratory Reference	Asbestos	Asbestos Type 1	Asbestos Type 2	Asbestos Type 3	Asbestos Description
BH1412	2.00	LN3055/05	ABSENT				
BH1412	4.50	LN3056/05	ABSENT				
BH1429	0.30	LN2537/05	ABSENT				
BH1429	0.50	LN2538/05	ABSENT				
BH1429	1.50	LN3057/05	ABSENT				
BH1429	4.50	LN3058/05	ABSENT				
BH1430	0.10	LN3059/05	ABSENT				
BH1430	0.60	LN3060/05	ABSENT				
BH1430	1.50	LN3061/05	ABSENT				
BH1430	4.50	LN3062/05	ABSENT				
HA1308	0.10	LN3560/05	ABSENT				
HA1308	0.40	LN3561/05	ABSENT				
HA1309	0.10	LN3562/05	ABSENT				
HA1395	0.10	LN2790/05	ABSENT				
HA1397	0.10	LN2791/05	ABSENT				
HA1397	0.40	LN2792/05	ABSENT				
HA1399	0.10	LN2793/05	ABSENT				
HA1399	0.40	LN2794/05	ABSENT				
HA1401	0.10	LN2795/05	ABSENT				
HA1401	0.40	LN2796/05	ABSENT				
HA1403	0.10	LN2797/05	ABSENT				
HA1403	0.40	LN2798/05	ABSENT				
TP1394	0.10	LN3465/05	ABSENT				
TP1394	1.20	LN3466/05	ABSENT				
TP1396	0.30	LN3467/05	ABSENT				
TP1396	1.20	LN3468/05	ABSENT				
TP1398	0.10	LN3700/05	ABSENT				
TP1398	0.50	LN3701/05	ABSENT				
TP1400	0.10	LN3702/05	ABSENT				
TP1400	0.30	LN3703/05	ABSENT				
TP1402	0.10	LN3469/05	ABSENT				
TP1402	0.30	LN3470/05	ABSENT				
TP1404	0.10	LN2678/05	ABSENT				
TP1404	0.60	LN2679/05	ABSENT				
TP1405	0.10	LN2680/05	ABSENT				
TP1405	0.30	LN2681/05	ABSENT				
TP1406	0.50	LN2682/05	ABSENT				
TP1406	1.00	LN2683/05	ABSENT				
TP1407	0.30	LN3704/05	ABSENT				
TP1407	1.90	LN3705/05	ABSENT				
TP1408	0.20	LN3706/05	ABSENT				
TP1408	0.50	LN3707/05	ABSENT				
TP1409	0.10	LN2684/05	ABSENT				
TP1409	0.55	LN2685/05	ABSENT				
TP1410	0.10	LN2686/05	ABSENT				
TP1410	0.60	LN2687/05	ABSENT				
TP1411	0.10	LN2688/05	ABSENT				
TP1411	0.50	LN2689/05	ABSENT				
TP1413	0.60	LN2690/05	ABSENT				
TP1413	2.60	LN2691/05	ABSENT				
TP1414	0.30	LN3708/05	ABSENT				
TP1414	1.10	LN3709/05	ABSENT				
TP1415	0.20	LN2692/05	ABSENT				
TP1415	0.50	LN2693/05	ABSENT				
TP1416	0.05	LN2694/05	ABSENT				

Sample Reference	Depth (m)	Laboratory Reference	Asbestos	Asbestos Type 1	Asbestos Type 2	Asbestos Type 3	Asbestos Description
TP1416	0.30	LN2695/05	ABSENT				
TP1417	0.30	LN3471/05	ABSENT				
TP1417	1.20	LN3472/05	ABSENT				
TP1418	0.10	LN2696/05	ABSENT				
TP1418	1.00	LN2697/05	ABSENT				
TP1419	0.30	LN2698/05	ABSENT				
TP1419	1.90	LN2699/05	ABSENT				
TP1420	0.10	LN2700/05	PRESENT	Amosite			No Description
TP1420	1.90	LN2701/05	PRESENT	Chrysotile			No Description
TP1421	0.10	LN2702/05	ABSENT				
TP1421	0.50	LN2703/05	ABSENT				
TP1422	0.20	LN3473/05	ABSENT				
TP1422	1.20	LN3474/05	ABSENT				
TP1422	1.80	LN3475/05	ABSENT				
TP1423	0.10	LN3476/05	ABSENT				
TP1423	0.50	LN3477/05	ABSENT				
TP1423	3.20	LN3478/05	ABSENT				
TP1424	0.10	LN3479/05	ABSENT				
TP1424	0.40	LN3480/05	ABSENT				
TP1425	0.40	LN3710/05	ABSENT				
TP1425	1.20	LN3711/05	ABSENT				
TP1426	0.30	LN3712/05	ABSENT				
TP1426	1.20	LN3713/05	ABSENT				
TP1427	0.20	LN3714/05	ABSENT				
TP1427	0.50	LN3715/05	ABSENT				
TP1428	0.50	LN3716/05	ABSENT				
TP1428	1.10	LN3717/05	ABSENT				
TP1431	0.10	LN3256/05	ABSENT				
TP1431	0.30	LN3257/05	ABSENT				
TP1432	0.50	LN3481/05	ABSENT				
TP1432	1.00	LN3482/05	ABSENT				
TP1433	0.20	LN3483/05	ABSENT				
TP1433	1.20	LN3484/05	ABSENT				
TP1434	0.10	LN3258/05	ABSENT				
TP1434	0.50	LN3259/05	ABSENT				
TP1435	0.20	LN3718/05	ABSENT				
TP1435	1.80	LN3719/05	ABSENT				
TP1436	0.25	LN3485/05	ABSENT				
TP1436	0.50	LN3486/05	ABSENT				
TP1437	0.20	LN3720/05	ABSENT				
TP1437	1.00	LN3721/05	ABSENT				
TP1437	1.60	LN3722/05	ABSENT				
TP1438	0.40	LN3487/05	ABSENT				
TP1438	1.20	LN3488/05	ABSENT				
TP1439	0.50	LN3489/05	ABSENT				
TP1439	1.60	LN3490/05	ABSENT				
TP1625	0.10	LN4103/05	ABSENT				
TP1625	0.70	LN4104/05	ABSENT				

Sample Reference	Depth (m)	Laboratory Reference	Asbestos	Asbestos Type 1	Asbestos Type 2	Asbestos Type 3	Asbestos Description
BH1445	0.10	LN2367/05	ABSENT				
BH1445	1.00	LN2368/05	ABSENT				
BH1445	2.00	LN2780/05	ABSENT				
BH1445	4.50	LN2781/05	ABSENT				
BH1451	0.30	LN2369/05	ABSENT				
BH1451	1.00	LN2370/05	ABSENT				
BH1451	4.50	LN3327/05	ABSENT				
BH1451	9.00	LN3328/05	ABSENT				
BH1455	0.30	LN2371/05	ABSENT				
BH1455	1.00	LN2372/05	ABSENT				
BH1455	1.50	LN2782/05	ABSENT				
BH1455	4.50	LN2783/05	ABSENT				
BH1621	0.30	LN2381/05	ABSENT				
BH1621	1.00	LN2382/05	ABSENT				
BH1621	3.00	LN2786/05	ABSENT				
BH1621	6.00	LN2787/05	ABSENT				
TP1093	0.10	LN2557/05	ABSENT				
TP1093	0.30	LN2558/05	ABSENT				
TP1122	0.10	LN2660/05	ABSENT				
TP1122	0.30	LN2661/05	ABSENT				
TP1188	0.50	LN2675/05	ABSENT				
TP1188	0.10	LN2833/05	ABSENT				
TP1191	0.30	LN2676/05	ABSENT				
TP1191	0.50	LN2677/05	ABSENT				
TP1440	0.10	LN2704/05	ABSENT				
TP1440	0.30	LN2705/05	ABSENT				
TP1441	0.30	LN2706/05	ABSENT				
TP1441	1.00	LN2707/05	ABSENT				
TP1442	0.30	LN2708/05	ABSENT				
TP1442	2.00	LN2709/05	ABSENT				
TP1443	0.10	LN2710/05	ABSENT				
TP1443	0.50	LN2711/05	ABSENT				
TP1443	1.00	LN2712/05	ABSENT				
TP1444	0.40	LN2713/05	ABSENT				
TP1444	0.50	LN2714/05	ABSENT				
TP1446	0.30	LN2715/05	ABSENT				
TP1446	0.50	LN2716/05	ABSENT				
TP1447	0.10	LN2717/05	ABSENT				
TP1447	0.50	LN2718/05	ABSENT				
TP1447	1.80	LN2719/05	ABSENT				
TP1448	0.10	LN2720/05	ABSENT				
TP1448	0.30	LN2721/05	ABSENT				
TP1449	0.10	LN2722/05	ABSENT				
TP1449	0.30	LN2723/05	ABSENT				
TP1450	0.30	LN2724/05	ABSENT				
TP1450	0.50	LN2725/05	ABSENT				
TP1452	0.10	LN2726/05	ABSENT				
TP1452	0.50	LN2727/05	ABSENT				
TP1453	0.10	LN2728/05	ABSENT				
TP1453	0.30	LN2729/05	ABSENT				
TP1453	0.50	LN2730/05	ABSENT				
TP1454	0.10	LN2731/05	ABSENT				
TP1454	0.30	LN2732/05	ABSENT				
TP1456	0.40	LN2733/05	ABSENT				
TP1456	0.70	LN2734/05	ABSENT				

Sample Reference	Depth (m)	Laboratory Reference	Asbestos	Asbestos Type 1	Asbestos Type 2	Asbestos Type 3	Asbestos Description
TP1456	2.70	LN2735/05	ABSENT				
TP1458	0.30	LN2935/05	ABSENT				
TP1458	2.00	LN2936/05	ABSENT				
TP1459	0.20	LN2736/05	ABSENT				
TP1459	0.50	LN2737/05	ABSENT				
TP1460	0.10	LN2738/05	ABSENT				
TP1461	0.10	LN2937/05	ABSENT				
TP1461	0.30	LN2938/05	ABSENT				
TP1462	0.30	LN2939/05	ABSENT				
TP1462	0.50	LN2940/05	ABSENT				
TP1463	0.10	LN2941/05	ABSENT				
TP1463	0.50	LN2942/05	ABSENT				
TP1464	0.50	LN2943/05	ABSENT				
TP1464	2.00	LN2944/05	ABSENT				
TP1465	0.10	LN2459/05	ABSENT				
TP1465	0.50	LN2460/05	ABSENT				
TP1465	1.00	LN2461/05	ABSENT				

Sample Reference	Depth (m)	Laboratory Reference	Asbestos	Asbestos Type 1	Asbestos Type 2	Asbestos Type 3	Asbestos Description
HA1468	0.40	LN3563/05	ABSENT				
HA1468	0.90	LN3564/05	ABSENT				
TP1466	0.50	LN3260/05	ABSENT				
TP1466	1.00	LN3261/05	ABSENT				
TP1467	0.10	LN3262/05	ABSENT				
TP1467	0.30	LN3263/05	ABSENT				
TP1469	0.30	LN3264/05	ABSENT				
TP1469	0.50	LN3265/05	ABSENT				

Sample Reference	Depth (m)	Laboratory Reference	Asbestos	Asbestos Type 1	Asbestos Type 2	Asbestos Type 3	Asbestos Description
HA1471	0.10	LN2652/05	ABSENT				
HA1471	1.00	LN2653/05	ABSENT				
HA1473	0.10	LN2654/05	ABSENT				
HA1473	1.50	LN2655/05	ABSENT				
HA1475	0.10	LN2799/05	ABSENT				
HA1475	0.40	LN2800/05	ABSENT				
HA1476	0.10	LN3361/05	ABSENT				
HA1476	1.00	LN3362/05	ABSENT				
HA1477	0.10	LN2801/05	ABSENT				
HA1477	1.00	LN2802/05	ABSENT				
HA1478	0.10	LN4015/05	ABSENT				
HA1478	0.40	LN4016/05	ABSENT				
HA1479	0.10	LN4017/05	ABSENT				
HA1479	0.40	LN4018/05	ABSENT				
HA1480	0.40	LN2803/05	ABSENT				
HA1480	1.50	LN2804/05	ABSENT				
HA1482	0.10	LN2805/05	ABSENT				
HA1482	1.00	LN2806/05	ABSENT				
TP1470	0.30	LN4083/05	ABSENT				
TP1470	0.50	LN4084/05	ABSENT				
TP1474	0.20	LN4087/05	ABSENT				
TP1474	0.40	LN4088/05	ABSENT				
TP1481	0.30	LN4089/05	ABSENT				
TP1481	1.00	LN4090/05	ABSENT				
TP1481	2.20	LN4091/05	ABSENT				

Sample Reference	Depth (m)	Laboratory Reference	Asbestos	Asbestos Type 1	Asbestos Type 2	Asbestos Type 3	Asbestos Description
BH1495	0.35	LN3063/05	ABSENT				
BH1495	1.00	LN3064/05	ABSENT				
BH1495	3.00	LN3065/05	ABSENT				
BH1495	4.50	LN3066/05	ABSENT				
BH1528	0.10	LN3069/05	ABSENT				
BH1528	0.50	LN3070/05	ABSENT				
BH1528	3.00	LN3071/05	ABSENT				
BH1529	0.10	LN3072/05	ABSENT				
BH1529	0.50	LN3073/05	ABSENT				
BH1529	1.50	LN3074/05	ABSENT				
BH1530	0.50	LN3075/05	ABSENT				
BH1530	1.00	LN3076/05	ABSENT				
BH1530	3.50	LN3077/05	ABSENT				
BH1530	7.50	LN3078/05	ABSENT				
BH1531	7.50	LN3331/05	ABSENT				
BH1531	13.50	LN3332/05	ABSENT				
HA1039	0.10	LN3553/05	ABSENT				
HA1039	0.40	LN3554/05	ABSENT				
HA1483	0.10	LN3095/05	ABSENT				
HA1483	0.40	LN3096/05	ABSENT				
HA1485	0.10	LN3097/05	ABSENT				
HA1485	0.40	LN3098/05	ABSENT				
HA1487	0.10	LN3099/05	ABSENT				
HA1487	0.40	LN3100/05	ABSENT				
HA1488	0.10	LN3101/05	ABSENT				
HA1488	0.40	LN3102/05	ABSENT				
HA1493	0.10	LN3103/05	ABSENT				
HA1493	0.30	LN3104/05	ABSENT				
TP1038	0.30	LN3614/05	ABSENT				
TP1038	2.00	LN3615/05	ABSENT				
TP1484	0.10	LN3723/05	ABSENT				
TP1484	0.50	LN3724/05	ABSENT				
TP1486	0.30	LN3725/05	ABSENT				
TP1486	0.70	LN3726/05	ABSENT				
TP1489	0.10	LN3727/05	ABSENT				
TP1489	0.80	LN3728/05	ABSENT				
TP1490	0.50	LN3729/05	ABSENT				
TP1490	2.00	LN3730/05	ABSENT				
TP1491	0.10	LN3731/05	ABSENT				
TP1491	3.00	LN3732/05	ABSENT				
TP1492	0.10	LN3733/05	ABSENT				
TP1492	0.40	LN3734/05	ABSENT				
TP1494	0.50	LN3735/05	ABSENT				
TP1494	1.80	LN3736/05	ABSENT				
TP1496	0.10	LN3737/05	ABSENT				
TP1496	0.30	LN3738/05	ABSENT				
TP1498	0.30	LN3741/05	ABSENT				
TP1498	1.10	LN3742/05	ABSENT				

Sample Reference	Depth (m)	Laboratory Reference	Asbestos	Asbestos Type 1	Asbestos Type 2	Asbestos Type 3	Asbestos Description
BH1502	0.30	LN2373/05	ABSENT				
BH1502	1.00	LN2374/05	PRESENT	Chrysotile	Amosite		Insulation (Trace)
BH1504	0.10	LN2375/05	ABSENT				
BH1504	0.50	LN2376/05	ABSENT				
BH1504	1.50	LN3067/05	ABSENT				
BH1504	4.50	LN3068/05	ABSENT				
BH1505	0.10	LN2377/05	ABSENT				
BH1505	0.30	LN2378/05	ABSENT				
BH1505	1.50	LN3329/05	ABSENT				
BH1505	3.00	LN3330/05	ABSENT				
BH1624	0.10	LN3336/05	ABSENT				
BH1624	0.50	LN3337/05	ABSENT				
BH1624	1.50	LN3338/05	ABSENT				
BH1624	4.50	LN3339/05	ABSENT				
HA1619	0.10	LN3567/05	ABSENT				
HA1619	0.90	LN3568/05	ABSENT				
HA1620	0.90	LN3569/05	ABSENT				
HA1620	1.40	LN3570/05	ABSENT				
TP1278	0.10	LN4071/05	ABSENT				
TP1278	0.50	LN4072/05	ABSENT				
TP1285	0.10	LN4079/05	ABSENT				
TP1285	0.70	LN4080/05	ABSENT				
TP1499	0.15	LN4092/05	ABSENT				
TP1499	1.00	LN4093/05	ABSENT				
TP1499	3.00	LN4094/05	ABSENT				
TP1500	0.50	LN4095/05	ABSENT				
TP1500	2.00	LN4096/05	ABSENT				
TP1501	0.20	LN4097/05	ABSENT				
TP1501	1.10	LN4098/05	ABSENT				
TP1503	0.70	LN4099/05	ABSENT				
TP1503	1.40	LN4100/05	ABSENT				
TP1506	0.30	LN4101/05	ABSENT				
TP1506	2.50	LN4102/05	ABSENT				
TP1626	0.10	LN4105/05	ABSENT				
TP1626	0.50	LN4106/05	ABSENT				
TP1629	0.30	LN4107/05	PRESENT	Chrysotile	Crocidolite		Insulation
TP1629	0.80	LN4108/05	ABSENT				

Sample Reference	Depth (m)	Laboratory Reference	Asbestos	Asbestos Type 1	Asbestos Type 2	Asbestos Type 3	Asbestos Description
HA 1507	0.10	LN4219/05	ABSENT				
HA 1507	0.40	LN4220/05	ABSENT				
HA 1508	0.10	LN4221/05	ABSENT				
HA 1508	0.40	LN4222/05	ABSENT				
HA 1511	0.10	LN4223/05	ABSENT				
HA 1511	0.40	LN4224/05	ABSENT				
HA 1513	0.10	LN4225/05	ABSENT				
HA 1513	0.40	LN4226/05	ABSENT				
HA 1516	0.10	LN4227/05	ABSENT				
HA 1518	0.10	LN4228/05	ABSENT				
HA 1518	0.40	LN4229/05	ABSENT				
HA 1519	0.10	LN4230/05	ABSENT				
HA 1519	0.40	LN4231/05	ABSENT				
HA 1520	0.10	LN4232/05	ABSENT				
HA 1520	0.40	LN4233/05	ABSENT				
HA 1526	0.10	LN4234/05	ABSENT				
HA 1526	0.40	LN4235/05	ABSENT				
HA 1527	0.10	LN4236/05	ABSENT				
HA 1527	0.40	LN4237/05	ABSENT				
HA1510	0.10	LN3565/05	ABSENT				
HA1510	0.40	LN3566/05	ABSENT				
HA1512	0.10	LN4019/05	ABSENT				
HA1512	0.40	LN4020/05	ABSENT				
HA1514	0.10	LN4021/05	ABSENT				
HA1521	0.10	LN4711/05	ABSENT				
HA1521	0.40	LN4712/05	ABSENT				
HA1522	0.10	LN4713/05	ABSENT				
HA1522	0.40	LN4714/05	ABSENT				
HA1523	0.10	LN4715/05	ABSENT				
HA1523	0.90	LN4716/05	ABSENT				
HA1524	0.10	LN4717/05	ABSENT				
HA1524	0.40	LN4718/05	ABSENT				
HA1525	0.10	LN4719/05	ABSENT				
HA1525	0.90	LN4720/05	ABSENT				
HA1617	0.10	LN4022/05	ABSENT				
HA1617	0.40	LN4023/05	ABSENT				
HA1618	0.10	LN4024/05	ABSENT				
HA1618	0.40	LN4025/05	ABSENT				
TP1509	0.10	LN3743/05	ABSENT				
TP1509	0.50	LN3744/05	ABSENT				
TP1515	0.30	LN3745/05	ABSENT				
TP1515	0.50	LN3746/05	ABSENT				
TP1517	1.00	LN3747/05	ABSENT				
TP1517	2.10	LN3748/05	ABSENT				

Sample Reference	Depth (m)	Laboratory Reference	Asbestos	Asbestos Type 1	Asbestos Type 2	Asbestos Type 3	Asbestos Description
AS04/01	0.05	LN3822/05	ABSENT				
AS04/01	0.15	LN3823/05	ABSENT				
AS04/01	0.30	LN3824/05	ABSENT				
AS04/02	0.05	LN3825/05	ABSENT				
AS04/02	0.15	LN3826/05	ABSENT				
AS04/02	0.30	LN3827/05	ABSENT				
AS04/03	0.05	LN3828/05	ABSENT				
AS04/03	0.15	LN3829/05	ABSENT				
AS04/03	0.30	LN3830/05	ABSENT				
AS04/04	0.05	LN3831/05	ABSENT				
AS04/04	0.15	LN3832/05	ABSENT				
AS04/04	0.30	LN3833/05	ABSENT				
AS04/05	0.05	LN3834/05	ABSENT				
AS04/05	0.15	LN3835/05	ABSENT				
AS04/05	0.30	LN3836/05	ABSENT				
AS04/06	0.05	LN3837/05	ABSENT				
AS04/06	0.15	LN3838/05	ABSENT				
AS04/06	0.30	LN3839/05	ABSENT				
AS04/07	0.05	LN3840/05	ABSENT				
AS04/07	0.15	LN3841/05	ABSENT				
AS04/07	0.30	LN3842/05	ABSENT				
AS04/08	0.05	LN3843/05	ABSENT				
AS04/08	0.15	LN3844/05	ABSENT				
AS04/08	0.30	LN3845/05	ABSENT				
AS04/09	0.05	LN3846/05	ABSENT				
AS04/09	0.15	LN3847/05	ABSENT				
AS04/09	0.30	LN3848/05	ABSENT				
AS04/10	0.05	LN3849/05	ABSENT				
AS04/10	0.15	LN3850/05	ABSENT				
AS04/10	0.30	LN3851/05	ABSENT				
AS04/11	0.05	LN3852/05	PRESENT	Chrysotile			Insulation
AS04/11	0.15	LN3853/05	PRESENT	Chrysotile			Insulation
AS04/11	0.30	LN3854/05	ABSENT				
AS04/12	0.05	LN3855/05	PRESENT	Amosite	Chrysotile		Insulation
AS04/12	0.15	LN3856/05	ABSENT				
AS04/12	0.30	LN3857/05	ABSENT				
AS04/13	0.05	LN3858/05	PRESENT	Amosite			Insulation
AS04/13	0.15	LN3859/05	ABSENT				
AS04/13	0.30	LN3860/05	ABSENT				
AS04/14	0.05	LN3861/05	ABSENT				
AS04/14	0.15	LN3862/05	ABSENT				
AS04/14	0.30	LN3863/05	ABSENT				
AS04/15	0.05	LN3864/05	ABSENT				
AS04/15	0.15	LN3865/05	ABSENT				
AS04/15	0.30	LN3866/05	ABSENT				
AS04/16	0.05	LN3867/05	ABSENT				
AS04/16	0.15	LN3868/05	ABSENT				
AS04/16	0.30	LN3869/05	ABSENT				
AS04/17	0.05	LN3870/05	ABSENT				
AS04/17	0.15	LN3871/05	ABSENT				
AS04/17	0.30	LN3872/05	ABSENT				
AS04/18	0.05	LN3873/05	ABSENT				
AS04/18	0.15	LN3874/05	ABSENT				
AS04/18	0.30	LN3875/05	ABSENT				

Sample Reference	Depth (m)	Laboratory Reference	Asbestos	Asbestos Type 1	Asbestos Type 2	Asbestos Type 3	Asbestos Description
AS04/19	0.05	LN3876/05	ABSENT				
AS04/19	0.15	LN3877/05	ABSENT				
AS04/19	0.30	LN3878/05	ABSENT				
AS04/20	0.05	LN3879/05	ABSENT				
AS04/20	0.15	LN3880/05	ABSENT				
AS04/20	0.30	LN3881/05	ABSENT				
AS04/21	0.05	LN3882/05	ABSENT				
AS04/21	0.15	LN3883/05	ABSENT				
AS04/21	0.30	LN3884/05	ABSENT				
AS07/01	0.05	LN3885/05	PRESENT	Chrysotile			INSULATION
AS07/01	0.15	LN3886/05	ABSENT				
AS07/01	0.30	LN3887/05	PRESENT	Chrysotile	Amosite	Crocidolite	INSULATION
AS07/02	0.05	LN3888/05	ABSENT				
AS07/02	0.15	LN3889/05	ABSENT				
AS07/02	0.30	LN3890/05	ABSENT				
AS07/03	0.05	LN3891/05	ABSENT				
AS07/03	0.15	LN3892/05	ABSENT				
AS07/03	0.30	LN3893/05	ABSENT				
AS07/04	0.05	LN3894/05	ABSENT				
AS07/04	0.15	LN3895/05	ABSENT				
AS07/04	0.30	LN3896/05	ABSENT				
AS07/05	0.05	LN3897/05	ABSENT				
AS07/05	0.15	LN3898/05	ABSENT				
AS07/05	0.30	LN3899/05	ABSENT				
AS07/06	0.05	LN3900/05	ABSENT				
AS07/06	0.15	LN3901/05	ABSENT				
AS07/06	0.30	LN3902/05	ABSENT				
AS07/07	0.05	LN3903/05	ABSENT				
AS07/07	0.15	LN3904/05	ABSENT				
AS07/07	0.30	LN3905/05	ABSENT				
AS07/08	0.05	LN3906/05	ABSENT				
AS07/08	0.15	LN3907/05	ABSENT				
AS07/08	0.30	LN3908/05	ABSENT				
AS07/09	0.05	LN3909/05	ABSENT				
AS07/09	0.15	LN3910/05	ABSENT				
AS07/09	0.30	LN3911/05	ABSENT				
AS07/10	0.05	LN3912/05	PRESENT	Amosite	Chrysotile		Insulation
AS07/10	0.15	LN3913/05	ABSENT				
AS07/10	0.30	LN3914/05	ABSENT				
AS07/11	0.05	LN3915/05	ABSENT				
AS07/11	0.15	LN3916/05	ABSENT				
AS07/11	0.30	LN3917/05	ABSENT				
AS07/12	0.05	LN3918/05	PRESENT	Crocidolite	Amosite	Chrysotile	Insulation
AS07/12	0.15	LN3919/05	ABSENT				
AS07/12	0.30	LN3920/05	ABSENT				
AS07/13	0.05	LN3921/05	ABSENT				
AS07/13	0.15	LN3922/05	ABSENT				
AS07/13	0.30	LN3923/05	ABSENT				
AS07/14	0.05	LN3924/05	ABSENT				
AS07/14	0.15	LN3925/05	ABSENT				
AS07/14	0.30	LN3926/05	ABSENT				
AS07/15	0.05	LN3927/05	ABSENT				
AS07/15	0.15	LN3928/05	ABSENT				
AS07/15	0.30	LN3929/05	ABSENT				

Sample Reference	Depth (m)	Laboratory Reference	Asbestos	Asbestos Type 1	Asbestos Type 2	Asbestos Type 3	Asbestos Description
AS07/16	0.05	LN3930/05	ABSENT				
AS07/16	0.15	LN3931/05	ABSENT				
AS07/16	0.30	LN3932/05	ABSENT				
AS07/17	0.05	LN3933/05	ABSENT				
AS07/17	0.15	LN3934/05	ABSENT				
AS07/17	0.30	LN3935/05	ABSENT				
AS07/18	0.05	LN3936/05	ABSENT				
AS07/18	0.15	LN3937/05	ABSENT				
AS07/18	0.30	LN3938/05	ABSENT				
AS07/19	0.05	LN3939/05	ABSENT				
AS07/19	0.15	LN3940/05	ABSENT				
AS07/19	0.30	LN3941/05	ABSENT				
AS07/20	0.05	LN3942/05	PRESENT	Chrysotile			Felt
AS07/20	0.15	LN3943/05	ABSENT				
AS07/20	0.30	LN3944/05	ABSENT				
AS07/21	0.05	LN3945/05	ABSENT				
AS07/21	0.15	LN3946/05	ABSENT				
AS07/21	0.30	LN3947/05	ABSENT				
AS16/01	0.05	LN3948/05	ABSENT				
AS16/01	0.15	LN3949/05	ABSENT				
AS16/01	0.30	LN3950/05	ABSENT				
AS16/02	0.05	LN3951/05	ABSENT				
AS16/02	0.15	LN3952/05	ABSENT				
AS16/02	0.30	LN3953/05	ABSENT				
AS16/03	0.05	LN3954/05	ABSENT				
AS16/03	0.15	LN3955/05	ABSENT				
AS16/03	0.30	LN3956/05	ABSENT				
AS16/04	0.05	LN3957/05	ABSENT				
AS16/04	0.15	LN3958/05	ABSENT				
AS16/04	0.30	LN3959/05	ABSENT				
AS16/05	0.05	LN3960/05	ABSENT				
AS16/05	0.15	LN3961/05	ABSENT				
AS16/05	0.30	LN3962/05	ABSENT				
AS16/06	0.05	LN3963/05	ABSENT				
AS16/06	0.15	LN3964/05	ABSENT				
AS16/06	0.30	LN3965/05	ABSENT				
AS16/07	0.05	LN3966/05	ABSENT				
AS16/07	0.15	LN3967/05	ABSENT				
AS16/07	0.30	LN3968/05	ABSENT				
AS16/08	0.05	LN3969/05	ABSENT				
AS16/08	0.15	LN3970/05	ABSENT				
AS16/08	0.30	LN3971/05	ABSENT				
AS16/09	0.05	LN3972/05	ABSENT				
AS16/09	0.15	LN3973/05	ABSENT				
AS16/09	0.30	LN3974/05	ABSENT				
AS16/10	0.05	LN3975/05	ABSENT				
AS16/10	0.15	LN3976/05	ABSENT				
AS16/10	0.30	LN3977/05	ABSENT				
AS16/11	0.05	LN3978/05	PRESENT	Chrysotile			Insulation
AS16/11	0.15	LN3979/05	ABSENT				
AS16/11	0.30	LN3980/05	ABSENT				
AS16/12	0.05	LN3981/05	ABSENT				
AS16/12	0.15	LN3982/05	ABSENT				
AS16/12	0.30	LN3983/05	ABSENT				

Sample Reference	Depth (m)	Laboratory Reference	Asbestos	Asbestos Type 1	Asbestos Type 2	Asbestos Type 3	Asbestos Description
AS16/13	0.05	LN3984/05	ABSENT				
AS16/13	0.15	LN3985/05	ABSENT				
AS16/13	0.30	LN3986/05	ABSENT				
AS16/14	0.05	LN3987/05	ABSENT				
AS16/14	0.15	LN3988/05	ABSENT				
AS16/14	0.30	LN3989/05	ABSENT				
AS16/15	0.05	LN3990/05	ABSENT				
AS16/15	0.15	LN3991/05	ABSENT				
AS16/15	0.30	LN3992/05	ABSENT				
AS16/16	0.05	LN3993/05	ABSENT				
AS16/16	0.15	LN3994/05	ABSENT				
AS16/16	0.30	LN3995/05	ABSENT				
AS16/17	0.05	LN3996/05	ABSENT				
AS16/17	0.15	LN3997/05	ABSENT				
AS16/17	0.30	LN3998/05	ABSENT				
AS16/18	0.05	LN3999/05	ABSENT				
AS16/18	0.15	LN4000/05	ABSENT				
AS16/18	0.30	LN4001/05	ABSENT				
AS16/19	0.05	LN4002/05	ABSENT				
AS16/19	0.15	LN4003/05	ABSENT				
AS16/19	0.30	LN4004/05	ABSENT				
AS16/20	0.05	LN4005/05	ABSENT				
AS16/20	0.15	LN4006/05	ABSENT				
AS16/20	0.30	LN4007/05	ABSENT				
AS16/21	0.05	LN4008/05	ABSENT				
AS16/21	0.15	LN4009/05	ABSENT				
AS16/21	0.30	LN4010/05	ABSENT				