



2139



Derwentside Environmental Testing Services

Certificate of Analysis

Certificate Number : 05-00802

Client Reference: CONO52068 **Date of issue:** 27/07/2005
Our Reference: 05-00802
Clients Name: Fugro Engineering Services Ltd
Clients Address: Unit 43
Number One Industrial Estate
Medomsley Road
Consett
DH8 5HG

Contract Title: Bishopton
Description: 10 soil samples
Date Received: 13/07/2005
Date Commenced: 13/07/2005
Date Completed: 27/07/2005

Notes: Test procedures are identified by prefix DETSn (details available upon request)
Observations and Interpretations are outside the UKAS Accreditation
* Denotes test not included in laboratory scope of accreditation
\$ Denotes test carried out by approved subcontractor

Approved By:

Richard Bennett

Rob Brown

Director

Laboratory Manager

Page: 1 of 2

This certificate is issued in accordance with the accreditation requirements of the United Kingdom Accreditation Service. The results reported herein relate only to the material supplied to the laboratory. This certificate shall not be reproduced except in full, without the prior written approval of the laboratory.

Derwentside Environmental Testing Services Limited.
Unit 2a/2b, Park Road Industrial Estate South, Consett, Co Durham. DH8 5PY
Tel: 01207 582333 • Fax: 01207 582444 • Email: info@dets.co.uk • www.dets.co.uk

Registered in England No. 370 5645 • VAT No. 708 978 678

Client Reference CONO52068
Laboratory Reference 05-00802

Bishopton

Summary of Chemical Analysis

Borehole or Trial Pit	Depth	Sample No	Sample Type	Lab Ref No	DETS 002 Organic matter %
TP1057	0.10	LN2395	Soil	6021	21.0
TP1058	0.30	LN2397	Soil	6022	3.4
TP1062	0.30	LN2405	Soil	6023	1.6
TP1067	0.40	LN2413	Soil	6024	1.4
TP1069	0.70	LN2416	Soil	6025	1.9
TP1078	0.50	LN2425	Soil	6026	1.7
TP1086	0.10	LN2439	Soil	6027	1.0
TP1091	0.10	LN2443	Soil	6028	6.5
TP1097	0.30	LN2453	Soil	6029	7.4
TP1101	2.80	LN2458	Soil	6030	2.0



2139



Certificate of Analysis

Certificate Number : 05-00802

Client Reference: CONO52068 **Date of issue:** 27/07/2005
Our Reference: 05-00802
Clients Name: Fugro Engineering Services Ltd
Clients Address: Unit 43
Number One Industrial Estate
Medomsley Road
Consett
DH8 5HG

Contract Title: Bishopton
Description: 10 soil samples
Date Received: 13/07/2005
Date Commenced: 13/07/2005
Date Completed: 27/07/2005

Notes: Test procedures are identified by prefix DETSn (details available upon request)
Observations and Interpretations are outside the UKAS Accreditation
* Denotes test not included in laboratory scope of accreditation
\$ Denotes test carried out by approved subcontractor

Approved By:

Richard Bennett

Director

Rob Brown

Laboratory Manager

Page: 1 of 2

This certificate is issued in accordance with the accreditation requirements of the United Kingdom Accreditation Service. The results reported herein relate only to the material supplied to the laboratory. This certificate shall not be reproduced except in full, without the prior written approval of the laboratory.

Derwentside Environmental Testing Services Limited.
Unit 2a/2b, Park Road Industrial Estate South, Consett, Co Durham. DH8 5PY
Tel: 01207 582333 • Fax: 01207 582444 • Email: info@dets.co.uk • www.dets.co.uk

Registered in England No. 370 5645 • VAT No. 708 978 678

Client Reference CONO52068
Laboratory Reference 05-00802

Bishopton

Summary of Chemical Analysis

Borehole or Trial Pit	Depth	Sample No	Sample Type	Lab Ref No	DETS 002 Organic matter %
TP1057	0.10	LN2395	Soil	6021	21.0
TP1058	0.30	LN2397	Soil	6022	3.4
TP1062	0.30	LN2405	Soil	6023	1.6
TP1067	0.40	LN2413	Soil	6024	1.4
TP1069	0.70	LN2416	Soil	6025	1.9
TP1078	0.50	LN2425	Soil	6026	1.7
TP1086	0.10	LN2439	Soil	6027	1.0
TP1091	0.10	LN2443	Soil	6028	6.5
TP1097	0.30	LN2453	Soil	6029	7.4
TP1101	2.80	LN2458	Soil	6030	2.0



2139



Certificate of Analysis

Certificate Number : 05-00971

Client Reference: CON052068 **Date of issue:** 02/08/2005
Our Reference: 05-00971
Clients Name: Fugro Engineering Services Ltd
Clients Address: Unit 43
Number One Industrial Estate
Medomsley Road
Consett
DH8 5HG

Contract Title: Bishopton
Description: 5 soil samples
Date Received: 26/07/2005
Date Commenced: 26/07/2005
Date Completed: 02/08/2005

Notes: Test procedures are identified by prefix DETSn (details available upon request)
Observations and Interpretations are outside the UKAS Accreditation
* Denotes test not included in laboratory scope of accreditation
\$ Denotes test carried out by approved subcontractor

Approved By:

Richard Bennett

Rob Brown

Director

Laboratory Manager

Page: 1 of 2

This certificate is issued in accordance with the accreditation requirements of the United Kingdom Accreditation Service. The results reported herein relate only to the material supplied to the laboratory. This certificate shall not be reproduced except in full, without the prior written approval of the laboratory.

Derwentside Environmental Testing Services Limited.
Unit 2a/2b, Park Road Industrial Estate South, Consett, Co Durham. DH8 5PY
Tel: 01207 582333 • Fax: 01207 582444 • Email: info@dets.co.uk • www.dets.co.uk

Registered in England No. 370 5645 • VAT No. 708 978 678

Client Reference CON052068
Laboratory Reference 05-00971

Bishopton

Summary of Chemical Analysis

Borehole or Trial Pit	Depth	Sample No	Sample Type	Lab Ref No	DETS 002 Organic matter %
TP1081			Soil	7148	21.0
TP1088			Soil	7149	2.6
TP1099			Soil	7150	1.5
TP1112			Soil	7151	2.1
TP1117			Soil	7152	2.2



2139



Certificate of Analysis

Certificate Number : 05-00971

Client Reference: CON052068 **Date of issue:** 02/08/2005
Our Reference: 05-00971
Clients Name: Fugro Engineering Services Ltd
Clients Address: Unit 43
Number One Industrial Estate
Medomsley Road
Consett
DH8 5HG

Contract Title: Bishopton
Description: 5 soil samples
Date Received: 26/07/2005
Date Commenced: 26/07/2005
Date Completed: 02/08/2005

Notes: Test procedures are identified by prefix DETSn (details available upon request)
Observations and Interpretations are outside the UKAS Accreditation
* Denotes test not included in laboratory scope of accreditation
\$ Denotes test carried out by approved subcontractor

Approved By:

Richard Bennett

Rob Brown

Director

Laboratory Manager

Page: 1 of 2

This certificate is issued in accordance with the accreditation requirements of the United Kingdom Accreditation Service. The results reported herein relate only to the material supplied to the laboratory. This certificate shall not be reproduced except in full, without the prior written approval of the laboratory.

Derwentside Environmental Testing Services Limited.
Unit 2a/2b, Park Road Industrial Estate South, Consett, Co Durham. DH8 5PY
Tel: 01207 582333 • Fax: 01207 582444 • Email: info@dets.co.uk • www.dets.co.uk

Registered in England No. 370 5645 • VAT No. 708 978 678

Client Reference CON052068
Laboratory Reference 05-00971

Bishopton

Summary of Chemical Analysis

Borehole or Trial Pit	Depth	Sample No	Sample Type	Lab Ref No	DETS 002 Organic matter %
TP1081			Soil	7148	21.0
TP1088			Soil	7149	2.6
TP1099			Soil	7150	1.5
TP1112			Soil	7151	2.1
TP1117			Soil	7152	2.2



2139



Certificate of Analysis

Certificate Number : 05-01013

Client Reference: CON052068 **Date of issue:** 05/08/2005
Our Reference: 05-01013
Clients Name: Fugro Engineering Services Ltd
Clients Address: Unit 43
Number One Industrial Estate
Medomsley Road
Consett
DH8 5HG

Contract Title: Bishopton
Description: 6 soil samples
Date Received: 29/07/2005
Date Commenced: 29/07/2005
Date Completed: 05/08/2005

Notes: Test procedures are identified by prefix DETSn (details available upon request)
Observations and Interpretations are outside the UKAS Accreditation
* Denotes test not included in laboratory scope of accreditation
\$ Denotes test carried out by approved subcontractor

Approved By:

Richard Bennett

Rob Brown

Director

Laboratory Manager

Page: 1 of 2

This certificate is issued in accordance with the accreditation requirements of the United Kingdom Accreditation Service. The results reported herein relate only to the material supplied to the laboratory. This certificate shall not be reproduced except in full, without the prior written approval of the laboratory.

Client Reference CON052068
Laboratory Reference 05-01013

Bishopton

Summary of Chemical Analysis

Borehole or Trial Pit	Depth	Sample No	Sample Type	Lab Ref No	DETS 002 Organic matter %
HA1313	0.00		Soil	7403	6.9
HA1471	0.00		Soil	7404	1.4
TP1121	0.30		Soil	7405	3.5
TP1442	0.30		Soil	7406	2.3
TP1446	0.30		Soil	7407	4.0
TP1448	0.30		Soil	7408	4.3



2139



Certificate of Analysis

Certificate Number : 05-01013

Client Reference: CON052068 **Date of issue:** 05/08/2005
Our Reference: 05-01013
Clients Name: Fugro Engineering Services Ltd
Clients Address: Unit 43
Number One Industrial Estate
Medomsley Road
Consett
DH8 5HG

Contract Title: Bishopton
Description: 6 soil samples
Date Received: 29/07/2005
Date Commenced: 29/07/2005
Date Completed: 05/08/2005

Notes: Test procedures are identified by prefix DETSn (details available upon request)
Observations and Interpretations are outside the UKAS Accreditation
* Denotes test not included in laboratory scope of accreditation
\$ Denotes test carried out by approved subcontractor

Approved By:

Richard Bennett

Rob Brown

Director

Laboratory Manager

Page: 1 of 2

This certificate is issued in accordance with the accreditation requirements of the United Kingdom Accreditation Service. The results reported herein relate only to the material supplied to the laboratory. This certificate shall not be reproduced except in full, without the prior written approval of the laboratory.

Derwentside Environmental Testing Services Limited.
Unit 2a/2b, Park Road Industrial Estate South, Consett, Co Durham. DH8 5PY
Tel: 01207 582333 • Fax: 01207 582444 • Email: info@dets.co.uk • www.dets.co.uk

Registered in England No. 370 5645 • VAT No. 708 978 678

Client Reference CON052068
Laboratory Reference 05-01013

Bishopton

Summary of Chemical Analysis

Borehole or Trial Pit	Depth	Sample No	Sample Type	Lab Ref No	DETS 002 Organic matter %
HA1313	0.00		Soil	7403	6.9
HA1471	0.00		Soil	7404	1.4
TP1121	0.30		Soil	7405	3.5
TP1442	0.30		Soil	7406	2.3
TP1446	0.30		Soil	7407	4.0
TP1448	0.30		Soil	7408	4.3



2139



Certificate of Analysis

Certificate Number : 05-01132

Client Reference: CON052068 **Date of issue:** 15/08/2005

Our Reference: 05-01132

Clients Name: Fugro Engineering Services Ltd
Unit 43

Clients Address: Number One Industrial Estate
Medomsley Road
Consett
DH8 5HG

Contract Title: Bishopton

Description: 8 soil samples

Date Received: 05/08/2005

Date Commenced: 05/08/2005

Date Completed: 15/08/2005

Notes: Test procedures are identified by prefix DETSn (details available upon request)
Observations and Interpretations are outside the UKAS Accreditation
* Denotes test not included in laboratory scope of accreditation
\$ Denotes test carried out by approved subcontractor

Approved By:

Richard Bennett

Rob Brown

Director

Laboratory Manager

Page: 1 of 2

This certificate is issued in accordance with the accreditation requirements of the United Kingdom Accreditation Service. The results reported herein relate only to the material supplied to the laboratory. This certificate shall not be reproduced except in full, without the prior written approval of the laboratory.

Client Reference CON052068
 Laboratory Reference 05-01132

Bishopston

Summary of Chemical Analysis

Borehole or Trial Pit	Depth	Sample No	Sample Type	Lab Ref No	DETS 003 Loss on ignition %	DETS 002 Organic matter %
HA1475	0.30		Soil	8234	82.0	> 25.0
TP1028	0.10		Soil	8235	-----	9.7
TP1129	0.90		Soil	8236	-----	1.3
TP1316	0.50		Soil	8237	-----	0.1
TP1337	0.30		Soil	8238	-----	5.5
TP1339	0.30		Soil	8239	-----	0.6
TP1354	1.00		Soil	8240	95.0	> 25.0
TP1376	0.35		Soil	8241	-----	3.9



2139



Derwentside Environmental Testing Services

Interim Report of Analysis

Certificate Number : 05-01201

Client Reference: CON052068 **Date of issue:** 25/08/2005
Our Reference: 05-01201
Clients Name: Fugro Engineering Services Ltd
Clients Address: Unit 43
Number One Industrial Estate
Medomsley Road
Consett
DH8 5HG

Contract Title: Bishopton
Description: 6 soil samples
Date Received: 11/08/2005
Date Commenced: 11/08/2005
Date Completed: 22/08/2005

Notes: Test procedures are identified by prefix DETSn (details available upon request)
Observations and Interpretations are outside the UKAS Accreditation
* Denotes test not included in laboratory scope of accreditation
\$ Denotes test carried out by approved subcontractor

Approved By:

Rob Brown
Laboratory/Technical Manager

Page: 1 of 2

This certificate is issued in accordance with the accreditation requirements of the United Kingdom Accreditation Service. The results reported herein relate only to the material supplied to the laboratory. This certificate shall not be reproduced except in full, without the prior written approval of the laboratory.

Derwentside Environmental Testing Services Limited

Unit 2a/2b, Park road Industrial Estate, Consett, Co Durham, DH8 5PY

Tel: 01207 582333 Fax: 01207 582444 EMail: info@dets.co.uk www.dets.co.uk

Registered in England No. 370 5645 VAT No 708 978 678

Client Reference CON052068
Laboratory Reference 05-01201

Bishopton

Summary of Chemical Analysis

Forehole or Trial Pit	Depth	Sample No	Sample Type	Lab Ref No	DETS 002 Organic matter %
TP1177	0.30		Soil	8665	4.0
TP1192	0.60		Soil	8666	3.7
TP1216	0.30		Soil	8667	1.8
TP1217	0.50		Soil	8668	1.3
TP1226	0.25		Soil	8669	3.0
TP1230	0.10		Soil	8670	8.1



2139



Derwentside Environmental Testing Services

Interim Report of Analysis

Certificate Number : 05-01707_M01

Client Reference: CON052068 **Date of issue:** 05/10/2005
Our Reference: 05-01707
Clients Name: Fugro Engineering Services Ltd
Clients Address: Unit 43
Number One Industrial Estate
Medomsley Road
Consett
DH8 5HG

Contract Title: Bishopton
Description: 19 soil samples
Date Received: 16/09/2005
Date Commenced: 16/09/2005
Date Completed: 04/10/2005

Notes: Test procedures are identified by prefix DETSn (details available upon request)
Observations and Interpretations are outside the UKAS Accreditation
* Denotes test not included in laboratory scope of accreditation
\$ Denotes test carried out by approved subcontractor

Approved By:

Rob Brown
Business Manager

Page: 1 of 2

This certificate is issued in accordance with the accreditation requirements of the United Kingdom Accreditation Service. The results reported herein relate only to the material supplied to the laboratory. This certificate shall not be reproduced except in full, without the prior written approval of the laboratory.

Client Reference CON052068
 Laboratory Reference 05-01707

Bishopton

Summary of Chemical Analysis

Borehole or Trial Pit	Depth	Sample No	Sample Type	Lab Ref No	DETS 003 Loss on ignition %	DETS 002 Organic matter %
TP1002	0.10		Soil	11655	---	3.3
TP1009	0.30		Soil	11656	---	1.5
TP1017	0.20		Soil	11657	---	3.0
TP1023	0.20		Soil	11658	---	2.0
TP1044	0.10		Soil	11659	---	7.2
TP1052	0.30		Soil	11660	---	4.4
TP1400	0.30		Soil	11661	---	1.3
TP1414	0.30		Soil	11662	---	12
TP1498	0.30		Soil	11663	---	16
HA1388	0.00-0.20		Soil	11664	96	> 25
TP1053	1.30		Soil	11665	---	4.0
TP1255	0.50		Soil	11666	90	> 25
TP1257	0.50		Soil	11667	---	8.3
TP1470	0.50		Soil	11668	89	> 25
HA1507	0.00-0.20		Soil	11669	---	5.0
HA1526	0.30-0.50		Soil	11670	94	> 25
HA1527	0.00-0.20		Soil	11671	---	11
HA1522	0.00-0.20		Soil	11672	26	> 25
HA1639	0.00-0.20		Soil	11673	---	1.5