

Sample Reference	date	CH ₄	CO ₂	O ₂	Baro. press.	Rel. press.	Flow	CO	H2S	GW	Base	Column	Solids	Recharge	temp	cond	pH
		(% v/v)	(% v/v)	(% v/v)	(mbar)	(mbar)	(l/hr)	ppm	ppm	m.bgl	m.bgl	m	content		C	uS/cm	
ASPA	31-Aug-05	—	—	—	—	—	—	—	—	—	—	6.4	Low		10.8	2062	7.2
ASPC	31-Aug-05	—	—	—	—	—	—	—	—	—	—	4.15	Low		10.5	2319	7.6
ASPD	18-Aug-05	—	—	—	—	—	—	—	—	1.33	9.15	8	Med		10.7	896	6.7
BH1027	01-Sep-05	0	0	20.3	1007	+ 1.8	0.2	0	0	1.8	8.8	7	Low		11.2	473	7.5
BH1027	22-Sep-05	0	0	20.4	1009	-0.42	0	0	0	1.94	8.79	6.85	Low		10.3	474	7.3
BH1046	08-Sep-05	0	0.1	20.1	1004	+ 0.38	0.5	0	0	0.7	9.8	9.1	Med		10.6	1186	8.1
BH1046	04-Oct-05	0	0	20.4	1021	- 0.12	0	0	0	0.6	9.98	9.4	V. Low		10.5	962	5.9
BH1050	28-Sep-05	0	0.5	19.9	996	-0.02	0	0	0	1.3	1.72	—	—	dry, no samples			
BH1074D	23-Aug-05	0	0.6	19.6	1012	+ 1.27	0.1 (pk 5.3)	0	0	0.93	4.13	3.2	High		13.4	536	6
BH1074D	20-Sep-05	0	0.1	20.4	1009	- 6.66	0.1 (pk 0.4)	0	0	0.87	4.04	3.17	High		12.4	476	7.6
BH1074S	23-Aug-05	0	0.2	20.3	1012	+ 1.27	-0.1 (pk -0.4)	0	0	0.85	11.9	11.05	Low		12.6	468	6.5
BH1074S	20-Sep-05	0	0.1	20.4	1009	+ 0.58	0	0	0	0.8	11.68	10.88	Low		10.8	458	7.4
BH1089	23-Aug-05	0	1.5	19.5	1014	-0.84	0 (pk 0.1)	0 (pk 1)	—	2.43	5.66	3.23	High		10.7	705	7
BH1089	22-Sep-05	0	2.8	18.5	1014	- 0.19	0 (pk 0.2)	0	0	2.39	5.61	3.22	High		11.8	656	7.5
BH1108	08-Sep-05	0	0	20.3	1004	- 0.91	1.3	0	0	0.6	2.6	2	Low		14.5	1328	7.4
BH1108	22-Sep-05	0	0	18.4	1016	- 0.42	0	0	0	0.84	2.85	2	V. high		13.5	1256	7.6
BH1134	01-Sep-05	0	0.1	20.1	1007	- 0.8	0 (pk 1.7)	0	0	0.9	4.3	3.4	Med		13.5	675	7.4
BH1134	22-Sep-05	0	0.1	20.2	1010	+ 1.07	0 (pk 0.3)	0	0	0.85	4.71	3.86	High		12.7	875	7.1
BH1167	01-Sep-05	0	0	20.4	1004	+ 0.06	0	0	0	1.21	4.5	3.3	High		13.5	1413	9.9
BH1167	28-Sep-05	0	0	20.2	995	- 0.11	0	0	0	1.08	4.5	3.42	High		13	1211	9.6
BH1194D	25-Aug-05	0	0.1	20.1	991	- 0.42	-0.1	0	0	0.83	8.76	7.93	Med		11.4	797	7.5
BH1194D	20-Sep-05	0	0	20.4	1009	-0.85	0	0	0	0.83	8.44	7.61	Med		11.2	731	7.4
BH1194S	25-Aug-05	0	0.2	20	991	-0.42	0	0	0	0.48	14.3	13.8	High		12	700	7.8
BH1194S	20-Sep-05	0	0.1	20.5	1009	+ 0.65	0	0	0	0.5	14.15	13.65	High		11.3	881	7.6
BH1219	25-Aug-05	0	0.1	20.4	989	+ 0.06	0	0	0	1.4	4.22	2.82	High		13	1275	6.8
BH1219	22-Sep-05	0	0.1	20.3	1011	+ 0.84	0 (pk 0.3)	0	0	1.52	4.29	2.77	High		12.3	1080	6.9
BH1231	23-Aug-05	0	0.1	20.2	1013	- 0.44	0.1 (pk 1.1)	0	0	1.92	10.2	8.28	Med		12.3	1849	7.1
BH1231	22-Sep-05	0	0.1	20.4	1015	+ 0.97	0	0	0	1.52	9.89	8.23	Med		12.1	799	7.5
BH1242	25-Aug-05	0	0.1	20.4	989	+ 1.64	0 (pk -0.1)	0	0	1.06	4.28	3.22	Med		11.6	849	6.4
BH1242	22-Sep-05	0	0.1	20.4	1012	+ 1.32	0	0	0	1.02	4.78	3.76	Low		12.2	883	6.5
BH1258	30-Aug-05	0 (pk 0.1)	0	20.3	1014	+ 0.71	0	0 (pk 2)	0	0.92	7.3	6.38	Med		11.4	1430	6.7
BH1258	29-Sep-05	0.9	0.3	20.1	993	+ 0.52	0 (pk 0.3)	0	0	1.03	7.15	6.12	Med		10.1	1385	7
BH1271	30-Aug-05	0	0.2	20.3	1015	- 0.39	0	0	0	0.48	6.62	6.14	High		10.3	5200	7
BH1271	29-Sep-05	0	0.1	20.3	993	+ 1.21	-1 (pk -1.8)	0 (pk 1)	0	0.26	6.43	6.17	Med		9.8	4910	7.2
BH1297	01-Sep-05	0	0.1	20.3	1005	+ 1.22	0	0	0	1.08	3.97	2.9	Med		12.1	2311	7.6
BH1297	28-Sep-05	0	0.1	20.2	996	+ 0.29	0	0	0	0.64	3.88	3.24	Low		11.9	2123	8.4
BH1306	25-Aug-05	0	0.2	20.4	989	+ 2.09	0.1 (pk 0.5)	0	0	0.8	4.59	3.8	Med		12	1046	6
BH1306	22-Sep-05	0	0.1	20.5	1012	+ 0.42	-0.1	0	0	1.44	4.58	3.14	Low		12.3	1031	5.9
BH1349	01-Sep-05	0	0	20.1	1008	- 0.7	0	0	0	0.9	4.4	3.5	High		13.3	873	7.3
BH1349	22-Sep-05	0	0.1	20.3	1009	+ 0.28	0 (pk 0.1)	0	0	1.1	4.51	3.14	Low		12.5	937	7.4
BH1366	31-Aug-05	0.1	0.2	19.9	1016	- 0.67	0.2	0	0	1.4	4.4	3	Med		14.4	540	7.2
BH1366	28-Sep-05	0	0.1	20.2	994	+ 1.11	0	0	0	0.81	4.3	3.5	High		12.4	577	6.8
BH1375	31-Aug-05	0	0	20.2	1016	+ 0.47	0	0	0	0.7	6.7	6	Med		14.7	974	8.2
BH1375	28-Sep-05	0	0	20.5	994	- 0.16	0	0	0	0.32	7.36	7.04	V. High		10.5	905	6.9

Sample Reference	date	CH ₄	CO ₂	O ₂	Baro. press.	Rel. press.	Flow	CO	H2S	GW	Base	Column	Solids	Recharge	temp	cond	pH
		(% v/v)	(% v/v)	(% v/v)	(mbar)	(mbar)	(l/hr)	ppm	ppm	m.bgl	m.bgl	m	content		C	uS/cm	
BH1412	01-Sep-05	0	0	20.2	1005	- 0.94	0 (pk 0.7)	0	0	1.8	4.3	2.5	High		13.2	405	7.6
BH1412	28-Sep-05	0	0.1	20.5	994	+ 0.84	0 (pk 0.5)	0	0	1.38	4.38	3	High		11.6	340	7
BH1429	01-Sep-05	0	0	20	1006	- 7.4	0	0	0	1.3	4.9	3.6	High		12	940	7.1
BH1429	29-Sep-05	0	0.1	20.4	995	+ 1.27	0	0	0	1.3	5.02	3.7	High		10	979	5.9
BH1430	31-Aug-05	0	0.1	20.3	1016	- 0.38	0	0	0	0.3	3.7	3.4	High		13.6	1409	7.5
BH1430	28-Sep-05	0.1	0.4	20.2	994	+ 1.46	0	0	0	0.57	3.72	3.15	High		12.4	609	6.5
BH1445	23-Aug-05	0	0	20.4	1014	-0.55	0.4 (pk 3.9)	0 (pk 4)	0	1.74	5.59	3.85	High		14.2	557	7.3
BH1445	22-Sep-05	0.1	0.2	20	1015	+ 0.75	0 (pk 0.3)	0	0	1.67	4.48	2.81	High		13.2	504	7.7
BH1451	23-Aug-05	0	0.1	20.4	1012	+ 0.63	0 (pk 0.8)	0	0	1.43	8.45	7.02	High		11.7	635	5.5
BH1451	20-Sep-05	0	0.1	20.4	1010	+ 1.69	0	0	0	1.28	8.45	7.17	High		11.8	620	6.4
BH1455	23-Aug-05	0	0.5	19.7	1012	- 0.23	0.1 (pk 0.3)	0	0	1.23	4.79	3.56	Med		14.1	1243	6.5
BH1455	20-Sep-05	0	0.1	20.4	1010	- 0.1	0.1	0	0	1.09	4.78	3.69	Med		12.2	1146	6.6
BH1495	18-Aug-05	0.4	0	20.5	1015	+ 1.34	0	0	0	1.65	5.15	3.5	Med		12.1	587	7.6
BH1495	22-Sep-05	0	0.2	20.2	1010	+ 0.93	0	0	0	1.22	4.79	3.57	High		12.1	616	7.2
BH1504	30-Aug-05	0 (pk 1.9)	0.6	19.7	1012	+ 2.21	0.2	0	0	2.11	4.31	2.2	High		too silty	too silty	too silty
BH1504	28-Sep-05	0	1.1	19.5	998	1.38	0 (pk 0.9)	0	0	1.03	4.38	3.35	High		12.7	1456	7.3
BH1505	30-Aug-05	0	0	20.4	1010	+ 1.68	0	0	0	0.72	3.78	3.06	High		14	too silty	7.4
BH1505	28-Sep-05	0	0.1	20.4	998	1.4	0	0	0	0.47	3.63	3.16	High		12.9	1190	6.9
BH1528	08-Sep-05	0	2.4	17.6	1001	- 1.2	0	0	0	2.1	3.6	1.5	Med		12.9	317	7.9
BH1528	04-Oct-05	0	2.7	17.4	1018	- 0.02	0	1	0	1.65	3.7	2.05	High		12.3	312	5.3
BH1530	18-Aug-05	0.4	0.5	18.9	1014	+ 0.03	0	0	0	1.3	10	8.7	Med		11.8	330	8.1
BH1530	22-Sep-05	0	0.5	18.8	1009	+ 0.81	0	0	0	0.88	9.58	8.7	Med		11	334	7.9
BH1531	18-Aug-05	0.4	0.2	20	1012	+ 0.26	0	1	0	6.82	15.6	8.78	Low		10.8	637	7.5
BH1531	22-Sep-05	0	0.2	20.3	1006	-0.26	0	0	0	1.8	15.1	13.3	V Low		10.6	626	7.5
BH1532	25-Aug-05	0	0.1	20.5	989	+ 2.49	0	0	0	0.51	4.75	4.24	Med		11.2	1930	6.8
BH1532	22-Sep-05	0	0	20.4	1011	+ 1.24	0	0	0	0.66	5.04	4.38	Med		11.7	2126	6.8
BH1621D	23-Aug-05	0	0.2	19.6	1014	- 0.74	0 (pk 0.3)	0 (pk 0.3)	0 (pk 1)	1.63	5.45	3.82	Med		12.9	2302	7
BH1621D	20-Sep-05	0	0.5	20.1	1010	- 0.02	-0.1 (pk 2.5)	0	0	1.1	1.47	4	Med		12.5	1628	7
BH1621S	23-Aug-05	0	0.2	19.7	1014	-0.74	0 (pk 0.1)	0	0	1.67	13.82	12.15	High		12.9	9120	6.8
BH1621S	20-Sep-05	0	0.1	20.3	1010	- 0.02	0	0	0	5.12	13.67	12.2	Med		11.3	8860	6.8
BH1622	25-Aug-05	0	0	20.5	989	+ 0.39	0	0	0	0.86	9.3	8.44	Low		10.3	537	7.2
BH1622	22-Sep-05	0	0	20.4	1011	- 0.13	0	0	0	0.9	9.28	8.38	Low		10.3	501	7.4
BH1623	25-Aug-05	0	0	20.3	992	0.18	0	0	0	0.92	4.6	3.68	Low		12.8	402	7.6
BH1623	29-Sep-05	0	0.1	20.4	994	+ 0.08	0.2 (pk 0.6)	0	0	0.35	4.5	4.15	High		11.6	533	6.7
BH1624	30-Aug-05	0	0	20.4	1012	+ 0.43	0	0	0	1.49	4.1	2.6	Med		12.5	7490	5.8
BH1624	28-Sep-05	0	0.1	20.4	998	+ 1.26	0	0	0	1.17	4.09	2.92	Med		12.1	898	7.9
ESGA	11-Aug-05	6.4	6	3.6	1012	- 0.07	0.5 (pk 1.0)	0	0	1.87	10.57	8.7	High		10.4	1610	5.8
ESGB	31-Aug-05	0	0.3	20.2	1016	+ 0.5	0.45	0	0	0.45	8.4	8	High		10.6	1290	7.5
ESGC	31-Aug-05	0	10.2	1.8	1016	+ 0.15	0.03	0	0	0.6	8.9	3.3	Med		10.6	924	7.2
ESGD	11-Aug-05	0.4	4.2	15.9	1011	+ 0.58	0.1	0	0	0.8	3.6	2.8	Med		14.2	241	5.1
ESGF	18-Aug-05	0	0.6	19.8	1010	- 0.22	0	0	0	1.1	9.24	8.14	Med		12.1	575	6.6
ESGH	11-Aug-05	0.4	0.6	18.2	1013	- 0.32	0 (pk 0.1)	1	0	2.08	7.88	5.8	High		14.4	915	7.5
ESGJ	31-Aug-05	0.3	0.7	19.7	1017	+ 0.29	0	0	0	1.2	7.3	6.1	High		11.5	1942	7.4
GT06	30-Aug-05	0	4.8	15.6	1011	+ 0.01	0	0	0	1.54	9.68	8.14	High		too silty	too silty	too silty

Sample Reference	date	CH ₄	CO ₂	O ₂	Baro. press.	Rel. press.	Flow	CO	H2S	GW	Base	Column	Solids	Recharge	temp	cond	pH
		(% v/v)	(% v/v)	(% v/v)	(mbar)	(mbar)	(l/hr)	ppm	ppm	m.bgl	m.bgl	m	content		C	uS/cm	
GT08	08-Sep-05	0	6.1	13.2	1003	+ 0.88	0	0	0	1.7	9.4	7.7	Low		14.1	1248	5
GT10	11-Aug-05	0.4	0.3	20.3	1013	- 29.83	0.4 (pk 1.1)	0 (pk 13)	0	1.03	6.68	7.7	High		10.8	420	6.9
GT13	18-Aug-05	5.9	10.2	4.2	1010	+ 0.47	0 (pk 0.2)	0	0	1.13	9.56	8.43	High		12.4	4570	7.1
GT16	18-Aug-05	0	3	18.2	1011	- 0.15	0 (pk 0.1)	0	0	1.76	8.48	6.72	High		10.8	8.02	7.4
P1	30-Aug-05	0	0	20.5	1015	-0.38	0	0	0	1.4	5.7	4.3	High		11.8	761	6.9
P12	16-Aug-05	0.3	0.1	20.5	1015	+ 0.76	0	0	0	1.74	3.3	1.56	High		12.8	362	6.7
P13	16-Aug-05	0.3	0.1	20.5	1014	+ 0.32	0	0	0	2.3	8.56	5.26	High		10.4	522	7.1
P15	16-Aug-05	0.4	0.1	20.4	1015	0.27	0	0	0	3.34	5.52	2.18	Med		12.7	653	7.6
P18	16-Aug-05	0.3	0.1	20.5	1017	+ 0.24	0.1	0	0	1.59	4.95	3.4	High		13.4	787	7.2
P2	30-Aug-05	0	0.1	20.4	1016	-0.61	0 (pk 0.2)	0	0	2.24	8.53	6.3	Med		11	7860	7.1
P21	11-Aug-05	0.4	0.1	20.4	1009	+ 0.22	0.5	0	0	2.2	3.6	1.4	High		14.6	497	5.8
P22	08-Sep-05	0	0.1	20	1004	- 0.8	0	0	0	1.2	5.8	4.6	Low		15.1	1325	6.2
P23	16-Aug-05	0.3	3.4	17.9	1017	1.76	0	0	0	1.88	2.58	0.7	Med		13.5	222	7.8
P24	16-Aug-05	-	-	-	-	-	-	-	-	1.29	2.3	1	Med		13	293	7.7
P4	16-Aug-05	0.3	0.1	20.5	1017	+ 0.8	0	0	0	1.22	7.09	6	High		10.2	1452	7.6
P6	16-Aug-05	0.3	0.1	20.5	1017	+ 0.6	0 (pk 0.3)	0	0	1.68	6.45	4.77	High		10.5	402	7.5
P8	16-Aug-05	0.4	0.1	20.4	1016	+ 0.59	0	0	0	1.63	4.66	3	Clear		10.5	370	7.2
SW1	08-Sep-05												Med		14.8	237.2	7.6
SW1	04-Oct-05												V Low		11.8	184.4	6.6
SW10	08-Sep-05												Low		13.6	1312	7.3
SW10	29-Sep-05												V Low		13.1	1180	6.6
SW12	08-Sep-05												Low		15.2	473	7.9
SW12	04-Oct-05												V Low		12.9	415	6.6
SW13	25-Aug-05												V Low		17.2	218	6
SW13	04-Oct-05												V Low		12.3	191.6	7.1
SW14	25-Aug-05												V Low		18	213.5	6.5
SW14	04-Oct-05												V Low		13.1	228.7	6.9
SW15	25-Aug-05												V Low		17.7	215.4	5.6
SW15	04-Oct-05												V Low		13.1	212.6	7
SW2	31-Aug-05												None		14	348	7.7
SW2	29-Sep-05												V Low		11.3	256.8	5.5
SW3	08-Sep-05												Low		14.2	359	7.5
SW3	04-Oct-05												V Low		11.7	235.2	6.4
SW4	11-Aug-05												V Low		15.5	413	5.9
SW4	29-Sep-05												V Low		11.3	239.8	6.5
SW5	08-Sep-05												Low		14.9	312	7.6
SW5	29-Sep-05												V Low		11.2	244.2	6.3
SW6	08-Sep-05												Med		15.3	272.4	7.5
SW6	29-Sep-05												V Low		12.2	250.8	6.6

Sample Reference	date	redox	DO2	HMX	RDX	EGDN	Tetryl	NG	TNT	PETN	Picrite	Picric Acid	2,6-DNT	2,4-DNT	CAS Number:
		mV	mg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	
ASPA	31-Aug-05	393	3.53	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	719679
ASPC	31-Aug-05	449	4.13	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	719680
ASPD	18-Aug-05	158	9.93	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	714720
BH1027	01-Sep-05	336	1.3	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	720083
BH1027	22-Sep-05	-8	4.13	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	734299
BH1046	08-Sep-05	414	3.52	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	723598
BH1046	04-Oct-05	435	4.28	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	735781
BH1050	28-Sep-05														
BH1074D	23-Aug-05	524	13.06	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	716493
BH1074D	20-Sep-05	158	16.34	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	734102
BH1074S	23-Aug-05	650	15.4	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	716494
BH1074S	20-Sep-05	247	39.33	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	734103
BH1089	23-Aug-05	354	9.79	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	716495
BH1089	22-Sep-05	570	3.98	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	734303
BH1108	08-Sep-05	311	3.23	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	723600
BH1108	22-Sep-05	216	3.34	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	734305
BH1134	01-Sep-05	603	2.11	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	720082
BH1134	22-Sep-05	283	3.8	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	734300
BH1167	01-Sep-05	225	1.59	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	720086
BH1167	28-Sep-05	-13	4.02	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	734153
BH1194D	25-Aug-05	560	1.85	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	717352
BH1194D	20-Sep-05	186	1.27	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	734104
BH1194S	25-Aug-05	489	1.32	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	717353
BH1194S	20-Sep-05	245	9.9	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	734105
BH1219	25-Aug-05	529	1.7	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	717351
BH1219	22-Sep-05	219	4.06	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	734294
BH1231	23-Aug-05	607	11.2	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	716496
BH1231	22-Sep-05	61	2.59	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	734302
BH1242	25-Aug-05	506	5.05	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	717348
BH1242	22-Sep-05	441	4.86	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	734292
BH1258	30-Aug-05	590	0.19	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	719704
BH1258	29-Sep-05	-35	3.89	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	734244
BH1271	30-Aug-05	554	0	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	719705
BH1271	29-Sep-05	32	3.77	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	734245
BH1297	01-Sep-05	438	4.13	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	720087
BH1297	28-Sep-05	218	4.74	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	734154
BH1306	25-Aug-05	486	3.12	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	717347
BH1306	22-Sep-05	340	4.96	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	734291
BH1349	01-Sep-05	588	3.36	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	720081
BH1349	22-Sep-05	315	3.96	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	734301
BH1366	31-Aug-05	414	2.63	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	719678
BH1366	28-Sep-05	147	3.77	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	734152
BH1375	31-Aug-05	590	1.54	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	719677
BH1375	28-Sep-05	60	5.36	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	734150

Sample Reference	date	redox	DO2	HMX	RDX	EGDN	Tetryl	NG	TNT	PETN	Picrite	Picric Acid	2,6-DNT	2,4-DNT	CAS Number:
		mV	mg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	
BH1412	01-Sep-05	480	3.15	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	720085
BH1412	28-Sep-05	164	4.34	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	734151
BH1429	01-Sep-05	422	1.52	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	720084
BH1429	29-Sep-05	50	4.2	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	734242
BH1430	31-Aug-05	629	1.2	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	719676
BH1430	28-Sep-05	41	6.45	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	734149
BH1445	23-Aug-05	426	9.17	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	716497
BH1445	22-Sep-05	523	4.15	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	734304
BH1451	23-Aug-05	482	11.8	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	716498
BH1451	20-Sep-05	33	2.77	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	734106
BH1455	23-Aug-05	676	11.36	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	716499
BH1455	20-Sep-05	65	5.05	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	734107
BH1495	18-Aug-05	483	—	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	714726
BH1495	22-Sep-05	352	4.49	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	734295
BH1504	30-Aug-05	too silty	too silty	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	719703
BH1504	28-Sep-05	12	3.36	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	734156
BH1505	30-Aug-05	620	too silty	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	719701
BH1505	28-Sep-05	29	3.8	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	734157
BH1528	08-Sep-05	473	5.73	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	723599
BH1528	04-Oct-05	326	5.04	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	735782
BH1530	18-Aug-05	410	—	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	714724
BH1530	22-Sep-05	407	5.01	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	734297
BH1531	18-Aug-05	543	—	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	714725
BH1531	22-Sep-05	424	3.9	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	734298
BH1532	25-Aug-05	503	3.8	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	717349
BH1532	22-Sep-05	452	5.32	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	734293
BH1621D	23-Aug-05	433	10.21	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	716500
BH1621D	20-Sep-05	233	6.21	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	734108
BH1621S	23-Aug-05	372	11.11	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	716501
BH1621S	20-Sep-05	305	82.47	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	734109
BH1622	25-Aug-05	485	0.95	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	717350
BH1622	22-Sep-05	389	3.91	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	734296
BH1623	25-Aug-05	496	5.02	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	717354
BH1623	29-Sep-05	113	5.67	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	734243
BH1624	30-Aug-05	508	2.86	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	719702
BH1624	28-Sep-05	141	4.88	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	734155
ESGA	11-Aug-05	34	—	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	714058
ESGB	31-Aug-05	411	1.31	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	719681
ESGC	31-Aug-05	244	4.3	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	719682
ESGD	11-Aug-05	613	—	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	714059
ESGF	18-Aug-05	539	9.52	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	714721
ESGH	11-Aug-05	185	—	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	714060
ESGJ	31-Aug-05	432	1.43	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	719683
GT06	30-Aug-05	too silty	too silty	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	719706

Sample Reference	date	redox	DO2	HMX	RDX	EGDN	Tetryl	NG	TNT	PETN	Picrite	Picric Acid	2,6-DNT	2,4-DNT	CAS Number:
		mV	mg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	µg/l	
GT08	08-Sep-05	559	1.99	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	723596
GT10	11-Aug-05	-45	—	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	714062
GT13	18-Aug-05	355	4.09	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	714722
GT16	18-Aug-05	283	4.19	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	714723
P1	30-Aug-05	609	0.21	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	719707
P12	16-Aug-05	130	—	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	714052
P13	16-Aug-05	325	—	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	714053
P15	16-Aug-05	406	—	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	714054
P18	16-Aug-05	432	—	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	714055
P2	30-Aug-05	639	1.26	<50	<50	<50	<50	<50	<50	<50	6770	<50	<50	<50	719708
P21	11-Aug-05	520	—	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	714061
P22	08-Sep-05	271	1.65	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	723597
P23	16-Aug-05	410	—	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	714056
P24	16-Aug-05	495	—	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	714057
P4	16-Aug-05	176	—	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	714049
P6	16-Aug-05	324	—	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	714050
P8	16-Aug-05	392	—	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	714051
SW1	08-Sep-05	378	7.75	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	723589
SW1	04-Oct-05	438	8.91	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	735783
SW10	08-Sep-05	615	6.05	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	723594
SW10	29-Sep-05	428	6.5	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	734253
SW12	08-Sep-05	494	6.04	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	723595
SW12	04-Oct-05	438	5.44	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	735784
SW13	25-Aug-05	650	6.6	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	717355
SW13	04-Oct-05	464	6.83	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	735785
SW14	25-Aug-05	587	6.52	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	717356
SW14	04-Oct-05	443	8.25	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	735786
SW15	25-Aug-05	571	7.12	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	717357
SW15	04-Oct-05	433	9.39	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	735787
SW2	31-Aug-05	659	6.17	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	719684
SW2	29-Sep-05	422	7.23	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	734246
SW3	08-Sep-05	463	7.01	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	723590
SW3	04-Oct-05	450	7.69	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	735788
SW4	11-Aug-05	153	—	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	714063
SW4	29-Sep-05	498	7.07	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	734251
SW5	08-Sep-05	472	5.7	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	723591
SW5	29-Sep-05	483	6.4	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	734249
SW6	08-Sep-05	465	4.96	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	723592
SW6	29-Sep-05	530	7.15	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	734252

Sample Reference	date	Arsenic in filtrate as As \$	Arsenic, Total as As \$	Mercury in filtrate as Hg \$	Mercury, total as Hg \$	Aluminium in filtrate as Al \$	Aluminium (Total) \$	Boron in filtrate as B \$	Boron, total as B \$	Barium in filtrate as Ba \$	Barium, Total as Ba \$	Calcium, Total as Ca \$	Calcium in filtrate as Ca \$	Cadmium in filtrate as Cd \$	Cadmium Total as Cd \$	Chromium in Filtrate as Cr \$	Chromium Total as Cr \$
		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
ASPA	31-Aug-05	0.004	N/S	<0.0001	N/S	0.02	N/S	0.858	0.919	0.155	N/S	N/S	133	<0.0005	N/S	<0.005	N/S
ASPC	31-Aug-05	0.0088	N/S	<0.0001	N/S	<0.02	N/S	1.43	1.68	0.198	N/S	N/S	17	<0.0005	N/S	<0.005	N/S
ASPD	18-Aug-05	0.002		0.0002		0.02		0.532		0.339			46	<0.0005		<0.005	
BH1027	01-Sep-05	0.0035		<0.0001		<0.02		<0.3		0.119			69	<0.0005		<0.005	
BH1027	22-Sep-05	<0.001		0.0005		<0.02		<0.3		0.1			59	<0.0005		<0.005	
BH1046	08-Sep-05	<0.001	N/S	<0.0001	N/S	0.093	N/S	<0.3	N/S	0.065	N/S	N/S	61	<0.0005	N/S	<0.005	N/S
BH1046	04-Oct-05	0.0015	N/S	<0.0001	N/S	<0.02	N/S	<0.3	N/S	0.034	N/S	N/S	31	<0.0005	N/S	<0.005	N/S
BH1050	28-Sep-05	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH1074D	23-Aug-05	<0.001		<0.0001		<0.02		<0.3		0.191			80	<0.0005		<0.005	
BH1074D	20-Sep-05	<0.001		<0.0001		0.026		<0.3		0.15			58.3	0.0006		<0.005	
BH1074S	23-Aug-05	<0.001		0.0001		<0.02		<0.3		0.469			68	<0.0005		<0.005	
BH1074S	20-Sep-05	0.001		<0.0001		0.047		<0.3		0.3			48.2	<0.0005		<0.005	
BH1089	23-Aug-05	<0.001		<0.0001		<0.02		<0.3		0.101			116	<0.0005		<0.005	
BH1089	22-Sep-05	<0.001		<0.0001		<0.02		<0.3		0.09			89	0.0007		<0.005	
BH1108	08-Sep-05	<0.001	N/S	<0.0001	N/S	0.051	N/S	<0.3	N/S	0.205	N/S	N/S	103	<0.0005	N/S	<0.005	N/S
BH1108	22-Sep-05	<0.001		<0.0001		<0.02		<0.3		0.32			86	<0.0005		<0.005	
BH1134	01-Sep-05	0.0058		<0.0001		<0.02		0.37		0.258			50	<0.0005		<0.005	
BH1134	22-Sep-05	0.0016		0.0004		<0.02		<0.3		0.26			52	<0.0005		<0.005	
BH1167	01-Sep-05	0.0291		<0.0001		0.16		0.524		0.042			25	<0.0005		<0.005	
BH1167	28-Sep-05	0.0291		<0.0001		0.024		0.534		0.044			22	0.001		<0.005	
BH1194D	25-Aug-05	0.009	N/S	<0.0001	N/S	0.024	N/S	<0.3	N/S	0.273	N/S	N/S	57	<0.0005	N/S	<0.005	N/S
BH1194D	20-Sep-05	0.0077		<0.0001		0.029		<0.3		0.24			66.9	0.0006		<0.005	
BH1194S	25-Aug-05	0.0059	N/S	<0.0001	N/S	<0.02	N/S	<0.3	N/S	0.224	N/S	N/S	52	<0.0005	N/S	<0.005	N/S
BH1194S	20-Sep-05	0.0025		<0.0001		0.025		<0.3		0.17			49.5	<0.0005		<0.005	
BH1219	25-Aug-05	0.0038	N/S	<0.0001	N/S	0.022	N/S	<0.3	N/S	0.304	N/S	N/S	94	<0.0005	N/S	<0.005	N/S
BH1219	22-Sep-05	<0.001		<0.0001		<0.02		<0.3		0.23			90	0.002		<0.005	
BH1231	23-Aug-05	<0.001		<0.0001		<0.02		1.02		0.144			29	<0.0005		<0.005	
BH1231	22-Sep-05	0.0034		0.0001		<0.02		0.56		0.28			34	<0.0005		<0.005	
BH1242	25-Aug-05	0.0041	N/S	<0.0001	N/S	<0.02	N/S	<0.3	N/S	0.147	N/S	N/S	66	<0.0005	N/S	<0.005	N/S
BH1242	22-Sep-05	<0.001		<0.0001		<0.02		<0.3		0.138			68	0.0006		<0.005	
BH1258	30-Aug-05	0.0127		<0.0001		0.026		0.889	1.06	0.686			37	<0.0005		<0.005	
BH1258	29-Sep-05	0.0087	N/S	<0.0001	N/S	0.03	N/S	0.65	N/S	0.47	N/S	N/S	36	0.0007	N/S	<0.005	N/S
BH1271	30-Aug-05	0.0058		<0.0001		<0.02		0.684	0.72	1.35			64	<0.0005		<0.005	
BH1271	29-Sep-05	<0.001	N/S	<0.0001	N/S	<0.02	N/S	<0.3	N/S	0.24	N/S	N/S	34	<0.0005	N/S	<0.005	N/S
BH1297	01-Sep-05	0.0054		0.0001		0.041		0.874		0.148			55	<0.0005		<0.005	
BH1297	28-Sep-05	0.0031		<0.0001		<0.02		0.866		0.122			43	<0.0005		<0.005	
BH1306	25-Aug-05	0.0052	N/S	<0.0001	N/S	0.021	N/S	<0.3	N/S	0.07	N/S	N/S	35	<0.0005	N/S	<0.005	N/S
BH1306	22-Sep-05	0.002		<0.0001		<0.02		0.404		0.096			52	<0.0005		<0.005	
BH1349	01-Sep-05	0.0051		<0.0001		5960		0.552		0.326			97	0.0008		0.013	
BH1349	22-Sep-05	<0.001		<0.0001		<0.02		<0.3		0.33			91	<0.0005		<0.005	
BH1366	31-Aug-05	0.0038	N/S	<0.0001	N/S	0.057	N/S	<0.3	<0.3	0.409	N/S	N/S	71	<0.0005	N/S	<0.005	N/S
BH1366	28-Sep-05	<0.001		<0.0001		<0.02		<0.3		0.296			75	0.0007		<0.005	
BH1375	31-Aug-05	0.0121	N/S	0.0002	N/S	0.03	N/S	0.571	0.673	0.226	N/S	N/S	19	<0.0005	N/S	<0.005	N/S
BH1375	28-Sep-05	0.0104		<0.0001		<0.02		0.499		0.207			18	0.0006		<0.005	

Sample Reference	date	Arsenic in filtrate as As \$	Arsenic, Total as As \$	Mercury in filtrate as Hg \$	Mercury, total as Hg \$	Aluminium in filtrate as Al \$	Aluminium (Total) \$	Boron in filtrate as B \$	Boron, total as B \$	Barium in filtrate as Ba \$	Barium, Total as Ba \$	Calcium, Total as Ca \$	Calcium in filtrate as Ca \$	Cadmium in filtrate as Cd \$	Cadmium Total as Cd \$	Chromium in Filtrate as Cr \$	Chromium Total as Cr \$
		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
BH1412	01-Sep-05	0.0034		<0.0001		<0.02		<0.3		0.117			48	<0.0005		<0.005	
BH1412	28-Sep-05	<0.001		<0.0001		<0.02		<0.3		0.095			35	0.0007		<0.005	
BH1429	01-Sep-05	0.0068		<0.0001		0.021		0.48		0.222			45	<0.0005		<0.005	
BH1429	29-Sep-05	0.0016	N/S	<0.0001	N/S	<0.02	N/S	0.42	N/S	0.19	N/S	N/S	39	<0.0005	N/S	<0.005	N/S
BH1430	31-Aug-05	0.0276	N/S	<0.0001	N/S	<0.02	N/S	1.09	1.21	0.471	N/S	N/S	48	<0.0005	N/S	<0.005	N/S
BH1430	28-Sep-05	0.0106		<0.0001		<0.02		0.342		0.274			39	0.0007		<0.005	
BH1445	23-Aug-05	0.0032		<0.0001		<0.02		<0.3		<0.005			<0.1	<0.0005		<0.005	
BH1445	22-Sep-05	<0.001		0.0001		<0.02		<0.3		0.1			62	<0.0005		<0.005	
BH1451	23-Aug-05	<0.001		<0.0001		<0.02		<0.3		0.174			55	<0.0005		<0.005	
BH1451	20-Sep-05	0.0039		<0.0001		<0.02		<0.3		0.1			37.5	<0.0005		<0.005	
BH1455	23-Aug-05	<0.001		<0.0001		<0.02		<0.3		0.17			102	<0.0005		<0.005	
BH1455	20-Sep-05	0.003		<0.0001		0.022		0.76		0.17			62.7	0.0006		<0.005	
BH1495	18-Aug-05	0.0022		<0.0001		0.02		<0.3		0.138			69	<0.0005		<0.005	
BH1495	22-Sep-05	<0.001		<0.0001		<0.02		<0.3		0.15			68	<0.0005		<0.005	
BH1504	30-Aug-05	0.0048		0.0001		1.24		0.309	0.418	0.026			307	0.0006		<0.005	
BH1504	28-Sep-05	<0.001		<0.0001		5.66		<0.3		0.018			187	0.0025		<0.005	
BH1505	30-Aug-05	0.0038		0.0005		<0.02		<0.3	0.315	0.614			49	<0.0005		<0.005	
BH1505	28-Sep-05	<0.001		<0.0001		<0.02		<0.3		0.469			51	<0.0005		<0.005	
BH1528	08-Sep-05	<0.001	N/S	<0.0001	N/S	20.6	N/S	<0.3	N/S	0.91	N/S	N/S	46	0.0006	N/S	0.026	N/S
BH1528	04-Oct-05	<0.001	N/S	0.0003	N/S	<0.02	N/S	<0.3	N/S	0.027	N/S	N/S	31	0.0008	N/S	<0.005	N/S
BH1530	18-Aug-05	0.0015		<0.0001		0.028		<0.3		0.053			29	<0.0005		<0.005	
BH1530	22-Sep-05	<0.001		<0.0001		0.02		<0.3		0.05			23	0.0006		<0.005	
BH1531	18-Aug-05	0.0013		<0.0001		<0.02		<0.3		0.263			55	<0.0005		<0.005	
BH1531	22-Sep-05	<0.001		<0.0001		<0.02		<0.3		0.26			51	<0.0005		<0.005	
BH1532	25-Aug-05	0.0101	N/S	<0.0001	N/S	0.022	N/S	0.329	N/S	0.124	N/S	N/S	54	<0.0005	N/S	<0.005	N/S
BH1532	22-Sep-05	0.0018		0.0001		<0.02		<0.3		0.15			73	<0.0005		<0.005	
BH1621D	23-Aug-05	<0.001		<0.0001		<0.02		0.369		0.266			242	<0.0005		<0.005	
BH1621D	20-Sep-05	<0.001		<0.0001		<0.02		0.33		0.17			162	<0.0005		<0.005	
BH1621S	23-Aug-05	<0.001		<0.0001		<0.02		0.414		0.209			191	<0.0005		<0.005	
BH1621S	20-Sep-05	<0.001		0.0001		<0.02		0.36		0.15			143	<0.0005		<0.005	
BH1622	25-Aug-05	0.0052	N/S	<0.0001	N/S	<0.02	N/S	<0.3	N/S	0.238	N/S	N/S	41	<0.0005	N/S	<0.005	N/S
BH1622	22-Sep-05	0.0012		<0.0001		<0.02		<0.3		0.19			40	0.0006		<0.005	
BH1623	25-Aug-05	0.0038	N/S	<0.0001	N/S	0.029	N/S	<0.3	N/S	0.107	N/S	N/S	40	<0.0005	N/S	<0.005	N/S
BH1623	29-Sep-05	<0.001	N/S	<0.0001	N/S	0.03	N/S	<0.3	N/S	0.05	N/S	N/S	42	<0.0005	N/S	<0.005	N/S
BH1624	30-Aug-05	0.0039		<0.0001		<0.02		<0.3	0.388	0.12			78	<0.0005		<0.005	
BH1624	28-Sep-05	<0.001		<0.0001		<0.02		<0.3		0.065			53	0.0006		<0.005	
ESGA	11-Aug-05	0.0027		<0.0001		<0.02		0.777		0.522			76	<0.0005		<0.005	
ESGB	31-Aug-05	0.0041	N/S	<0.0001	N/S	<0.02	N/S	0.31	0.401	0.689	N/S	N/S	65	<0.0005	N/S	<0.005	N/S
ESGC	31-Aug-05	0.0042	N/S	<0.0001	N/S	0.02	N/S	<0.3	0.598	0.072	N/S	N/S	109	<0.0005	N/S	<0.005	N/S
ESGD	11-Aug-05	0.0024		<0.0001		0.035		<0.3		0.126			30	<0.0005		<0.005	
ESGF	18-Aug-05	0.0016		<0.0001		0.024		<0.3		0.089			43	<0.0005		<0.005	
ESGH	11-Aug-05	0.0019		<0.0001		<0.02		<0.3		0.141			50	<0.0005		<0.005	
ESGJ	31-Aug-05	0.004	N/S	<0.0001	N/S	<0.02	N/S	<0.3	0.389	0.26	N/S	N/S	36	<0.0005	N/S	<0.005	N/S
GT06	30-Aug-05	0.0049		<0.0001		0.032		0.325	0.499	0.16			57	<0.0005		<0.005	

Sample Reference	date	Arsenic in filtrate as As \$	Arsenic, Total as As \$	Mercury in filtrate as Hg \$	Mercury, total as Hg \$	Aluminium in filtrate as Al \$	Aluminium (Total) \$	Boron in filtrate as B \$	Boron, total as B \$	Barium in filtrate as Ba \$	Barium, Total as Ba \$	Calcium, Total as Ca \$	Calcium in filtrate as Ca \$	Cadmium in filtrate as Cd \$	Cadmium Total as Cd \$	Chromium in Filtrate as Cr \$	Chromium Total as Cr \$
		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
GT08	08-Sep-05	<0.001	N/S	0.0001	N/S	0.023	N/S	<0.3	N/S	0.191	N/S	N/S	56	<0.0005	N/S	<0.005	N/S
GT10	11-Aug-05	0.0019		<0.0001		0.038		<0.3		0.125			40	<0.0005		<0.005	
GT13	18-Aug-05	0.0115		0.0001		0.024		0.633		0.343			22	<0.0005		<0.005	
GT16	18-Aug-05	0.0084		0.0008		0.023		1.29		0.931			64	<0.0005		<0.005	
P1	30-Aug-05	0.0049		<0.0001		<0.02		<0.3	0.432	0.223			16	<0.0005		<0.005	
P12	16-Aug-05	0.0016		0.0006		<0.02		<0.3		0.11			38	<0.0005		<0.005	
P13	16-Aug-05	0.0014		<0.0001		<0.02		<0.3		0.166			63	<0.0005		<0.005	
P15	16-Aug-05	0.0033		<0.0001		<0.02		<0.3		0.158			74	<0.0005		<0.005	
P18	16-Aug-05	0.0012		<0.0001		<0.02		<0.3		0.355			88	<0.0005		<0.005	
P2	30-Aug-05	0.0557		<0.0001		0.042		2.49	2.55	0.472			22	0.0008		<0.005	
P21	11-Aug-05	0.001		<0.0001		<0.02		<0.3		0.146			80	<0.0005		<0.005	
P22	08-Sep-05	N/S	N/S	<0.0001	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S
P23	16-Aug-05	0.0011		<0.0001		<0.02		<0.3		0.037			30	<0.0005		<0.005	
P24	16-Aug-05	0.0012		<0.0001		<0.02		<0.3		0.088			40	<0.0005		<0.005	
P4	16-Aug-05	0.078		<0.0001		<0.02		2.03		0.138			11	0.0009		<0.005	
P6	16-Aug-05	0.0017		<0.0001		<0.02		<0.3		0.163			36	<0.0005		<0.005	
P8	16-Aug-05	0.002		<0.0001		<0.02		<0.3		0.138			48	<0.0005		<0.005	
SW1	08-Sep-05	<0.001	<0.001	0.0001	<0.0001	N/S	0.14	<0.3	<0.3	N/S	0.032	30	N/S	<0.0005	0.0007	<0.005	<0.005
SW1	04-Oct-05	N/S	<0.001	N/S	<0.0001	N/S	0.072	N/S	<0.3	N/S	0.028	20	N/S	N/S	0.0006	N/S	<0.005
SW10	08-Sep-05	<0.001	0.005	<0.0001	<0.0001	N/S	1.68	0.505	0.6	N/S	0.63	187	N/S	<0.0005	0.0011	<0.005	0.012
SW10	29-Sep-05	N/S	<0.001	N/S	<0.0001	N/S	0.099	N/S	0.6	N/S	0.13	126	N/S	N/S	0.0009	N/S	<0.005
SW12	08-Sep-05	<0.001	<0.001	<0.0001	<0.0001	N/S	0.158	<0.3	<0.3	N/S	0.15	50	N/S	<0.0005	<0.0005	<0.005	<0.005
SW12	04-Oct-05	N/S	<0.001	N/S	<0.0001	N/S	0.043	N/S	<0.3	N/S	0.13	49	N/S	N/S	<0.0005	N/S	<0.005
SW13	25-Aug-05	N/S	0.0051	N/S	<0.0001	N/S	0.09	N/S	<0.3	N/S	0.051	25	N/S	N/S	<0.0005	N/S	<0.005
SW13	04-Oct-05	N/S	<0.001	N/S	<0.0001	N/S	0.067	N/S	<0.3	N/S	0.036	22	N/S	N/S	<0.0005	N/S	<0.005
SW14	25-Aug-05	N/S	0.0043	N/S	<0.0001	N/S	0.045	N/S	<0.3	N/S	0.036	22	N/S	N/S	<0.0005	N/S	<0.005
SW14	04-Oct-05	N/S	<0.001	N/S	<0.0001	N/S	0.039	N/S	<0.3	N/S	0.04	25	N/S	N/S	<0.0005	N/S	<0.005
SW15	25-Aug-05	N/S	0.0045	N/S	<0.0001	N/S	0.045	N/S	<0.3	N/S	0.028	19	N/S	N/S	<0.0005	N/S	<0.005
SW15	04-Oct-05	N/S	<0.001	N/S	<0.0001	N/S	0.066	N/S	<0.3	N/S	0.036	22	N/S	N/S	<0.0005	N/S	<0.005
SW2	31-Aug-05	N/S	0.006	N/S	<0.0001	N/S	0.088	N/S	<0.3	N/S	0.086	40	N/S	N/S	0.0008	N/S	<0.005
SW2	29-Sep-05	N/S	0.0012	N/S	<0.0001	N/S	0.181	N/S	<0.3	N/S	0.066	30	N/S	N/S	<0.0005	N/S	<0.005
SW3	08-Sep-05	<0.001	<0.001	<0.0001	<0.0001	N/S	0.058	<0.3	<0.3	N/S	0.077	47	N/S	<0.0005	<0.0005	<0.005	<0.005
SW3	04-Oct-05	N/S	<0.001	N/S	<0.0001	N/S	0.064	N/S	<0.3	N/S	0.043	26	N/S	N/S	0.0006	N/S	<0.005
SW4	11-Aug-05	N/S	<0.001	<0.0001	0.0009		0.264		0.0003		0.097	44			<0.0005		<0.005
SW4	29-Sep-05	N/S	<0.001	N/S	<0.0001	N/S	0.117	N/S	<0.3	N/S	0.06	28	N/S	N/S	<0.0005	N/S	<0.005
SW5	08-Sep-05	<0.001	<0.001	<0.0001	<0.0001	N/S	0.208	<0.3	<0.3	N/S	0.072	35	N/S	<0.0005	<0.0005	<0.005	<0.005
SW5	29-Sep-05	N/S	<0.001	N/S	<0.0001	N/S	0.111	N/S	<0.3	N/S	0.058	28	N/S	N/S	<0.0005	N/S	<0.005
SW6	08-Sep-05	<0.001	<0.001	<0.0001	<0.0001	N/S	0.101	<0.3	<0.3	N/S	0.067	33	N/S	<0.0005	<0.0005	<0.005	<0.005
SW6	29-Sep-05	N/S	0.0018	N/S	<0.0001	N/S	0.231	N/S	<0.3	N/S	0.088	33	N/S	N/S	<0.0005	N/S	<0.005

Sample Reference	date	Copper in Filtrate as Cu \$	Copper, Total as Cu \$	Potassium Total as K \$	Potassium (Soluble) \$	Magnesium as Mg \$	Magnesium (Soluble) \$	Manganese in filtrate as Mn \$	MN (TOT)	Sodium in filtrate as Na \$	Sodium Total as Na \$	Nickel in filtrate as Ni \$	Nickel, Total as Ni \$	Phosphorus Total as P \$	Phosphorus filtered as P \$	Lead in filtrate as Pb \$	Lead, Total as Pb \$
		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
ASPA	31-Aug-05	<0.005	N/S	N/S	34	N/S	56	1.04	N/S	184	N/S	<0.005	N/S	N/S	<0.1	<0.005	N/S
ASPC	31-Aug-05	<0.005	N/S	N/S	32	N/S	22	1.41	N/S	460	N/S	<0.005	N/S	N/S	0.147	<0.005	N/S
ASPD	18-Aug-05				18		42	1.86		61		<0.005			<0.1	<0.005	
BH1027	01-Sep-05	<0.005			1.3		16	0.43		7.3		<0.005			<0.1	<0.005	
BH1027	22-Sep-05	<0.05			0.9		14	0.47		6.23		<0.005			<0.1	<0.005	
BH1046	08-Sep-05	<0.005	N/S	N/S	5.1	N/S	6.8	0.019	N/S	185	N/S	<0.005	N/S	N/S	<0.1	<0.005	N/S
BH1046	04-Oct-05	<0.005	N/S	N/S	2.2	N/S	3.6	0.013	N/S	129	N/S	<0.005	N/S	N/S	<0.1	<0.005	N/S
BH1050	28-Sep-05	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH1074D	23-Aug-05	<0.005			2.6		6.6	1.51		12		<0.005			<0.1	<0.005	
BH1074D	20-Sep-05	<0.005			1.36		4.52	1.25		9.01		<0.005			<0.1	<0.005	
BH1074S	23-Aug-05	0.007			2.2		11	0.014		25		<0.005			<0.1	<0.005	
BH1074S	20-Sep-05	0.02			1.82		7.55	0.11		31.1		<0.005			<0.1	<0.005	
BH1089	23-Aug-05	<0.005			1.4		17	0.26		6		<0.005			<0.1	<0.005	
BH1089	22-Sep-05	<0.005			1		16	0.03		5.66		<0.005			<0.1	<0.005	
BH1108	08-Sep-05	<0.005	N/S	N/S	7.5	N/S	9.3	0.88	N/S	165	N/S	<0.005	N/S	N/S	<0.1	<0.005	N/S
BH1108	22-Sep-05	<0.005			4.4		9.3	1.82		146		0.005			<0.1	<0.005	
BH1134	01-Sep-05	0.008			13		21	0.63		51		<0.005			<0.1	<0.005	
BH1134	22-Sep-05	<0.005			9.2		19	1.34		93.4		<0.005			<0.1	<0.005	
BH1167	01-Sep-05	<0.005			20		2.4	0.019		233		0.005			0.405	<0.005	
BH1167	28-Sep-05	<0.005			13		6.3	0.005		146		<0.005			0.352	<0.005	
BH1194D	25-Aug-05	0.005	N/S	N/S	9.2	N/S	21	0.042	N/S	159	N/S	<0.005	N/S	N/S	<0.1	<0.005	N/S
BH1194D	20-Sep-05	<0.005			5.08		24.5	0.68		104		<0.005			<0.1	<0.005	
BH1194S	25-Aug-05	<0.005	N/S	N/S	5.6	N/S	13	0.015	N/S	155	N/S	<0.005	N/S	N/S	<0.1	<0.005	N/S
BH1194S	20-Sep-05	<0.005			3.42		12.6	0.014		134		<0.005			<0.1	<0.005	
BH1219	25-Aug-05	<0.005	N/S	N/S	5	N/S	13	2.71	N/S	84	N/S	<0.005	N/S	N/S	<0.1	<0.005	N/S
BH1219	22-Sep-05	<0.005			3.6		13	2.79		76.3		<0.005			<0.1	<0.005	
BH1231	23-Aug-05	<0.005			26		19	0.37		380		<0.005			0.2	<0.005	
BH1231	22-Sep-05	<0.005			13		15	1.07		175		<0.005			<0.1	<0.005	
BH1242	25-Aug-05	<0.005	N/S	N/S	7.8	N/S	25	0.3	N/S	77	N/S	<0.005	N/S	N/S	<0.1	<0.005	N/S
BH1242	22-Sep-05	<0.005			5.8		26	0.03		74		<0.005			<0.1	<0.005	
BH1258	30-Aug-05	<0.005			23		33	0.225		206		<0.005			<0.1	<0.005	
BH1258	29-Sep-05	<0.005	N/S	N/S	14	N/S	27	0.2	N/S	166	N/S	<0.005	N/S	N/S	<0.1	<0.005	N/S
BH1271	30-Aug-05	<0.005			47		51	0.495		836		<0.005			<0.1	<0.005	
BH1271	29-Sep-05	<0.005	N/S	N/S	14	N/S	13	0.28	N/S	222	N/S	<0.005	N/S	N/S	<0.1	<0.005	N/S
BH1297	01-Sep-05	0.006			30		26	1.04		380		0.005			<0.1	<0.005	
BH1297	28-Sep-05	0.008			19		26	0.78		377		<0.005			<0.1	<0.005	
BH1306	25-Aug-05	0.019	N/S	N/S	7.7	N/S	11	0.053	N/S	39	N/S	<0.005	N/S	N/S	<0.1	<0.005	N/S
BH1306	22-Sep-05	<0.005			11		22	0.016		94		<0.005			<0.1	<0.005	
BH1349	01-Sep-05	0.028			6.7		23	2.08		42		0.032			1.448	0.063	
BH1349	22-Sep-05	<0.005			6.1		27	1.05		49.9		<0.005			<0.1	<0.005	
BH1366	31-Aug-05	<0.005	N/S	N/S	4.3	N/S	17	0.246	N/S	11	N/S	<0.005	N/S	N/S	<0.1	<0.005	N/S
BH1366	28-Sep-05	<0.005			3.7		12	0.022		24		<0.005			<0.1	<0.005	
BH1375	31-Aug-05	<0.005	N/S	N/S	15	N/S	10	0.273	N/S	158	N/S	<0.005	N/S	N/S	0.122	<0.005	N/S
BH1375	28-Sep-05	<0.005			12		11	0.24		153		<0.005			0.1	<0.005	

Sample Reference	date	Copper in Filtrate as Cu \$	Copper , Total as Cu \$	Potassium Total as K \$	Potassium (Soluble) \$	Magnesium as Mg \$	Magnesium (Soluble) \$	Manganese in filtrate as Mn \$	MN (TOT)	Sodium in filtrate as Na \$	Sodium Total as Na \$	Nickel in filtrate as Ni \$	Nickel , Total as Ni \$	Phosphorus Total as P \$	Phosphorus filtered as P \$	Lead in filtrate as Pb \$	Lead , Total as Pb \$
		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
BH1412	01-Sep-05	<0.005			2.4		11	0.069		12		<0.005			<0.1	<0.005	
BH1412	28-Sep-05	<0.005			1.9		8.6	0.032		7.6		<0.005			<0.1	<0.005	
BH1429	01-Sep-05	<0.005			14		12	2.56		144		<0.005			<0.1	<0.005	
BH1429	29-Sep-05	0.013	N/S	N/S	9.3	N/S	11	2.56	N/S	112	N/S	0.006	N/S	N/S	<0.1	<0.005	N/S
BH1430	31-Aug-05	<0.005	N/S	N/S	11	N/S	13	0.178	N/S	248	N/S	<0.005	N/S	N/S	0.202	<0.005	N/S
BH1430	28-Sep-05	<0.005			6.1		6.6	0.51		102		<0.005			<0.1	<0.005	
BH1445	23-Aug-05	<0.005			<0.1		<0.1	<0.005		0.5		<0.005			<0.1	<0.005	
BH1445	22-Sep-05	<0.005			3.6		11	0.02		21.7		<0.005			<0.1	<0.005	
BH1451	23-Aug-05	<0.005			13		20	0.009		65		<0.005			<0.1	0.015	
BH1451	20-Sep-05	<0.005			10.9		19.3	0.26		71.1		<0.005			<0.1	<0.005	
BH1455	23-Aug-05	0.019			6.6		13	1.97		58		<0.005			<0.1	<0.005	
BH1455	20-Sep-05	<0.005			14.1		28.8	2.71		162		0.008			<0.1	<0.005	
BH1495	18-Aug-05				3.3		16	0.012		19		<0.005			<0.1	<0.005	
BH1495	22-Sep-05	<0.005			2.5		17	0.02		20.5		<0.005			<0.1	<0.005	
BH1504	30-Aug-05	0.031			5.9		47	10.4		15		0.163			<0.1	0.006	
BH1504	28-Sep-05	0.121			3.7		21	2.43		31		0.222			<0.1	<0.005	
BH1505	30-Aug-05	<0.005			11		24	0.743		22		<0.005			<0.1	<0.005	
BH1505	28-Sep-05	<0.005			11		25	0.75		58		<0.005			<0.1	<0.005	
BH1528	08-Sep-05	0.036	N/S	N/S	1.9	N/S	22	2.73	N/S	9.8	N/S	0.056	N/S	N/S	0.97	0.053	N/S
BH1528	04-Oct-05	<0.005	N/S	N/S	0.7	N/S	12	0.016	N/S	9.5	N/S	<0.005	N/S	N/S	<0.1	<0.005	N/S
BH1530	18-Aug-05				2.2		5.1	0.13		40		<0.005			<0.1	<0.005	
BH1530	22-Sep-05	<0.005			1.3		4.6	<0.005		39.9		<0.005			<0.1	<0.005	
BH1531	18-Aug-05				2.7		32	0.069		33		<0.005			<0.1	<0.005	
BH1531	22-Sep-05	<0.005			2.3		32	0.01		33.4		<0.005			<0.1	<0.005	
BH1532	25-Aug-05	0.006	N/S	N/S	15	N/S	30	0.033	N/S	365	N/S	<0.005	N/S	N/S	<0.1	<0.005	N/S
BH1532	22-Sep-05	<0.005			8		42	0.03		284		<0.005			<0.1	<0.005	
BH1621D	23-Aug-05	0.014			7.7		32	2.19		212		<0.005			<0.1	<0.005	
BH1621D	20-Sep-05	<0.005			3.52		29.1	0.92		116		<0.005			<0.1	<0.005	
BH1621S	23-Aug-05	0.011			3.7		31	2.83		75		<0.005			<0.1	<0.005	
BH1621S	20-Sep-05	<0.005			2.33		28.6	0.049		63.6		<0.005			<0.1	<0.005	
BH1622	25-Aug-05	<0.005	N/S	N/S	3	N/S	14	0.06	N/S	50	N/S	<0.005	N/S	N/S	<0.1	<0.005	N/S
BH1622	22-Sep-05	<0.005			2		13	0.01		40.8		<0.005			<0.1	<0.005	
BH1623	25-Aug-05	0.005	N/S	N/S	2.3	N/S	8.6	0.68	N/S	9.4	N/S	<0.005	N/S	N/S	<0.1	<0.005	N/S
BH1623	29-Sep-05	<0.005	N/S	N/S	2.6	N/S	4.6	0.01	N/S	34	N/S	<0.005	N/S	N/S	<0.1	<0.005	N/S
BH1624	30-Aug-05	<0.005			3.9		26	1.6		24		<0.005			<0.1	<0.005	
BH1624	28-Sep-05	<0.005			2.8		14	0.59		50		<0.005			<0.1	<0.005	
ESGA	11-Aug-05	<0.005			24		38	0.45		215		<0.005			<0.1	<0.005	
ESGB	31-Aug-05	<0.005	N/S	N/S	15	N/S	35	0.997	N/S	123	N/S	<0.005	N/S	N/S	<0.1	<0.005	N/S
ESGC	31-Aug-05	<0.005	N/S	N/S	3.3	N/S	17	0.874	N/S	22	N/S	0.01	N/S	N/S	<0.1	<0.005	N/S
ESGD	11-Aug-05	<0.005			1.5		3.8	0.47		6.8		<0.005			<0.1	<0.005	
ESGF	18-Aug-05				1.8		9.3	0.007		42		<0.005			<0.1	<0.005	
ESGH	11-Aug-05	0.009			8		11	0.38		90		0.006			<0.1	<0.005	
ESGJ	31-Aug-05	<0.005	N/S	N/S	7	N/S	15	0.836	N/S	75	N/S	0.006	N/S	N/S	<0.1	<0.005	N/S
GT06	30-Aug-05	<0.005			5.7		16	2.02		26		<0.005			<0.1	<0.005	

Sample Reference	date	Copper in Filtrate as Cu \$	Copper, Total as Cu \$	Potassium Total as K \$	Potassium (Soluble) \$	Magnesium as Mg \$	Magnesium (Soluble) \$	Manganese in filtrate as Mn \$	MN (TOT)	Sodium in filtrate as Na \$	Sodium Total as Na \$	Nickel in filtrate as Ni \$	Nickel, Total as Ni \$	Phosphorus Total as P \$	Phosphorus filtered as P \$	Lead in filtrate as Pb \$	Lead, Total as Pb \$
		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
GT08	08-Sep-05	<0.005	N/S	N/S	9.6	N/S	9	2.16	N/S	178	N/S	<0.005	N/S	N/S	<0.1	<0.005	N/S
GT10	11-Aug-05	0.006			1.9		5.3	0.4		19		<0.005			<0.1	<0.005	
GT13	18-Aug-05				23		18	1.65		325		<0.005			<0.1	<0.005	
GT16	18-Aug-05				79		69	1.34		1320		<0.005			<0.1	<0.005	
P1	30-Aug-05	<0.005			6.9		9	1.51		64		<0.005			<0.1	<0.005	
P12	16-Aug-05	<0.005			1.5		11	0.14		21		<0.005			<0.1	<0.005	
P13	16-Aug-05	<0.005			1.6		22	0.014		19		<0.005			<0.1	<0.005	
P15	16-Aug-05	<0.005			1.9		24	0.58		51		<0.005			<0.1	<0.005	
P18	16-Aug-05	<0.005			3.3		40	0.018		32		<0.005			<0.1	<0.005	
P2	30-Aug-05	0.01			73		54	1.31		1140		<0.005			2.348	<0.005	
P21	11-Aug-05	<0.005			1.3		13	0.017		19		<0.005			<0.1	<0.005	
P22	08-Sep-05	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S
P23	16-Aug-05	<0.005			0.8		5.2	0.006		8.7		<0.005			<0.1	<0.005	
P24	16-Aug-05	<0.005			3		8.4	0.007		12		<0.005			<0.1	<0.005	
P4	16-Aug-05	<0.005			39		16	0.23		318		<0.005			0.935	<0.005	
P6	16-Aug-05	<0.005			5.5		17	1		13		<0.005			<0.1	<0.005	
P8	16-Aug-05	0.016			1.2		11	0.37		15		<0.005			<0.1	<0.005	
SW1	08-Sep-05	<0.005	<0.005	2.2	N/S	5.9	5.9	N/S	0.023	N/S	12	<0.005	<0.005	0.1	N/S	<0.005	0.011
SW1	04-Oct-05	N/S	<0.005	1.4	N/S	4.9	N/S	N/S	0.007	N/S	9.2	N/S	<0.005	<0.1	N/S	N/S	<0.005
SW10	08-Sep-05	0.009	0.024	12	N/S	28	27	N/S	1.37	N/S	116	<0.005	0.008	1.1	N/S	<0.005	0.052
SW10	29-Sep-05	N/S	0.006	9.7	N/S	27	N/S	N/S	0.11	N/S	118	N/S	<0.005	<0.1	N/S	N/S	<0.005
SW12	08-Sep-05	<0.005	<0.005	3.3	N/S	7.8	8.1	N/S	0.15	N/S	32	<0.005	<0.005	0.3	N/S	<0.005	0.007
SW12	04-Oct-05	N/S	<0.005	2.3	N/S	8.6	N/S	N/S	0.025	N/S	22	N/S	<0.005	0.2	N/S	N/S	<0.005
SW13	25-Aug-05	N/S	0.008	2.3	N/S	5.5	N/S	N/S	0.026	N/S	17	N/S	<0.005	<0.1	N/S	N/S	<0.005
SW13	04-Oct-05	N/S	<0.005	1.7	N/S	4.8	N/S	N/S	0.007	N/S	9.6	N/S	<0.005	<0.1	N/S	N/S	<0.005
SW14	25-Aug-05	N/S	<0.005	1.7	N/S	5.9	N/S	N/S	0.021	N/S	13	N/S	<0.005	<0.1	N/S	N/S	<0.005
SW14	04-Oct-05	N/S	<0.005	1.8	N/S	5.5	N/S	N/S	0.011	N/S	14	N/S	<0.005	<0.1	N/S	N/S	<0.005
SW15	25-Aug-05	N/S	<0.005	1.2	N/S	5.5	N/S	N/S	0.024	N/S	12	N/S	<0.005	<0.1	N/S	N/S	<0.005
SW15	04-Oct-05	N/S	<0.005	1.1	N/S	5.8	N/S	N/S	0.011	N/S	13	N/S	0.006	0.2	N/S	N/S	<0.005
SW2	31-Aug-05	N/S	0.008	2.6	N/S	7.2	N/S	N/S	0.014	N/S	16	N/S	<0.005	0.1	N/S	N/S	0.012
SW2	29-Sep-05	N/S	<0.005	2	N/S	5.8	N/S	N/S	0.041	N/S	11	N/S	<0.005	<0.1	N/S	N/S	<0.005
SW3	08-Sep-05	<0.005	<0.005	3.4	N/S	8.5	8.2	N/S	0.025	N/S	18	<0.005	<0.005	<0.1	N/S	<0.005	0.011
SW3	04-Oct-05	N/S	<0.005	1.8	N/S	5.7	N/S	N/S	0.009	N/S	11	N/S	<0.005	<0.1	N/S	N/S	<0.005
SW4	11-Aug-05		0.005	2.1		8.5			0.2		20		<0.005	0.1	N/S		<0.005
SW4	29-Sep-05	N/S	<0.005	1.8	N/S	6.3	N/S	N/S	0.034	N/S	11	N/S	<0.005	<0.1	N/S	N/S	<0.005
SW5	08-Sep-05	0.009	<0.005	3	N/S	5.9	6.1	N/S	0.057	N/S	19	<0.005	<0.005	0.1	N/S	<0.005	<0.005
SW5	29-Sep-05	N/S	<0.005	1.7	N/S	5.9	N/S	N/S	0.032	N/S	10	N/S	<0.005	<0.1	N/S	N/S	<0.005
SW6	08-Sep-05	<0.005	<0.005	2.7	N/S	5.9	5.6	N/S	0.022	N/S	16	<0.005	<0.005	0.2	N/S	<0.005	0.005
SW6	29-Sep-05	N/S	0.01	1.8	N/S	7.2	N/S	N/S	0.1	N/S	18	N/S	<0.005	0.1	N/S	N/S	0.01

Sample Reference	date	Total Hardness as CaCO3 \$	Zinc in filtrate as Zn \$	Zinc , Total as Zn \$	Selenium in filtrate as Se \$	Selenium , Total as Se \$	Antimony in filtrate as Sb \$	Antimony, Total as Sb \$	Sulphate as SO4 \$	Sulphide as S \$	Alkalinity as CaCO3 \$	Ammoniacal Nitrogen as N \$	BOD + ATU (filtered) \$	BOD + ATU (5 day) \$	COD (Total) \$	COD (filtered) \$	Chloride as Cl \$
		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
ASPA	31-Aug-05	586	0.013	N/S	0.0013	N/S	<0.001	N/S	366	0.04	436	23.5		N/S	N/S		93
ASPC	31-Aug-05	115	0.009	N/S	0.0011	N/S	<0.001	N/S	<5	0.03	683	3.3		N/S	N/S		325
ASPD	18-Aug-05	278	0.051		<0.001		<0.001		<5	0.27	397	7.3					19
BH1027	01-Sep-05	241	0.136		<0.001		<0.001		28	0.03	217	9.9					8
BH1027	22-Sep-05	197	0.027		<0.001		<0.001		17	0.03	196	<0.3					6
BH1046	08-Sep-05	389	0.007	N/S	0.001	N/S	<0.001	N/S	237	0.04	169	<0.3	5	N/S	271		153
BH1046	04-Oct-05	99	<0.005	N/S	<0.001	N/S	<0.001	N/S	149	0.05	122	0.9		N/S	N/S		89
BH1050	28-Sep-05	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
BH1074D	23-Aug-05	178	0.006		<0.001		<0.001		8	0.02	162	1					14
BH1074D	20-Sep-05	188	0.03		<0.001		<0.001		6	0.06	147	<0.3					11
BH1074S	23-Aug-05	167	0.009		<0.001		<0.001		27	0.03	145	0.4					28
BH1074S	20-Sep-05	154	0.05		<0.001		<0.001		21	0.05	149	<0.3					21
BH1089	23-Aug-05	310	<0.005		<0.001		<0.001		50	0.2	216	<0.3					6
BH1089	22-Sep-05	266	0.013		<0.001		<0.001		61	0.07	211	<0.3					7
BH1108	08-Sep-05	824	0.005	N/S	0.001	N/S	<0.001	N/S	116	2.2	361	<0.3	5	N/S	1120		275
BH1108	22-Sep-05	239	0.024		<0.001		<0.001		58	<0.01	129	<0.3					267
BH1134	01-Sep-05	205	0.008		<0.001		<0.001		56	0.02	253	3.2					18
BH1134	22-Sep-05	200	0.011		<0.001		<0.001		92	0.04	242	2.2					51
BH1167	01-Sep-05	402	0.017		<0.001		0.0023		352	1.43	699	1.2					295
BH1167	28-Sep-05	107	0.005		<0.001		0.002		100	0.16	269	<0.3					56
BH1194D	25-Aug-05	230	0.025	N/S	<0.001	N/S	<0.001	N/S	90	0.02	326	<0.3		N/S	N/S		66
BH1194D	20-Sep-05	285	0.02		<0.001		<0.001		62	0.06	343	<0.3					50
BH1194S	25-Aug-05	197	0.017	N/S	0.002	N/S	<0.001	N/S	84	0.02	314	<0.3		N/S	N/S		56
BH1194S	20-Sep-05	205	0.006		<0.001		<0.001		76	0.05	317	<0.3					46
BH1219	25-Aug-05	292	0.013	N/S	<0.001	N/S	<0.001	N/S	29	<0.01	365	0.7		N/S	N/S		34
BH1219	22-Sep-05	322	0.01		<0.001		<0.001		44	0.02	489	1.2					27
BH1231	23-Aug-05	131	0.005		<0.001		<0.001		138	0.02	514	1					109
BH1231	22-Sep-05	141	0.039		<0.001		<0.001		54	0.04	415	0.5					46
BH1242	25-Aug-05	276	0.012	N/S	<0.001	N/S	<0.001	N/S	30	0.02	344	<0.3		N/S	N/S		32
BH1242	22-Sep-05	272	0.007		<0.001		<0.001		23	<0.01	353	<0.3					28
BH1258	30-Aug-05	249	0.023		<0.001		<0.001		7	0.03	544	3.5					67
BH1258	29-Sep-05	201	0.02	N/S	<0.001	N/S	<0.001	N/S	<5	0.28	480	3.3		N/S	N/S		58
BH1271	30-Aug-05	377	0.033		0.0027		<0.001		9	0.03	352	2.6					1260
BH1271	29-Sep-05	153	0.01	N/S	<0.001	N/S	<0.001	N/S	39	0.02	212	<0.3		N/S	N/S		318
BH1297	01-Sep-05	460	0.01		0.0021		0.0014		459	1.16	566	0.7					250
BH1297	28-Sep-05	228	0.01		<0.001		<0.001		311	0.33	434	<0.3					144
BH1306	25-Aug-05	156	0.015	N/S	<0.001	N/S	<0.001	N/S	34	0.02	136	<0.3		N/S	N/S		40
BH1306	22-Sep-05	210	0.014		<0.001		<0.001		63	0.03	272	<0.3					41
BH1349	01-Sep-05	447	0.085		0.0029		<0.001		N/S	0.3	347	N/S					N/S
BH1349	22-Sep-05	327	0.009		<0.001		<0.001		69	0.01	336	<0.3					21
BH1366	31-Aug-05	290	0.025	N/S	0.001	N/S	<0.001	N/S	16	0.03	444	<0.3		N/S	N/S		8
BH1366	28-Sep-05	232	0.021		0.0026		<0.001		39	0.25	232	<0.3					16
BH1375	31-Aug-05	124	0.021	N/S	<0.001	N/S	<0.001	N/S	5	0.03	324	5.8		N/S	N/S		98
BH1375	28-Sep-05	95	<0.005		<0.001		<0.001		9	0.26	325	3.1					90

Sample Reference	date	Total Hardness as CaCO3 \$	Zinc in filtrate as Zn \$	Zinc , Total as Zn \$	Selenium in filtrate as Se \$	Selenium , Total as Se \$	Antimony in filtrate as Sb \$	Antimony, Total as Sb \$	Sulphate as SO4 \$	Sulphide as S \$	Alkalinity as CaCO3 \$	Ammoniacal Nitrogen as N \$	BOD + ATU (filtered) \$	BOD + ATU (5 day) \$	COD (Total) \$	COD (filtered) \$	Chloride as Cl \$
		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
BH1412	01-Sep-05	214	0.013		<0.001		<0.001		30	0.48	345	0.6					15
BH1412	28-Sep-05	133	<0.005		<0.001		<0.001		29	0.15	96.5	<0.3					11
BH1429	01-Sep-05	188	0.028		<0.001		<0.001		108	0.05	352	11.5					56
BH1429	29-Sep-05	135	0.01	N/S	<0.001	N/S	<0.001	N/S	45	0.19	317	4.2		N/S	N/S		43
BH1430	31-Aug-05	181	0.03	N/S	<0.001	N/S	<0.001	N/S	<5	0.04	638	18.7		N/S	N/S		75
BH1430	28-Sep-05	123	0.033		<0.001		<0.001		85	0.23	235	4.5					31
BH1445	23-Aug-05	236	<0.005		<0.001		<0.001		65	0.2	241	<0.3					84
BH1445	22-Sep-05	212	0.008		<0.001		<0.001		21	<0.01	225	<0.3					16
BH1451	23-Aug-05	166	<0.005		<0.001		<0.001		49	0.01	193	<0.3					48
BH1451	20-Sep-05	198	0.01		<0.001		<0.001		63	0.06	210	1					44
BH1455	23-Aug-05	251	0.026		<0.001		<0.001		<5	<0.01	304	3.7					27
BH1455	20-Sep-05	317	0.02		<0.001		<0.001		47	0.4	530	5.2					54
BH1495	18-Aug-05	181	0.009		<0.001		<0.001		7	0.03	225	<0.3					15
BH1495	22-Sep-05	230	<0.005		<0.001		<0.001		6	0.03	229	<0.3					13
BH1504	30-Aug-05	1008	0.534		0.0018		<0.001		927	1.28	<5	1.9					10
BH1504	28-Sep-05	547	0.924		<0.001		<0.001		601	0.38	6.7	2.1					11
BH1505	30-Aug-05	230	0.015		<0.001		<0.001		<5	0.03	236	0.7					26
BH1505	28-Sep-05	220	0.012		<0.001		<0.001		11	0.38	255	1.8					69
BH1528	08-Sep-05	257	0.108	N/S	0.0011	N/S	<0.001	N/S	N/S	0.02	N/S	N/S	N/S	N/S	N/S	N/S	N/S
BH1528	04-Oct-05	130	0.033	N/S	<0.001	N/S	<0.001	N/S	7	0.05	89.6	0.4		N/S	N/S		19
BH1530	18-Aug-05	274	0.012		<0.001		<0.001		20	0.26	151	<0.3					23
BH1530	22-Sep-05	81	0.006		<0.001		<0.001		20	0.03	148	<0.3					15
BH1531	18-Aug-05	242	0.02		<0.001		<0.001		27	0.25	252	<0.3					20
BH1531	22-Sep-05	254	0.00004		<0.001		0.001		37	0.02	254	<0.3					18
BH1532	25-Aug-05	266	0.017	N/S	0.0061	N/S	0.0012	N/S	270	0.02	368	<0.3		N/S	N/S		209
BH1532	22-Sep-05	360	0.013		0.0013		<0.001		209	<0.01	498	<0.3					188
BH1621D	23-Aug-05	672	0.034		0.0015		<0.001		88	<0.01	400	<0.3					391
BH1621D	20-Sep-05	551	0.03		<0.001		<0.001		76	0.46	396	<0.3					197
BH1621S	23-Aug-05	494	0.023		<0.001		<0.001		41	0.02	416	<0.3					115
BH1621S	20-Sep-05	472	0.01		<0.001		<0.001		58	0.48	403	<0.3					78
BH1622	25-Aug-05	176	0.019	N/S	<0.001	N/S	0.001	N/S	13	0.04	219	<0.3		N/S	N/S		15
BH1622	22-Sep-05	163	0.018		<0.001		<0.001		16	0.03	221	<0.3					13
BH1623	25-Aug-05	151	0.032	N/S	<0.001	N/S	<0.001	N/S	11	0.02	123	<0.3		N/S	N/S		11
BH1623	29-Sep-05	123	<0.005	N/S	0.001	N/S	<0.001	N/S	42	0.26	115	<0.3		N/S	N/S		23
BH1624	30-Aug-05	297	0.041		<0.001		<0.001		69	0.04	238	<0.3					10
BH1624	28-Sep-05	184	0.016		0.0014		<0.001		92	0.14	168	<0.3					29
ESGA	11-Aug-05	306	0.008		0.0014		<0.001		<5	0.54	390	6.9					268
ESGB	31-Aug-05	292	0.014	N/S	<0.001	N/S	<0.001	N/S	<5	0.03	402	4.7		N/S	N/S		142
ESGC	31-Aug-05	365	0.197	N/S	<0.001	N/S	<0.001	N/S	174	0.03	79.4	9.6		N/S	N/S		31.6
ESGD	11-Aug-05	78	0.031		<0.001		<0.001		<5	0.39	80.1	1.3					12
ESGF	18-Aug-05	142	<0.005		<0.001		<0.001		11	0.37	202	<0.3					8
ESGH	11-Aug-05	152	0.019		0.001		<0.001		<5	0.32	151	1.4					131
ESGJ	31-Aug-05	165	0.026	N/S	<0.001	N/S	<0.001	N/S	27	0.03	183	1		N/S	N/S		206
GT06	30-Aug-05	228	0.019		<0.001		<0.001		14	0.03	232	<0.3					33

Sample Reference	date	Total Hardness as CaCO3 \$	Zinc in filtrate as Zn \$	Zinc , Total as Zn \$	Selenium in filtrate as Se \$	Selenium , Total as Se \$	Antimony in filtrate as Sb \$	Antimony, Total as Sb \$	Sulphate as SO4 \$	Sulphide as S \$	Alkalinity as CaCO3 \$	Ammoniacal Nitrogen as N \$	BOD + ATU (filtered) \$	BOD + ATU (5 day) \$	COD (Total) \$	COD (filtered) \$	Chloride as Cl \$
		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
GT08	08-Sep-05	187	0.024	N/S	0.001	N/S	<0.001	N/S	7	0.03	N/S	1.2	4	N/S	131		251
GT10	11-Aug-05	112	0.23		<0.001		<0.001		<5	0.3	106	0.6					30
GT13	18-Aug-05	126	0.01		0.0016		0.001		8	0.02	235	5.2					461
GT16	18-Aug-05	96	<0.005		0.0049		0.001		8	0.41	296	6.6					2300
P1	30-Aug-05	136	0.029		<0.001		<0.001		46	0.79	243	6.2					84
P12	16-Aug-05	217	<0.005		<0.001		<0.001		16	0.24	298	0.7					10
P13	16-Aug-05	214	<0.005		<0.001		<0.001		21	0.03	199	0.5					10
P15	16-Aug-05	244	<0.005		<0.001		<0.001		58	0.26	248	0.5					12
P18	16-Aug-05	352	0.005		<0.001		<0.001		28	0.26	304	0.4					34
P2	30-Aug-05	299	0.032		0.0031		<0.001		<5	0.23	607	13					1420
P21	11-Aug-05	248	0.008		<0.001		<0.001		38	0.34	299	0.4					14
P22	08-Sep-05	N/S	N/S	N/S	N/S	N/S	N/S	N/S	1350	318	2390	6.2	N/S	N/S	29600		7780
P23	16-Aug-05	125	0.011		<0.001		<0.001		10	0.2	83.7	0.9					11
P24	16-Aug-05	155	0.009		<0.001		<0.001		9	0.29	108	0.6					18
P4	16-Aug-05	2170	<0.005		0.0017		<0.001		652	<0.01	1330	18.4					620
P6	16-Aug-05	153	0.017		<0.001		<0.001		11	0.31	117	3.3					21
P8	16-Aug-05	132	0.024		0.0011		<0.001		18	0.25	119	1.6					16
SW1	08-Sep-05	98	0.013	0.048	<0.001	<0.001	N/S	<0.001	<5	0.03	78.1	<0.3	N/S	2	25		88
SW1	04-Oct-05	71	N/S	0.009	N/S	<0.001	N/S	<0.001	<5	0.03	51.4	<0.3		<1	<20		12
SW10	08-Sep-05	582	0.023	0.2	0.0014	0.0018	N/S	<0.001	276	0.03	221	<0.3	N/S	3	150		211
SW10	29-Sep-05	426	N/S	0.019	N/S	0.001	N/S	<0.001	222	0.03	149	<0.3		<1	22		148
SW12	08-Sep-05	158	0.089	0.132	<0.001	<0.001	N/S	<0.001	23	0.02	122	<0.3	N/S	1	22		44
SW12	04-Oct-05	158	N/S	0.012	N/S	<0.001	N/S	<0.001	21	0.02	105	0.8		3	<20		33
SW13	25-Aug-05	84	N/S	0.048	N/S	<0.001	N/S	<0.001	<5	0.02	64.9	<0.3		<1	23		17
SW13	04-Oct-05	74	N/S	0.021	N/S	<0.001	N/S	<0.001	6	0.03	53.5	0.3		<1	<20		13
SW14	25-Aug-05	80	N/S	0.017	N/S	<0.001	N/S	<0.001	<5	0.01	66.6	<0.3		<1	<20		16
SW14	04-Oct-05	85	N/S	0.015	N/S	<0.001	N/S	<0.001	6	0.02	65.9	<0.3		2	23		18
SW15	25-Aug-05	70	N/S	0.01	N/S	<0.001	N/S	<0.001	<5	0.01	66.4	<0.3		<1	21		16
SW15	04-Oct-05	80	N/S	0.013	N/S	<0.001	N/S	<0.001	<5	0.02	72.4	0.8		1	48		16
SW2	31-Aug-05	126	N/S	0.043	N/S	0.0015	N/S	<0.001	14	0.03	88.5	0.5		<1	<20		23
SW2	29-Sep-05	98	N/S	0.012	N/S	<0.001	N/S	<0.001	19	0.03	61.1	<0.3		<1	20		15
SW3	08-Sep-05	153	0.015	0.023	<0.001	<0.001	N/S	<0.001	21	0.04	102	<0.3	N/S	<1	<20		35
SW3	04-Oct-05	89	N/S	0.013	N/S	<0.001	N/S	<0.001	10	0.02	64.6	<0.3		2	<20		14
SW4	11-Aug-05	144	N/S	0.014	<0.001	<0.001		<0.001	21	0.37	110	0.3		2	26		32
SW4	29-Sep-05	97	N/S	0.021	N/S	<0.001	N/S	<0.001	15	0.02	66.4	<0.3		<1	<20		15
SW5	08-Sep-05	113	0.09	0.119	<0.001	<0.001	N/S	<0.001	14	0.03	N/S	<0.3	N/S	2	N/S		24
SW5	29-Sep-05	95	N/S	0.011	N/S	<0.001	N/S	<0.001	19	0.03	63	<0.3		1	341		14
SW6	08-Sep-05	108	0.046	0.066	<0.001	<0.001	N/S	<0.001	8	0.03	82.8	<0.3	N/S	2	21		19
SW6	29-Sep-05	112	N/S	0.034	N/S	<0.001	N/S	<0.001	14	0.02	70.2	<0.3		<1	<20		16

Sample Reference	date	Electrical Conductivity @ 20°C \$ µS/cm	Nitrate as N \$ mg/l	Nitrite as N \$	Nitrate as NO3 \$	Solids, Suspended \$ mg/l	pH \$ pH units	PAH(TOTAL) ug/l	ACENAPTHENE ug/l	ANTHRACENE ug/l	ACENAPHTHYL ENE ug/l
ASPA	31-Aug-05	1610	3	0.2	13.8	330	7.1	<0.01	<0.01	<0.01	<0.01
ASPC	31-Aug-05	1910	<0.3	<0.1	<2.5	28	7.8	0.03	0.01	<0.01	<0.01
ASPD	18-Aug-05	723	<0.3	<0.1		38	7.7	0.04	<0.01	<0.01	<0.01
BH1027	01-Sep-05	387	<0.3	<0.1		68	7.5	<0.01	<0.01	<0.01	<0.01
BH1027	22-Sep-05	368	<0.3	<0.1		36	7.2	<0.01	<0.01	<0.01	<0.01
BH1046	08-Sep-05	1130	0.5	<0.1	N/S	734	8.2	<0.02	<0.02	<0.02	<0.02
BH1046	04-Oct-05	751	<0.3	<0.1		523	8.1	<0.01	<0.01	<0.01	<0.01
BH1050	28-Sep-05	—	—	—	—	—	—	—	—	—	—
BH1074D	23-Aug-05	373	1	<0.1		7	7.3	<0.01	<0.01	<0.01	<0.01
BH1074D	20-Sep-05	318	<0.3	<0.1		80	7.3	<0.01	<0.01	<0.01	<0.01
BH1074S	23-Aug-05	408	1.2	<0.1		19	8.2	<0.01	<0.01	<0.01	<0.01
BH1074S	20-Sep-05	391	0.3	<0.1		20	8.1	<0.01	<0.01	<0.01	<0.01
BH1089	23-Aug-05	500	1	<0.1		137	7.1	0.63	<0.01	0.02	<0.01
BH1089	22-Sep-05	557	<0.3	<0.1		37	7.1	<0.01	<0.01	<0.01	<0.01
BH1108	08-Sep-05	1270	0.3	<0.1	N/S	22700	8.2	<0.04	<0.04	<0.04	<0.04
BH1108	22-Sep-05	1170	<0.3	<0.1		460	7.2	<0.01	<0.01	<0.01	<0.01
BH1134	01-Sep-05	560	0.3	0.1		336	7.6	<0.01	<0.01	<0.01	<0.01
BH1134	22-Sep-05	754	1	0.1		198	7.3	<0.01	<0.01	<0.01	<0.01
BH1167	01-Sep-05	1100	<0.3	0.2		25400	9.6	0.06	<0.01	<0.01	<0.01
BH1167	28-Sep-05	883	<0.3	0.1		368	9.4	<0.04	<0.04	<0.04	<0.04
BH1194D	25-Aug-05	868	0.7	<0.1		34	8.1	<0.01	<0.01	<0.01	<0.01
BH1194D	20-Sep-05	843	0.5	<0.1		23	8.1	<0.01	<0.01	<0.01	<0.01
BH1194S	25-Aug-05	809	0.7	<0.1		52	8.2	<0.01	<0.01	<0.01	<0.01
BH1194S	20-Sep-05	829	<0.3	<0.1		88	8.2	<0.01	<0.01	<0.01	<0.01
BH1219	25-Aug-05	762	0.3	0.3		403	7.3	0.05	<0.01	<0.01	<0.01
BH1219	22-Sep-05	741	<0.3	<0.1		2260	6.8	<0.01	<0.01	<0.01	<0.01
BH1231	23-Aug-05	1400	1	<0.1		31	7.9	0.02	<0.01	<0.01	<0.01
BH1231	22-Sep-05	936	<0.3	0.1		184	7.8	<0.01	<0.01	<0.01	<0.01
BH1242	25-Aug-05	687	0.5	<0.1		22	8	<0.01	<0.01	<0.01	<0.01
BH1242	22-Sep-05	723	0.4	<0.1		54	8	<0.01	<0.01	<0.01	<0.01
BH1258	30-Aug-05	1050	<0.3	<0.1	<2.5	36	8.3	<0.02	<0.02	<0.02	<0.02
BH1258	29-Sep-05	1190	<0.3	<0.1		24	7.9	0.01	<0.01	<0.01	<0.01
BH1271	30-Aug-05	4410	<0.3	<0.1	<2.5	46	8.2	0.09	<0.01	<0.01	<0.01
BH1271	29-Sep-05	3810	<0.3	0.3		170	7.6	<0.01	<0.01	<0.01	<0.01
BH1297	01-Sep-05	1820	0.4	<0.1		21600	8.1	<0.01	<0.01	<0.01	<0.01
BH1297	28-Sep-05	1700	1.6	<0.1		388	7.3	<0.01	<0.01	<0.01	<0.01
BH1306	25-Aug-05	405	2.1	<0.1		73	7.6	0.01	<0.01	<0.01	<0.01
BH1306	22-Sep-05	724	0.5	<0.1		55	7.8	<0.01	<0.01	<0.01	<0.01
BH1349	01-Sep-05	N/S	N/S	N/S		837	N/S	<0.01	<0.01	<0.01	<0.01
BH1349	22-Sep-05	752	2.6	<0.1		582	7.5	<0.01	<0.01	<0.01	<0.01
BH1366	31-Aug-05	460	0.5	<0.1	3	4920	7.4	2.34	<0.01	0.01	<0.01
BH1366	28-Sep-05	493	1	<0.1		109	7.2	<0.01	<0.01	<0.01	<0.01
BH1375	31-Aug-05	801	<0.3	<0.1	<2.5	494	8	0.03	<0.01	<0.01	<0.01
BH1375	28-Sep-05	806	<0.3	<0.1		120	7.9	<0.01	<0.01	<0.01	<0.01

Sample Reference	date	Electrical Conductivity @ 20°C \$	Nitrate as N \$	Nitrite as N \$	Nitrate as NO3 \$	Solids, Suspended \$	pH \$	PAH(TOTAL)	ACENAPTHENE	ANTHRACENE	ACENAPHTHYL ENE
		µS/cm	mg/l			mg/l	pH units	ug/l	ug/l	ug/l	ug/l
BH1412	01-Sep-05	376	0.4	<0.1		3610	7.2	<0.01	<0.01	<0.01	<0.01
BH1412	28-Sep-05	273	0.6	<0.1		393	6.8	<0.01	<0.01	<0.01	<0.01
BH1429	01-Sep-05	827	<0.3	<0.1		396	7.2	<0.01	<0.01	<0.01	<0.01
BH1429	29-Sep-05	713	<0.3	<0.1		161	6.8	<0.01	<0.01	<0.01	<0.01
BH1430	31-Aug-05	1190	0.3	<0.1	<2.5	50	7.5	<0.01	<0.01	<0.01	<0.01
BH1430	28-Sep-05	674	<0.3	<0.1		25	7.3	<0.01	<0.01	<0.01	<0.01
BH1445	23-Aug-05	486	0.4	<0.1		750	7.4	0.24	<0.01	<0.01	<0.01
BH1445	22-Sep-05	450	0.5	<0.1		858	7.6	<0.01	<0.01	<0.01	<0.01
BH1451	23-Aug-05	576	1.8	<0.1		37	8.1	<0.01	<0.01	<0.01	<0.01
BH1451	20-Sep-05	639	<0.3	<0.1		40	8	<0.01	<0.01	<0.01	<0.01
BH1455	23-Aug-05	665	0.9	<0.1		184	7.3	3.43	<0.01	0.03	<0.01
BH1455	20-Sep-05	1090	<0.3	<0.1		647	7.5	0.3	<0.01	0.03	<0.01
BH1495	18-Aug-05	459	<0.3	<0.1		42	7.7	<0.01	<0.01	<0.01	<0.01
BH1495	22-Sep-05	463	0.5	<0.1		74	7.6	<0.01	<0.01	<0.01	<0.01
BH1504	30-Aug-05	1370	<0.3	<0.1	<2.5	1340	5.4	0.14	<0.02	<0.02	<0.02
BH1504	28-Sep-05	1100	<0.3	<0.1		475	4.7	<0.01	<0.01	<0.01	<0.01
BH1505	30-Aug-05	483	<0.3	<0.1	<2.5	29	8.1	<0.02	<0.02	<0.02	<0.02
BH1505	28-Sep-05	1960	<0.3	<0.1		52	7.6	<0.01	<0.01	<0.01	<0.01
BH1528	08-Sep-05	N/S	N/S	N/S	N/S	N/S	N/S	<0.01	<0.01	<0.01	<0.01
BH1528	04-Oct-05	276	4.3	<0.1		319	6.8	<0.01	<0.01	<0.01	<0.01
BH1530	18-Aug-05	299	<0.3	<0.1		148	8.2	0.1	<0.02	<0.02	<0.02
BH1530	22-Sep-05	292	0.4	<0.1		101	8	<0.01	<0.01	<0.01	<0.01
BH1531	18-Aug-05	549	0.8	<0.1		78	8.1	<0.01	<0.01	<0.01	<0.01
BH1531	22-Sep-05	537	0.9	<0.1		17	7.9	<0.01	<0.01	<0.01	<0.01
BH1532	25-Aug-05	1510	5.7	<0.1		29	8.2	<0.01	<0.01	<0.01	<0.01
BH1532	22-Sep-05	1660	1.1	<0.1		374	7.7	<0.01	<0.01	<0.01	<0.01
BH1621D	23-Aug-05	1800	0.9	<0.1		298	7.5	0.04	<0.01	<0.01	<0.01
BH1621D	20-Sep-05	1360	<0.3	<0.1		231	7.6	<0.01	<0.01	<0.01	<0.01
BH1621S	23-Aug-05	1060	0.9	<0.1		173	7.5	0.04	<0.01	<0.01	<0.01
BH1621S	20-Sep-05	1000	<0.3	<0.1		67	7.7	<0.01	<0.01	<0.01	<0.01
BH1622	25-Aug-05	434	0.6	<0.1		12	8.4	<0.01	<0.01	<0.01	<0.01
BH1622	22-Sep-05	435	<0.3	<0.1		15	8.1	<0.01	<0.01	<0.01	<0.01
BH1623	25-Aug-05	249	<0.3	<0.1		220	7.5	<0.01	<0.01	<0.01	<0.01
BH1623	29-Sep-05	347	<0.3	<0.1		22	7.3	<0.01	<0.01	<0.01	<0.01
BH1624	30-Aug-05	556	<0.3	<0.1	<2.5	56	7.7	<0.02	<0.02	<0.02	<0.02
BH1624	28-Sep-05	650	1	<0.1		282	7	<0.01	<0.01	<0.01	<0.01
ESGA	11-Aug-05	1370	0.9	<0.1		66	7.4	<0.01	<0.01	<0.01	<0.01
ESGB	31-Aug-05	1020	<0.3	<0.1	<2.5	532	7	0.07	0.02	<0.01	<0.01
ESGC	31-Aug-05	703	<0.3	<0.1	<2.5	332	6.1	6.68	0.91	0.26	0.02
ESGD	11-Aug-05	200	0.8	<0.1		12	6.6	0.03	<0.02	<0.02	<0.02
ESGF	18-Aug-05	392	0.4	<0.1		149	8.1	<0.01	<0.01	<0.01	<0.01
ESGH	11-Aug-05	667	1.5	0.1		48	7.3	<0.02	<0.02	<0.02	<0.02
ESGJ	31-Aug-05	638	<0.3	<0.1	<2.5	738	6.8	<0.01	<0.01	<0.01	<0.01
GT06	30-Aug-05	453	<0.3	<0.1	<2.5	7	8.1	<0.02	<0.02	<0.02	<0.02

Sample Reference	date	Electrical Conductivity @ 20°C \$ µS/cm	Nitrate as N \$ mg/l	Nitrite as N \$	Nitrate as NO3 \$	Solids, Suspended \$ mg/l	pH \$ pH units	PAH(TOTAL) ug/l	ACENAPHTHENE ug/l	ANTHRACENE ug/l	ACENAPHTHYL ENE ug/l
GT08	08-Sep-05	N/S	0.4	<0.1	N/S	N/S	N/S	N/S	N/S	N/S	N/S
GT10	11-Aug-05	295	0.8	<0.1		118	6.7	<0.02	<0.02	<0.02	<0.02
GT13	18-Aug-05	1660	<0.3	<0.1		1860	7	0.02	<0.01	<0.01	<0.01
GT16	18-Aug-05	6760	<0.3	<0.1		440	7.9	0.01	<0.01	<0.01	<0.01
P1	30-Aug-05	531	<0.3	<0.1	2.6	1220	7.2	<0.04	<0.04	<0.04	<0.04
P12	16-Aug-05	290	3.5	<0.1		4290	7	<0.01	<0.01	<0.01	<0.01
P13	16-Aug-05	415	1.1	<0.1		21	8	<0.01	<0.01	<0.01	<0.01
P15	16-Aug-05	567	0.9	<0.1		59	7.9	<0.01	<0.01	<0.01	<0.01
P18	16-Aug-05	646	1.2	<0.1		23	8.1	<0.01	<0.01	<0.01	<0.01
P2	30-Aug-05	5300	0.4	<0.1	<2.5	59	8.2	<0.10	<0.02	<0.02	<0.02
P21	11-Aug-05	454	0.9	<0.1		1560	7.9	<0.01	<0.01	<0.01	<0.01
P22	08-Sep-05	1277	<0.3	<0.1	N/S	437000	8.3	20.8	0.41	<0.20	<0.20
P23	16-Aug-05	187	1.9	<0.1		1020	7.7	<0.01	<0.01	<0.01	<0.01
P24	16-Aug-05	254	1	<0.1		702	7.1	<0.01	<0.01	<0.01	<0.01
P4	16-Aug-05	2140				103000	7.7	<0.10	<0.10	<0.10	<0.10
P6	16-Aug-05	307	0.9	<0.1		33	7.5	<0.01	<0.01	<0.01	<0.01
P8	16-Aug-05	308	1.4	<0.1		6	6.9	0.02	0.02	<0.01	<0.01
SW1	08-Sep-05	227	2.7	<0.1	4.9	6	8.2	<0.01	<0.01	<0.01	<0.01
SW1	04-Oct-05	166	1	<0.1		13	7.8	<0.01	<0.01	<0.01	<0.01
SW10	08-Sep-05	1450	1	<0.1	3.2	232	8.5	0.41	0.01	<0.01	<0.01
SW10	29-Sep-05	195	0.8	<0.1		7	6.5	<0.01	<0.01	<0.01	<0.01
SW12	08-Sep-05	430	2.6	<0.1	8.9	15	8.4	0.11	<0.01	<0.01	<0.01
SW12	04-Oct-05	383	3.4	0.4		6	7.4	0.06	0.01	<0.01	<0.01
SW13	25-Aug-05	194	0.7	0.4		3	7.7	<0.01	<0.01	<0.01	<0.01
SW13	04-Oct-05	176	1	<0.1		4	7.7	0.01	<0.01	<0.01	<0.01
SW14	25-Aug-05	187	0.4	<0.1		3	7.9	<0.01	<0.01	<0.01	<0.01
SW14	04-Oct-05	207	<0.3	<0.1		6	7.9	<0.01	<0.01	<0.01	<0.01
SW15	25-Aug-05	187	0.3	<0.1		<2	8.1	<0.01	<0.01	<0.01	<0.01
SW15	04-Oct-05	207	<0.3	<0.1		6	7.4	0.01	0.01	<0.01	<0.01
SW2	31-Aug-05	261	1.3	<0.1	N/S	8	7.6	0.01	<0.01	<0.01	<0.01
SW2	29-Sep-05	224	2.2	<0.1		3	7.3	<0.01	<0.01	<0.01	<0.01
SW3	08-Sep-05	342	4.5	<0.1	4.7	4	8.4	<0.01	<0.01	<0.01	<0.01
SW3	04-Oct-05	209	1.2	<0.1		11	7.7	<0.01	<0.01	<0.01	<0.01
SW4	11-Aug-05	359	2.1	<0.1		22	7.8	<0.01	<0.01	<0.01	<0.01
SW4	29-Sep-05	556	2.3	<0.1		<2	7.7	<0.01	<0.01	<0.01	<0.01
SW5	08-Sep-05	N/S	2.3	<0.1	6.6	2	N/S	<0.01	<0.01	<0.01	<0.01
SW5	29-Sep-05	225	2.3	<0.1		5	7.3	<0.01	<0.01	<0.01	<0.01
SW6	08-Sep-05	268	1.6	<0.1	5.3	5	8.3	<0.01	<0.01	<0.01	<0.01
SW6	29-Sep-05	296	3	<0.1		20	8	0.02	<0.01	<0.01	<0.01

Sample Reference	date	BENZ-A-ANTHRACENE	DIBZ-AH-ANTHRACENE	BENZ-K-FLUOANTHENE	BENZ-A-PYRENE	BENZO-GHI-PERYLENE	CHRYSENE	FLUORENE	FLUORANTHENE	INDEN-123-CD-PYRENE	BENZ-B-FLUOANTHENE	NAPHTHALENE	PHENANTHRENE	PYRENE
		ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l
ASPA	31-Aug-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
ASPC	31-Aug-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
ASPD	18-Aug-05	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01
BH1027	01-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1027	22-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1046	08-Sep-05	<0.02	<0.02	N/S	N/S	N/S	<0.02	<0.02	<0.02	<0.02	N/S	<0.02	<0.02	<0.02
BH1046	04-Oct-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1050	28-Sep-05	-	-	-	-	-	-	-	-	-	-	-	-	-
BH1074D	23-Aug-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1074D	20-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1074S	23-Aug-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1074S	20-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1089	23-Aug-05	0.04	0.02	0.01	0.03	0.08	0.04	0.02	0.09	0.02	0.04	0.02	0.12	0.08
BH1089	22-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1108	08-Sep-05	<0.04	<0.04	N/S	N/S	N/S	<0.04	<0.04	<0.04	<0.04	N/S	<0.04	<0.04	<0.04
BH1108	22-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1134	01-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1134	22-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1167	01-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.04	0.02	<0.01
BH1167	28-Sep-05	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04
BH1194D	25-Aug-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1194D	20-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1194S	25-Aug-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1194S	20-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1219	25-Aug-05	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	0.01	0.01
BH1219	22-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1231	23-Aug-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01
BH1231	22-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1242	25-Aug-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1242	22-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1258	30-Aug-05	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
BH1258	29-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01
BH1271	30-Aug-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.09	<0.01	<0.01
BH1271	29-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1297	01-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1297	28-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1306	25-Aug-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1306	22-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1349	01-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1349	22-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1366	31-Aug-05	0.2	0.09	0.11	0.34	0.39	0.23	<0.01	0.15	0.22	0.39	<0.01	0.04	0.16
BH1366	28-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1375	31-Aug-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	0.01
BH1375	28-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01

Sample Reference	date	BENZ-A- ANTHRACENE	DIBZ-AH- ANTHRACENE	BENZ-K- FLUOANTHENE	BENZ-A- PYRENE	BENZO-GHI- PERYLENE	CHRYSENE	FLUORENE	FLUORANTHENE	INDEN-123- CD-PYRENE	BENZ-B- FLUOANTHENE	NAPHTHALENE	PHENANTHRENE	PYRENE
		ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l
BH1412	01-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1412	28-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1429	01-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1429	29-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1430	31-Aug-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1430	28-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1445	23-Aug-05	0.02	<0.01	<0.01	0.02	0.05	0.02	<0.01	0.04	0.01	0.02	<0.01	0.02	0.04
BH1445	22-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1451	23-Aug-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1451	20-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1455	23-Aug-05	0.3	0.06	0.14	0.4	0.3	0.3	0.01	0.66	0.21	0.42	<0.01	0.05	0.56
BH1455	20-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.04	0.14	<0.01	<0.01	<0.01	<0.01	0.1
BH1495	18-Aug-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1495	22-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1504	30-Aug-05	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.14	<0.02	<0.02
BH1504	28-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1505	30-Aug-05	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
BH1505	28-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1528	08-Sep-05	<0.01	<0.01	N/S	N/S	N/S	<0.01	<0.01	<0.01	<0.01	N/S	<0.01	<0.01	<0.01
BH1528	04-Oct-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1530	18-Aug-05	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.1	<0.02	<0.02
BH1530	22-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1531	18-Aug-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1531	22-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1532	25-Aug-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1532	22-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1621D	23-Aug-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	0.01	0.01
BH1621D	20-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1621S	23-Aug-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	0.01	0.01
BH1621S	20-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1622	25-Aug-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1622	22-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1623	25-Aug-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1623	29-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
BH1624	30-Aug-05	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
BH1624	28-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
ESGA	11-Aug-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
ESGB	31-Aug-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.01	<0.01	<0.01	<0.01	0.01	0.01
ESGC	31-Aug-05	0.42	0.09	0.14	0.53	0.48	0.47	0.69	0.81	0.28	0.57	0.01	0.28	0.74
ESGD	11-Aug-05	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
ESGF	18-Aug-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
ESGH	11-Aug-05	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
ESGJ	31-Aug-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
GT06	30-Aug-05	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02

Sample Reference	date	BENZ-A-ANTHRACENE	DIBZ-AH-ANTHRACENE	BENZ-K-FLUOANTHENE	BENZ-A-PYRENE	BENZO-GHI-PERYLENE	CHRYSENE	FLUORENE	FLUORANTHENE	INDEN-123-CD-PYRENE	BENZ-B-FLUOANTHENE	NAPHTHALENE	PHENANTHRENE	PYRENE
		ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l
GT08	08-Sep-05	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S
GT10	11-Aug-05	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02		<0.02	<0.02
GT13	18-Aug-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01
GT16	18-Aug-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01
P1	30-Aug-05	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04
P12	16-Aug-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
P13	16-Aug-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
P15	16-Aug-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
P18	16-Aug-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
P2	30-Aug-05	<0.02	<0.10	<0.02	<0.02	<0.10	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
P21	11-Aug-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		<0.01	<0.01
P22	08-Sep-05	0.64	<0.50	N/S	N/S	N/S	1.01	1.51	2.41	<0.20	N/S	3.02	4.81	3.25
P23	16-Aug-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		<0.01	<0.01
P24	16-Aug-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		<0.01	<0.01
P4	16-Aug-05	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10	<0.10
P6	16-Aug-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
P8	16-Aug-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
SW1	08-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
SW1	04-Oct-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
SW10	08-Sep-05	0.04	<0.01	0.02	0.04	0.02	0.04	<0.01	0.08	0.01	0.05	<0.01	0.02	0.08
SW10	29-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
SW12	08-Sep-05	0.01	<0.01	<0.01	0.01	<0.01	0.02	<0.01	0.02	<0.01	0.01	<0.01	<0.01	0.03
SW12	04-Oct-05	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	0.02
SW13	25-Aug-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
SW13	04-Oct-05	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
SW14	25-Aug-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
SW14	04-Oct-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
SW15	25-Aug-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
SW15	04-Oct-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
SW2	31-Aug-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01
SW2	29-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
SW3	08-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
SW3	04-Oct-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
SW4	11-Aug-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01		<0.01	<0.01
SW4	29-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
SW5	08-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
SW5	29-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
SW6	08-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
SW6	29-Sep-05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02