

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
BGTP01	0.3	99801	ND	-	-	-	-
BGTP01	1.5	99802	ND	-	-	-	-
BGTP03	0.5	99804	ND	-	-	-	-
BGTP04	0.4	99805	ND	-	-	-	-
BGTP05	0.25	99806	ND	-	-	-	-
BGTP07	0.35	99808	ND	-	-	-	-
BGTP07	0.55	99809	ND	-	-	-	-
BGTP08	0.3	99810	ND	-	-	-	-
BGTP12	0.25	99815	ND	-	-	-	-
BGTP12	1.3	99816	ND	-	-	-	-
BGTP16	0.25	99820	ND	-	-	-	-
BGTP18	1.2	99824	ND	-	-	-	-
BGTP20	0.6	99825	ND	-	-	-	-
BGTP20	1.4	99826	ND	-	-	-	-
BGTP21	0.05	99827	ND	-	-	-	-
BGTP22	0.2	99828	ND	-	-	-	-
BGTP23	0.45	99829	ND	-	-	-	-
BGTP23	0.75	99830	ND	-	-	-	-
BGTP23	1.35	99831	ND	-	-	-	-
GT TP200	0.2	9990580	ND	-	-	-	-
GT TP210	0.8	9990581	ND	-	-	-	-
GT TP210	0.3	9990582	ND	-	-	-	-
GT TP211	0.2	9990583	ND	-	-	-	-
GT TP240	0.5	9990584	Present	1	-	-	-
GT TP240	1	9990585	ND	-	-	-	-
GT TP240	0.1	9990586	ND	-	-	-	-
GT TP252	1	9990587	ND	-	-	-	-
GT TP252	0.7	9990588	ND	-	-	-	-
GT TP252	0.2	9990589	Present	1	-	-	-
GT TP202	0.3	9990590	ND	-	-	-	-
GT TP219	0.2	9990591	ND	-	-	-	-
GT TP229	0.4	9990592	ND	-	-	-	-
GT TP239	0.3	9990593	ND	-	-	-	-
GT TP239	0.6	9990594	ND	-	-	-	-
GT TP241	0.2	9990595	ND	-	-	-	-
GT TP250	0.2	9990596	ND	-	-	-	-
GT TP250	0.4	9990597	ND	-	-	-	-
GT TP251	0.2	9990598	ND	-	-	-	-
GT TP253	0.2	9990599	ND	-	-	-	-
GT TP254	0.2	9990600	ND	-	-	-	-
GT TP256	0.2	9990601	ND	-	-	-	-
GT TP256	0.6	9990602	ND	-	-	-	-
GT TP256	1	9990603	ND	-	-	-	-
GT TP262	0.3	9990604	ND	-	-	-	-
GT TP263	0.2	9990605	ND	-	-	-	-
GT TP263	0.6	9990606	ND	-	-	-	-
GT TP266	0.2	9990607	ND	-	-	-	-
GT TP266	0.6	9990608	ND	-	-	-	-
GT TP267	0.2	9990609	ND	-	-	-	-
GT TP267	0.6	9990610	ND	-	-	-	-
GT TP268	0.2	9990611	Present	1	-	-	-
GT TP268	0.5	9990612	ND	-	-	-	-
GT TP268	0.6	9990613	ND	-	-	-	-
GT TP269	2	9990614	ND	-	-	-	-
GT TP269	0.6	9990615	Present	1	-	-	-
GT TP269	1.6	9990616	Present	1	-	-	-
GT TP269	0.2	9990617	ND	-	-	-	-
GT TP273	0.3	9990618	ND	-	-	-	-
GT TP273	1.2	9990619	ND	-	-	-	-
GT TP280	0.2	9990620	Present	1	-	-	-
GT TP283	0.8	9990621	ND	-	-	-	-
GT TP283	1.4	9990622	ND	-	-	-	-
GT TP283	0.2	9990623	ND	-	-	-	-
GT TP220	0.2	9990624	ND	-	-	-	-
GT TP221	0.2	9990625	ND	-	-	-	-
GT TP221	0.5	9990626	ND	-	-	-	-
GT TP242	0.8	9990627	ND	-	-	-	-
GT TP242	0.2	9990628	ND	-	-	-	-
GT TP243	0.2	9990629	ND	-	-	-	-
GT TP243	0.5	9990630	ND	-	-	-	-
GT TP255	0.2	9990631	ND	-	-	-	-
GT TP255	0.5	9990632	ND	-	-	-	-
GT TP257	0.1	9990633	Present	1	-	-	-
GT TP257	0.3	9990634	Present	1	-	-	-
GT TP257	0.6	9990635	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
GT TP261	0.3	9990636	Present	1	-	-	-
GT TP261	1	9990637	ND	-	-	-	-
GT TP276	0.2	9990638	ND	-	-	-	-
GT TP276	0.5	9990639	ND	-	-	-	-
GT TP277	0.1	9990640	Present	1	-	-	-
GT TP277	0.4	9990641	ND	-	-	-	-
GT TP278	0.3	9990642	ND	-	-	-	-
GT TP279	0.1	9990643	Present	1	-	-	-
GT TP281	0.1	9990644	Present	1	-	-	-
GT TP281	0.3	9990645	Present	1	-	-	-
GT TP281	0.6	9990646	ND	-	-	-	-
GT TP285	0.5	9990647	ND	-	-	-	-
GT TP285	1.1	9990648	ND	-	-	-	-
GT TP286	0.2	9990649	Present	1	-	-	-
GT TP286	1.8	9990650	ND	-	-	-	-
GT TP286	2.5	9990651	ND	-	-	-	-
GT TP286	0.6	9990652	ND	-	-	-	-
GT TP287	0.5	9990653	ND	-	-	-	-
GT TP105	0.2	9990661	ND	-	-	-	-
GT TP105	0.8	9990662	ND	-	-	-	-
GT TP105	1.5	9990663	ND	-	-	-	-
GT TP111	1.2	9990664	ND	-	-	-	-
GT TP111	0.1	9990665	ND	-	-	-	-
GT TP111	1.4	9990666	ND	-	-	-	-
GT TP116	0.1	9990667	Present	1	-	-	-
GT TP116	1.2	9990668	ND	-	-	-	-
GT TP117	0.2	9990669	ND	-	-	-	-
GT TP118	0.3	9990670	ND	-	-	-	-
GT TP118	1	9990671	ND	-	-	-	-
GT TP119	0.9	9990672	Present	1	-	1	-
GT TP119	0.3	9990673	ND	-	-	-	-
GT TP127	0.6	9990674	ND	-	-	-	-
GT TP127	0.3	9990675	ND	-	-	-	-
GT TP135	0.3	9990676	Present	1	-	-	-
GT TP135	1	9990677	ND	-	-	-	-
GT TP135	0.6	9990678	ND	-	-	-	-
GT TP135	0.2	9990679	ND	-	-	-	-
GT TP144	0.4	9990680	ND	-	-	-	-
GT TP144	1	9990681	Present	-	1	-	-
GT TP144	2	9990682	Present	1	-	-	-
GT TP160	0.1	9990683	Present	1	-	-	-
GT TP161	0.1	9990684	ND	-	-	-	-
GT TP167	0.2	9990685	ND	-	-	-	-
GT TP167	0.8	9990686	ND	-	-	-	-
GT TP167	0.5	9990687	ND	-	-	-	-
GT TP169	0.1	9990688	ND	-	-	-	-
GT TP177	1.4	9990689	ND	-	-	-	-
GT TP177	0.4	9990690	ND	-	-	-	-
GT TP178	1.4	9990691	ND	-	-	-	-
GT TP178	0.2	9990692	Present	1	-	-	-
GT TP178	0.8	9990693	ND	-	-	-	-
GT TP181	0.2	9990694	Present	1	-	-	-
GT TP182	0.1	9990695	Present	1	-	-	-
GT TP189	0.9	9990696	ND	-	-	-	-
GT TP189	0.3	9990697	Present	1	-	1	-
GT TP190	0.2	9990698	Present	1	-	-	-
GT TP191	0.1	9990699	Present	1	-	1	-
GT TP191	0.3	9990700	Present	-	1	1	-
GT TP191	0.6	9990701	Present	1	-	1	-
GT TP192	0.7	9990702	Present	1	-	1	-
GT TP192	0.5	9990703	Present	1	-	1	-
GT TP192	0.1	9990704	Present	1	-	-	-
GT TP192	1	9990705	ND	-	-	-	-
GT TP301	0.1	9990706	ND	-	-	-	-
GT TP303	0.1	9990707	ND	-	-	-	-
GT TP306	0.5	9990708	ND	-	-	-	-
GT TP307	0.2	9990709	ND	-	-	-	-
GT TP311	0.5	9990710	ND	-	-	-	-
GT TP128	0.5	9990713	ND	-	-	-	-
GT TP237	0.2	9990714	ND	-	-	-	-
GT TP209	0.2	9990715	ND	-	-	-	-
GT TP208	0.2	9990716	ND	-	-	-	-
GT TP236	0	9990717	ND	-	-	-	-
GT TP236	0.4	9990718	ND	-	-	-	-
GT TP237	0.6	9990719	Present	1	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
GT TP188	0.2	9990720	ND	-	-	-	-
GT TP235	0.5	9990721	Present	1	-	-	-
GT TP100	0.3	9990722	Present	1	-	1	-
GT TP132	0.9	9990723	ND	-	-	-	-
GT TP132	0.3	9990724	ND	-	-	-	-
GT TP101	0.4	9990725	ND	-	-	-	-
GT TP238	0.2	9990726	ND	-	-	-	-
GT TP132	0.2	9990727	ND	-	-	-	-
GT TP132	0.5	9990728	ND	-	-	-	-
GT TP100	0.9	9990729	Present	1	-	-	-
GT TP100	0.6	9990730	Present	1	1	-	-
GT TP235	0	9990731	ND	-	-	-	-
GT TP165	0.2	9990732	ND	-	-	-	-
GT TP156	0.4	9990733	ND	-	-	-	-
GT TP156	0.2	9990734	ND	-	-	-	-
GT TP235	0.2	9990735	ND	-	-	-	-
GT TP179	0.4	9990736	ND	-	-	-	-
GT TP179	0.2	9990737	ND	-	-	-	-
GT TP236	0.2	9990738	ND	-	-	-	-
GT TP188	0.5	9990739	ND	-	-	-	-
GT TP138	0.4	9990740	ND	-	-	-	-
GT TP104	0.4	9990742	ND	-	-	-	-
GT TP107	0.3	9990743	ND	-	-	-	-
GT TP113	0.2	9990745	Present	1	-	-	-
GT TP103	0.2	9990746	Present	1	-	-	-
GT TP162	0.2	9990747	ND	-	-	-	-
GT TP102	0.2	9990748	Present	1	-	-	-
GT TP125	0.2	9990750	Present	1	-	-	-
GT TP173	0.2	9990751	Present	1	-	-	-
GT TP153	0.3	9990752	Present	1	-	-	-
GT TP180	0.2	9990753	ND	-	-	-	-
GT TP134	0.2	9990754	Present	1	-	-	-
GT TP180	0.6	9990755	Present	1	-	-	-
GT TP180	1.2	9990756	Present	1	-	-	-
GT TP180	0.5	9990757	ND	-	-	-	-
GT TP180	0.8	9990758	Present	1	-	-	-
GT TP136	0.4	9990759	ND	-	-	-	-
GT TP136	1.6	9990760	ND	-	-	-	-
GT TP136	0.2	9990761	ND	-	-	-	-
GT TP136	0.6	9990762	ND	-	-	-	-
GT TP136	1	9990763	ND	-	-	-	-
GT TP124	0.3	9990764	ND	-	-	-	-
GT TP124	0.1	9990765	ND	-	-	-	-
GT TP124	1.4	9990766	ND	-	-	-	-
GT TP124	1.9	9990767	Present	1	-	-	-
GT TP146	0.2	9990768	ND	-	-	-	-
GT TP228	0.2	9990769	ND	-	-	-	-
GT TP186	0.3	9990770	ND	-	-	-	-
GT TP184	0.3	9990771	ND	-	-	-	-
GT TP187	0.1	9990772	ND	-	-	-	-
GT TP187	0.5	9990773	ND	-	-	-	-
GT TP228	0.5	9990774	ND	-	-	-	-
GT TP183	0.1	9990775	ND	-	-	-	-
GT TP217	0.2	9990776	ND	-	-	-	-
GT TP184	0.5	9990778	ND	-	-	-	-
GT TP154	0.3	9990779	ND	-	-	-	-
GT TP216	0.6	9990780	ND	-	-	-	-
GT TP164	0.3	9990781	ND	-	-	-	-
GT TP216	0.8	9990783	ND	-	-	-	-
GT TP157	0.2	9990784	ND	-	-	-	-
GT TP216	0.3	9990785	ND	-	-	-	-
GT TP172	0.2	9990786	ND	-	-	-	-
GT TP172	0.8	9990787	ND	-	-	-	-
GT TP313	0.2	9990788	ND	-	-	-	-
GT TP207	0.3	9990789	ND	-	-	-	-
GT TP214	0.1	9990790	ND	-	-	-	-
GT TP204	0.2	9990792	ND	-	-	-	-
GT TP137	0.4	9990793	ND	-	-	-	-
GT TP313	0.6	9990794	ND	-	-	-	-
GT TP224	0.4	9990795	Present	1	-	-	-
GT TP163	0.3	9990796	ND	-	-	-	-
GT TP143	0.3	9990797	ND	-	-	-	-
GT TP152	0.2	9990798	ND	-	-	-	-
GT TP258	0.2	9990799	ND	-	-	-	-
GT TP310	0.1	9990800	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
GT TP224	0.2	9990801	ND	-	-	-	-
GT TP163	0.5	9990802	ND	-	-	-	-
GT TP310	0.5	9990803	Present	1	-	-	-
GT TP126	0.2	9990804	ND	-	-	-	-
GT TP233	0.2	9990805	ND	-	-	-	-
GT TP142	0.3	9990806	ND	-	-	-	-
GT TP133	0.3	9990807	Present	1	-	-	-
GT TP223	0.2	9990808	Present	-	1	-	-
GT TP133	0.2	9990809	Present	-	1	-	-
GT TP171	0.4	9990810	ND	-	-	-	-
GT TP171	0.2	9990811	ND	-	-	-	-
GT TP222	0.1	9990812	ND	-	-	-	-
GT TP218	0.2	9990814	ND	-	-	-	-
GT TP218	0.6	9990815	ND	-	-	-	-
GT TP173	0.7	9990817	ND	-	-	-	-
GT TP209	0.4	9990818	ND	-	-	-	-
GT TP249	0.2	9990819	ND	-	-	-	-
GT TP235	1.1	9990820	ND	-	-	-	-
GT TP227	0.4	9990821	ND	-	-	-	-
GT TP203	0.2	9990822	ND	-	-	-	-
GT TP225	0.2	9990823	ND	-	-	-	-
GT TP184	1.1	9990824	ND	-	-	-	-
GT TP186	0.1	9990826	Present	1	-	-	-
GT TP187	0.4	9990827	ND	-	-	-	-
GT TP204	0.5	9990828	ND	-	-	-	-
GT TP205	0.3	9990829	ND	-	-	-	-
GT TP212	0.1	9990830	Present	1	-	-	-
GT TP216	0.1	9990831	Present	1	-	-	-
GT TP270	0.3	9990832	ND	-	-	-	-
GT TP234	0.7	9990833	ND	-	-	-	-
GT TP234	0.2	9990834	ND	-	-	-	-
GT TP226	0.2	9990835	ND	-	-	-	-
GT TP271	0.2	9990837	ND	-	-	-	-
GT TP234	0.5	9990838	Present	1	-	-	-
GT TP215	0.2	9990839	ND	-	-	-	-
GT TP275	0.2	9990868	ND	-	-	-	-
GT TP275	0.3	9990869	ND	-	-	-	-
GT TP264	0.3	9990870	ND	-	-	-	-
GT TP274	0.9	9990871	ND	-	-	-	-
GT TP275	1.1	9990872	ND	-	-	-	-
GT TP272	0.6	9990873	ND	-	-	-	-
GT TP265	0.5	9990874	ND	-	-	-	-
GT TP265	0.2	9990875	ND	-	-	-	-
GT TP272	0.2	9990876	ND	-	-	-	-
GT TP230	0.2	9990877	ND	-	-	-	-
GT TP274	0.3	9990878	ND	-	-	-	-
GT TP289	0.4	9990879	Present	1	-	-	-
GT TP284	0.5	9990880	Present	1	-	-	-
GT TP282	0.3	9990881	Present	1	1	-	-
GT TP282	0.6	9990882	ND	-	-	-	-
GT TP259	0.3	9990883	ND	-	-	-	-
GT TP260	0.5	9990884	ND	-	-	-	-
GT TP187	0.7	9990961	ND	-	-	-	-
GT TP237	1.2	9990962	ND	-	-	-	-
GT TP147	0.4	9990964	Present	-	-	-	-
GT TP140	0.2	9990970	Present	1	-	-	-
GT TP284	1.2	9990972	ND	-	-	-	-
GT TP136	1.8	9990973	ND	-	-	-	-
GT TP170	0.3	9990975	ND	-	-	-	-
GT TP120	1.1	9990979	ND	-	-	-	-
GT TP114	0.9	9990981	ND	-	-	-	-
GT TP115	0.1	9990983	ND	-	-	-	-
GT TP148	1.4	9990985	ND	-	-	-	-
GT TP148	0.2	9990986	Present	1	-	-	-
GT TP148	0.8	9990987	ND	-	-	-	-
GT TP139	0.8	9990989	ND	-	-	-	-
GT TP139	1.9	9990990	ND	-	-	-	-
GT TP292	1.5	9990991	ND	-	-	-	-
GT TP292	1	9990992	ND	-	-	-	-
GT TP139	2.3	9990993	ND	-	-	-	-
GT TP149	0.2	9990994	ND	-	-	-	-
GT TP290	0.5	9990995	ND	-	-	-	-
GT TP121	0.2	9990996	ND	-	-	-	-
GT PH27	0.3	9990997	ND	-	-	-	-
GT TP245	0.1	9990998	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
GT TP108	0.2	9990999	ND	-	-	-	-
GT TP150	0.1	9991000	ND	-	-	-	-
GT TP131	0.8	9991001	ND	-	-	-	-
GT TP245	0.4	9991002	ND	-	-	-	-
GT TP131	0.2	9991003	ND	-	-	-	-
GT TP184	1.7	9991005	ND	-	-	-	-
GT TP235	1.6	9991006	ND	-	-	-	-
GT TP232	0.4	9991007	ND	-	-	-	-
GT TP147	0.8	9991008	ND	-	-	-	-
GT TP216	1	9991009	ND	-	-	-	-
GT TP230	0.6	9991010	ND	-	-	-	-
GT TP313	0.9	9991011	ND	-	-	-	-
GT TP215	0.4	9991012	ND	-	-	-	-
GT TP103	0.4	9991013	ND	-	-	-	-
GT PH13	0.3	9991014	ND	-	-	-	-
GT TP173	1.4	9991015	ND	-	-	-	-
GT TP259	0.6	9991016	ND	-	-	-	-
GT PH07	0.2	9991017	ND	-	-	-	-
GT PH22	0.6	9991018	Present	1	-	-	-
GT PH04	0.4	9991019	ND	-	-	-	-
GT PH23	0.3	9991020	ND	-	-	-	-
GT PH17	0.2	9991021	ND	-	-	-	-
GT PH18	0.2	9991022	ND	-	-	-	-
GT PH26	0.5	9991023	ND	-	-	-	-
GT PH23	1.3	9991024	ND	-	-	-	-
GT PH11	0.3	9991025	ND	-	-	-	-
GT PH05	0.2	9991026	ND	-	-	-	-
GT PH03	0.4	9991027	ND	-	-	-	-
GT PH20	1.2	9991029	ND	-	-	-	-
GT PH19	1	9991030	ND	-	-	-	-
GT PH20	0.4	9991031	Present	1	-	-	-
GT PH31	0.5	9991033	ND	-	-	-	-
GT TP109	0.1	9991034	ND	-	-	-	-
GT TP120	0.6	9991035	ND	-	-	-	-
GT TP109	1.8	9991036	ND	-	-	-	-
GT TP109	2.2	9991038	ND	-	-	-	-
GT TP109	0.4	9991039	ND	-	-	-	-
GT TP292	0.4	9991040	ND	-	-	-	-
GT TP149	1.4	9991041	ND	-	-	-	-
GT TP139	0.2	9991042	ND	-	-	-	-
GT PH29	1.9	9991043	ND	-	-	-	-
GT PH29	0.5	9991044	ND	-	-	-	-
GT PH24	0.3	9991045	ND	-	-	-	-
GT PH30	0.5	9991046	Present	1	-	-	-
GT PH27	1	9991047	ND	-	-	-	-
GT PH09	0.4	9991048	ND	-	-	-	-
GT TP316	0.2	9991049	ND	-	-	-	-
GT TP290	0.3	9991050	ND	-	-	-	-
GT PH32	0.5	9991051	ND	-	-	-	-
GT TP114	2.1	9991052	ND	-	-	-	-
GT TP130	0.1	9991054	Present	1	-	-	-
GT TP130	0.6	9991055	ND	-	-	-	-
GT TP151	0.5	9991057	ND	-	-	-	-
GT TP129	0.5	9991058	Present	1	-	-	-
GT TP129	1.1	9991059	ND	-	-	-	-
GT TP151	1.4	9991060	ND	-	-	-	-
GT PH06	1.4	9991061	ND	-	-	-	-
GT PH06	0.3	9991062	ND	-	-	-	-
GT PH28	0.5	9991063	ND	-	-	-	-
GT PH08	0.3	9991064	ND	-	-	-	-
GT PH02	0.4	9991065	ND	-	-	-	-
GT PH13	0.6	9991066	ND	-	-	-	-
GT PH01	1.4	9991067	ND	-	-	-	-
GT PH15	0.4	9991068	ND	-	-	-	-
GT PH01	0.3	9991069	ND	-	-	-	-
GT TP246	0.2	9991070	ND	-	-	-	-
GT TP130	1.4	9991071	ND	-	-	-	-
GT TP115	0.6	9991072	ND	-	-	-	-
GT TP129	1.5	9991073	ND	-	-	-	-
GT TP114	1.7	9991074	ND	-	-	-	-
GT TP114	0.2	9991075	ND	-	-	-	-
GT TP122	0.3	9991076	ND	-	-	-	-
GT TP122	0.1	9991077	Present	1	-	-	-
GT TP141	1.2	9991078	Present	1	-	-	-
GT TP168	0.1	9991126	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
GT TP174	0.5	9991127	ND	-	-	-	-
GT TP174	1.6	9991128	ND	-	-	-	-
GT TP174	2	9991129	ND	-	-	-	-
GT TP175	0.1	9991130	ND	-	-	-	-
GT TP176	0.2	9991132	Present	1	-	-	-
GT TP176	1.7	9991133	ND	-	-	-	-
GT TP176	2.3	9991134	ND	-	-	-	-
BH2528	1	20000001	ND	-	-	-	-
HS2941	0.15	20000002	ND	-	-	-	-
#N/A	#N/A	20000003	Present	1	-	-	18
#N/A	#N/A	20000004	Present	1	-	-	2
TP2114	0.3	20086598	ND	-	-	-	-
TP2114	0.7	20086599	ND	-	-	-	-
TP2117	0.1	20086600	ND	-	-	-	-
TP2117	0.5	20086601	ND	-	-	-	-
TP2119	0.2	20086602	ND	-	-	-	-
TP2119	0.5	20086603	ND	-	-	-	-
TP2121	0.1	20086604	ND	-	-	-	-
TP2121	0.6	20086605	ND	-	-	-	-
TP2123	0.1	20086606	ND	-	-	-	-
TP2123	0.4	20086607	ND	-	-	-	-
TP2124	0.1	20086608	ND	-	-	-	-
TP2124	1	20086609	ND	-	-	-	-
TP2125	0.3	20086610	ND	-	-	-	-
TP2125	0.6	20086611	ND	-	-	-	-
TP2126	0.3	20086612	ND	-	-	-	-
TP2126	0.9	20086613	ND	-	-	-	-
TP2127	0.1	20086614	ND	-	-	-	-
TP2127	0.5	20086615	ND	-	-	-	-
TP2159	0.1	20086616	ND	-	-	-	-
TP2159	0.4	20086617	ND	-	-	-	-
TP2166	0.1	20086618	ND	-	-	-	-
TP2166	0.8	20086619	ND	-	-	-	-
TP2173	0.15	20086620	ND	-	-	-	-
TP2173	1	20086621	ND	-	-	-	-
TP2174	0.45	20086622	ND	-	-	-	-
TP2174	1.1	20086623	ND	-	-	-	-
TP2175	0.2	20086624	ND	-	-	-	-
TP2175	0.5	20086625	ND	-	-	-	-
TP2176	0.1	20086626	ND	-	-	-	-
TP2176	0.4	20086627	ND	-	-	-	-
TP2177	0.1	20086628	ND	-	-	-	-
TP2177	1	20086629	ND	-	-	-	-
TP2118	0.1	20086630	ND	-	-	-	-
TP2118	0.5	20086631	ND	-	-	-	-
TP2120	0.1	20086632	ND	-	-	-	-
TP2120	0.9	20086633	ND	-	-	-	-
TP2128	0.1	20086634	ND	-	-	-	-
TP2128	0.3	20086635	Present	1	-	-	2.9
TP2130	0.1	20086636	ND	-	-	-	-
TP2130	0.3	20086637	ND	-	-	-	-
TP2132	0.1	20086638	ND	-	-	-	-
TP2132	0.7	20086639	ND	-	-	-	-
TP2133	0.1	20086640	ND	-	-	-	-
TP2133	1	20086641	ND	-	-	-	-
TP2136	0.2	20086642	ND	-	-	-	-
TP2136	1	20086643	ND	-	-	-	-
TP2138	0.1	20086644	ND	-	-	-	-
TP2138	0.4	20086645	ND	-	-	-	-
TP2139	0.15	20086646	ND	-	-	-	-
TP2139	0.5	20086647	ND	-	-	-	-
TP2143	0.1	20086648	ND	-	-	-	-
TP2143	0.4	20086649	ND	-	-	-	-
TP2160	0.1	20086650	ND	-	-	-	-
TP2160	0.5	20086651	ND	-	-	-	-
TP2165	0.1	20086652	ND	-	-	-	-
TP2165	0.4	20086653	ND	-	-	-	-
TP2169	0.1	20086654	ND	-	-	-	-
TP2169	0.5	20086655	ND	-	-	-	-
TP2178	0.1	20086656	ND	-	-	-	-
TP2178	0.9	20086657	ND	-	-	-	-
TP2179	0.15	20086658	ND	-	-	-	-
TP2179	1	20086659	ND	-	-	-	-
TP2180	0.2	20086660	ND	-	-	-	-
TP2180	0.6	20086661	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
TP2181	0.3	20086662	ND	-	-	-	-
TP2181	0.8	20086663	ND	-	-	-	-
TP2115	0.4	20086762	ND	-	-	-	-
TP2115	1	20086763	ND	-	-	-	-
TP2116	0.4	20086764	ND	-	-	-	-
TP2116	1	20086765	ND	-	-	-	-
TP2129	0.3	20086766	ND	-	-	-	-
TP2129	0.7	20086767	ND	-	-	-	-
TP2131	0.3	20086768	ND	-	-	-	-
TP2131	1.1	20086769	ND	-	-	-	-
TP2134	0.1	20086770	ND	-	-	-	-
TP2134	1	20086771	ND	-	-	-	-
TP2140	0.2	20086772	ND	-	-	-	-
TP2140	1.1	20086773	ND	-	-	-	-
TP2141	0.1	20086774	ND	-	-	-	-
TP2141	0.9	20086775	ND	-	-	-	-
TP2142	0.1	20086776	ND	-	-	-	-
TP2142	0.4	20086777	ND	-	-	-	-
TP2144	0.1	20086778	ND	-	-	-	-
TP2144	0.4	20086779	ND	-	-	-	-
TP2145	0.1	20086780	ND	-	-	-	-
TP2145	1	20086781	ND	-	-	-	-
TP2146	0.1	20086782	ND	-	-	-	-
TP2146	1	20086783	ND	-	-	-	-
TP2147	0.1	20086784	ND	-	-	-	-
TP2147	1.1	20086785	ND	-	-	-	-
TP2148	0.2	20086786	ND	-	-	-	-
TP2148	0.6	20086787	ND	-	-	-	-
TP2151	0.1	20086788	ND	-	-	-	-
TP2151	0.4	20086789	ND	-	-	-	-
TP2152	0.1	20086790	ND	-	-	-	-
TP2152	0.3	20086791	ND	-	-	-	-
TP2153	0.1	20086792	ND	-	-	-	-
TP2153	1	20086793	ND	-	-	-	-
TP2168	0.05	20086794	ND	-	-	-	-
TP2168	0.4	20086795	ND	-	-	-	-
TP2135	0.1	20086796	ND	-	-	-	-
TP2135	0.9	20086797	ND	-	-	-	-
TP2137	1	20086798	ND	-	-	-	-
TP2137	5	20086799	ND	-	-	-	-
TP2137	2	20086800	ND	-	-	-	-
TP2137	4	20086801	ND	-	-	-	-
TP2149	1.1	20086802	ND	-	-	-	-
TP2149	2.1	20086803	ND	-	-	-	-
TP2150	0.05	20086804	ND	-	-	-	-
TP2150	0.9	20086805	ND	-	-	-	-
TP2161	0.35	20086806	ND	-	-	-	-
TP2161	0.6	20086807	ND	-	-	-	-
TP2162	0.2	20086808	ND	-	-	-	-
TP2162	1	20086809	ND	-	-	-	-
TP2163	0.2	20086810	ND	-	-	-	-
TP2163	0.5	20086811	ND	-	-	-	-
TP2164	0.1	20086812	ND	-	-	-	-
TP2164	0.5	20086813	ND	-	-	-	-
TP2170	0.1	20086814	ND	-	-	-	-
TP2170	0.4	20086815	ND	-	-	-	-
TP2172	0.1	20086816	ND	-	-	-	-
TP2172	0.4	20086817	ND	-	-	-	-
TP2171	0.1	20086818	ND	-	-	-	-
TP2171	1	20086819	ND	-	-	-	-
TP2183	0.1	20086820	ND	-	-	-	-
TP2183	0.4	20086821	ND	-	-	-	-
TP2184	0.1	20086822	ND	-	-	-	-
TP2184	1	20086823	ND	-	-	-	-
TP2185	0.1	20086824	ND	-	-	-	-
TP2185	0.6	20086825	ND	-	-	-	-
TP2186	0.4	20086827	ND	-	-	-	-
TP2167	0.15	20086906	ND	-	-	-	-
TP2167	0.8	20086907	ND	-	-	-	-
TP2182	0.1	20086908	ND	-	-	-	-
TP2182	0.4	20086909	ND	-	-	-	-
TP2283	0.2	20086910	ND	-	-	-	-
TP2283	0.5	20086911	ND	-	-	-	-
TP2289	0.2	20086912	ND	-	-	-	-
TP2289	0.5	20086913	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
TP2290	0.1	20086914	ND	-	-	-	-
TP2290	0.3	20086915	ND	-	-	-	-
TP2291	0.3	20086916	ND	-	-	-	-
TP2291	1	20086917	ND	-	-	-	-
TP2294	0.1	20086918	ND	-	-	-	-
TP2294	0.4	20086919	ND	-	-	-	-
TP2295	0.3	20086920	ND	-	-	-	-
TP2295	0.5	20086921	ND	-	-	-	-
TP2296	0.4	20086922	ND	-	-	-	-
TP2296	1	20086923	ND	-	-	-	-
TP2320	0.1	20086924	ND	-	-	-	-
TP2320	0.9	20086925	ND	-	-	-	-
TP2324	0.05	20086926	ND	-	-	-	-
TP2324	0.3	20086927	ND	-	-	-	-
TP2325	0.05	20086928	ND	-	-	-	-
TP2325	0.9	20086929	ND	-	-	-	-
TP2339	0.1	20086930	ND	-	-	-	-
TP2339	0.5	20086931	ND	-	-	-	-
TP2340	0.2	20086932	ND	-	-	-	-
TP2340	0.5	20086933	ND	-	-	-	-
TP2287	0.05	20086934	ND	-	-	-	-
TP2287	0.6	20086935	ND	-	-	-	-
TP2287	1	20086936	ND	-	-	-	-
TP2288	0.3	20086937	ND	-	-	-	-
TP2288	0.6	20086938	ND	-	-	-	-
TP2305	0.1	20086939	ND	-	-	-	-
TP2305	0.4	20086940	ND	-	-	-	-
TP2307	0.05	20086941	ND	-	-	-	-
TP2307	0.7	20086942	ND	-	-	-	-
TP2308	0.3	20086943	ND	-	-	-	-
TP2308	0.9	20086944	ND	-	-	-	-
TP2310	0.1	20086945	ND	-	-	-	-
TP2310	0.7	20086946	ND	-	-	-	-
TP2316	0.2	20086947	ND	-	-	-	-
TP2316	0.35	20086948	ND	-	-	-	-
TP2321	0.05	20086949	ND	-	-	-	-
TP2321	0.8	20086950	ND	-	-	-	-
TP2322	0.1	20086951	ND	-	-	-	-
TP2322	0.3	20086952	ND	-	-	-	-
TP2323	0.05	20086953	ND	-	-	-	-
TP2323	0.3	20086954	ND	-	-	-	-
TP2335	0.3	20086955	ND	-	-	-	-
TP2335	0.5	20086956	ND	-	-	-	-
TP2336	0.2	20086957	ND	-	-	-	-
TP2336	1	20086958	ND	-	-	-	-
TP2336	2	20086959	ND	-	-	-	-
TP2337	0.1	20086960	ND	-	-	-	-
TP2337	0.5	20086961	ND	-	-	-	-
TP2338	0.2	20086962	ND	-	-	-	-
TP2338	0.5	20086963	ND	-	-	-	-
TP2604	0.1	20086964	ND	-	-	-	-
TP2604	0.5	20086965	ND	-	-	-	-
TP2605	0.1	20086966	ND	-	-	-	-
TP2605	0.5	20086967	ND	-	-	-	-
TP2618	0.5	20086968	ND	-	-	-	-
TP2618	1.5	20086969	ND	-	-	-	-
TP2620	0.2	20086970	ND	-	-	-	-
TP2306	0.05	20087049	ND	-	-	-	-
TP2306	0.7	20087050	ND	-	-	-	-
TP2309	1	20087051	ND	-	-	-	-
TP2309	1	20087051	ND	-	-	-	-
TP2309	3	20087053	ND	-	-	-	-
TP2309	4	20087054	ND	-	-	-	-
TP2309	5	20087055	ND	-	-	-	-
TP2311	0.3	20087056	ND	-	-	-	-
TP2311	1	20087057	ND	-	-	-	-
TP2333	0.1	20087058	ND	-	-	-	-
TP2333	0.5	20087059	ND	-	-	-	-
TP2342	0.05	20087060	ND	-	-	-	-
TP2342	0.8	20087061	ND	-	-	-	-
TP2343	0.1	20087062	ND	-	-	-	-
TP2343	0.4	20087063	ND	-	-	-	-
TP2344	0.1	20087064	ND	-	-	-	-
TP2344	0.4	20087065	ND	-	-	-	-
TP2606	0.5	20087066	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
TP2606	0.1	20087067	ND	-	-	-	-
TP2607	0.1	20087068	ND	-	-	-	-
TP2607	0.5	20087069	ND	-	-	-	-
TP2608	0.1	20087070	ND	-	-	-	-
TP2608	0.5	20087071	ND	-	-	-	-
TP2609	0.2	20087072	ND	-	-	-	-
TP2609	1	20087073	ND	-	-	-	-
TP2610	0.2	20087074	ND	-	-	-	-
TP2610	0.7	20087075	ND	-	-	-	-
TP2610	2.2	20087076	ND	-	-	-	-
TP2611	0.3	20087077	ND	-	-	-	-
TP2611	1	20087078	ND	-	-	-	-
TP2612	0.3	20087079	ND	-	-	-	-
TP2612	1.5	20087080	ND	-	-	-	-
TP2632	0.2	20087081	ND	-	-	-	-
TP2632	1	20087082	ND	-	-	-	-
TP2632	2	20087083	ND	-	-	-	-
TP2633	0.5	20087084	ND	-	-	-	-
TP2633	1.3	20087085	ND	-	-	-	-
TP2156	0.2	20087086	ND	-	-	-	-
TP2156	1	20087087	ND	-	-	-	-
TP2154	0.3	20087088	ND	-	-	-	-
TP2154	0.8	20087089	ND	-	-	-	-
TP2155	0.1	20087090	ND	-	-	-	-
TP2155	0.5	20087091	ND	-	-	-	-
TP2157	0.1	20087092	ND	-	-	-	-
TP2157	0.3	20087093	ND	-	-	-	-
TP2158	0.2	20087094	ND	-	-	-	-
TP2158	0.5	20087095	ND	-	-	-	-
TP2284	0.2	20087096	ND	-	-	-	-
TP2284	0.4	20087097	ND	-	-	-	-
TP2285	0.1	20087098	ND	-	-	-	-
TP2016	0.3	20087153	ND	-	-	-	-
TP2016	0.6	20087154	ND	-	-	-	-
TP2017	0.1	20087155	ND	-	-	-	-
TP2017	1	20087156	ND	-	-	-	-
TP2025	0.5	20087157	ND	-	-	-	-
TP2025	0.9	20087158	ND	-	-	-	-
TP2026	0.1	20087159	ND	-	-	-	-
TP2026	1	20087160	ND	-	-	-	-
TP2027	0.1	20087161	ND	-	-	-	-
TP2027	0.9	20087162	ND	-	-	-	-
TP2028	0.4	20087163	ND	-	-	-	-
TP2028	1	20087164	ND	-	-	-	-
TP2029	0.2	20087165	ND	-	-	-	-
TP2029	0.5	20087166	ND	-	-	-	-
TP2032	0.1	20087167	ND	-	-	-	-
TP2032	0.5	20087168	ND	-	-	-	-
TP2034	0.4	20087170	ND	-	-	-	-
TP2298	0.1	20087171	ND	-	-	-	-
TP2298	0.4	20087172	ND	-	-	-	-
TP2299	0.1	20087173	ND	-	-	-	-
TP2299	0.4	20087174	ND	-	-	-	-
TP2301	1	20087175	ND	-	-	-	-
TP2301	4	20087176	ND	-	-	-	-
TP2301	2	20087177	ND	-	-	-	-
TP2301	5	20087178	ND	-	-	-	-
TP2301	3	20087179	ND	-	-	-	-
TP2302	1	20087180	ND	-	-	-	-
TP2302	4	20087181	ND	-	-	-	-
TP2302	5	20087182	ND	-	-	-	-
TP2302	2	20087183	ND	-	-	-	-
TP2302	3	20087184	ND	-	-	-	-
TP2317	0.3	20087185	ND	-	-	-	-
TP2317	0.8	20087186	ND	-	-	-	-
TP2328	0.35	20087187	ND	-	-	-	-
TP2328	2	20087188	ND	-	-	-	-
TP2329	0.1	20087189	ND	-	-	-	-
TP2329	0.4	20087190	ND	-	-	-	-
TP2020	0.3	20087191	ND	-	-	-	-
TP2020	0.6	20087192	ND	-	-	-	-
TP2021	1	20087193	ND	-	-	-	-
TP2021	2.2	20087194	ND	-	-	-	-
TP2031	0.3	20087195	ND	-	-	-	-
TP2031	0.7	20087196	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
TP2035	0.4	20087197	ND	-	-	-	-
TP2035	0.9	20087198	ND	-	-	-	-
TP2036	0.2	20087199	ND	-	-	-	-
TP2036	0.5	20087200	ND	-	-	-	-
TP2037	0.4	20087201	ND	-	-	-	-
TP2037	0.9	20087202	ND	-	-	-	-
TP2038	0.1	20087203	ND	-	-	-	-
TP2038	0.5	20087204	ND	-	-	-	-
TP2039	0.2	20087205	ND	-	-	-	-
TP2039	0.9	20087206	ND	-	-	-	-
TP2292	0.05	20087207	ND	-	-	-	-
TP2292	0.8	20087208	ND	-	-	-	-
TP2297	0.1	20087209	ND	-	-	-	-
TP2297	2.2	20087210	ND	-	-	-	-
TP2300	1	20087211	ND	-	-	-	-
TP2300	4	20087212	ND	-	-	-	-
TP2300	5	20087213	ND	-	-	-	-
TP2300	2	20087214	ND	-	-	-	-
TP2300	3	20087215	ND	-	-	-	-
TP2304	1	20087216	ND	-	-	-	-
TP2304	4	20087217	ND	-	-	-	-
TP2304	2	20087218	ND	-	-	-	-
TP2304	5	20087219	ND	-	-	-	-
TP2304	3	20087220	ND	-	-	-	-
TP2594	0.05	20087221	ND	-	-	-	-
TP2594	0.4	20087222	ND	-	-	-	-
TP2595	0.25	20087223	ND	-	-	-	-
TP2595	0.45	20087224	ND	-	-	-	-
TP2596	0.1	20087225	ND	-	-	-	-
TP2596	1.8	20087226	ND	-	-	-	-
TP2018	0.4	20087278	ND	-	-	-	-
TP2018	1	20087279	ND	-	-	-	-
TP2019	0.1	20087280	ND	-	-	-	-
TP2019	0.4	20087281	ND	-	-	-	-
TP2022	0.5	20087282	ND	-	-	-	-
TP2022	0.9	20087283	ND	-	-	-	-
TP2023	0.35	20087284	ND	-	-	-	-
TP2023	0.7	20087285	ND	-	-	-	-
TP2024	1	20087286	ND	-	-	-	-
TP2024	2	20087287	ND	-	-	-	-
TP2024	3	20087288	ND	-	-	-	-
TP2024	4	20087289	ND	-	-	-	-
TP2024	4	20087289	ND	-	-	-	-
TP2211	0.1	20087291	ND	-	-	-	-
TP2211	0.4	20087292	ND	-	-	-	-
TP2212	0.1	20087293	ND	-	-	-	-
TP2212	0.4	20087294	ND	-	-	-	-
TP2214	0.3	20087295	ND	-	-	-	-
TP2214	1	20087296	ND	-	-	-	-
TP2341	0.1	20087297	ND	-	-	-	-
TP2341	0.4	20087298	ND	-	-	-	-
TP2621	0.45	20087299	ND	-	-	-	-
TP2621	0.8	20087300	ND	-	-	-	-
TP2622	0.05	20087301	ND	-	-	-	-
TP2622	0.7	20087302	ND	-	-	-	-
TP2623	0.3	20087303	ND	-	-	-	-
TP2623	0.7	20087304	ND	-	-	-	-
TP2623	0.7	20087304	ND	-	-	-	-
TP2624	0.9	20087306	ND	-	-	-	-
TP2629	0.05	20087307	ND	-	-	-	-
TP2629	0.4	20087308	ND	-	-	-	-
TP2631	0.1	20087309	ND	-	-	-	-
TP2631	0.8	20087310	ND	-	-	-	-
TP2634	0.05	20087311	ND	-	-	-	-
TP2634	0.5	20087312	ND	-	-	-	-
TP2207	0.4	20087314	ND	-	-	-	-
TP2208	0.3	20087315	Present	1	-	-	1
TP2208	0.8	20087316	ND	-	-	-	-
TP2208	0.8	20087316	ND	-	-	-	-
TP2209	0.45	20087318	ND	-	-	-	-
TP2213	0.1	20087319	ND	-	-	-	-
TP2213	0.4	20087320	ND	-	-	-	-
TP2215	0.1	20087321	ND	-	-	-	-
TP2215	0.4	20087322	ND	-	-	-	-
TP2216	0.2	20087323	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
TP2216	0.5	20087324	ND	-	-	-	-
TP2217	0.1	20087325	ND	-	-	-	-
TP2217	0.5	20087326	ND	-	-	-	-
TP2219	0.1	20087327	ND	-	-	-	-
TP2219	0.45	20087328	ND	-	-	-	-
TP2597	0.4	20087329	ND	-	-	-	-
TP2597	0.7	20087330	ND	-	-	-	-
TP2598	0.1	20087331	ND	-	-	-	-
TP2598	0.5	20087332	ND	-	-	-	-
TP2598	0.5	20087332	ND	-	-	-	-
TP2599	0.1	20087333	ND	-	-	-	-
TP2599	0.7	20087334	ND	-	-	-	-
TP2600	1.5	20087336	ND	-	-	-	-
TP2601	0.3	20087337	ND	-	-	-	-
TP2601	1.7	20087338	ND	-	-	-	-
TP2602	1.5	20087339	ND	-	-	-	-
TP2602	0.1	20087340	ND	-	-	-	-
TP2627	0.1	20087341	ND	-	-	-	-
TP2627	1	20087342	ND	-	-	-	-
BH2091	0.3	20087371	ND	-	-	-	-
BH2092	0.5	20087372	ND	-	-	-	-
BH2093	0.1	20087373	ND	-	-	-	-
TP2204	0.1	20087374	ND	-	-	-	-
TP2204	0.5	20087375	ND	-	-	-	-
TP2205	0.1	20087376	ND	-	-	-	-
TP2205	0.45	20087377	ND	-	-	-	-
TP2206	0.1	20087378	ND	-	-	-	-
TP2206	0.6	20087379	ND	-	-	-	-
TP2210	0.1	20087380	ND	-	-	-	-
TP2210	0.4	20087381	ND	-	-	-	-
TP2218	0.4	20087382	ND	-	-	-	-
TP2218	1	20087383	ND	-	-	-	-
TP2386	0.2	20087384	ND	-	-	-	-
TP2386	0.5	20087385	ND	-	-	-	-
TP2387	0.3	20087386	ND	-	-	-	-
TP2387	0.5	20087387	Present	-	1	-	0.18
TP2388	0.1	20087388	ND	-	-	-	-
TP2388	0.7	20087389	ND	-	-	-	-
TP2389	0.2	20087390	ND	-	-	-	-
TP2389	0.6	20087391	ND	-	-	-	-
BH2001	0.1	20087392	ND	-	-	-	-
BH2001	0.3	20087393	ND	-	-	-	-
BH2002	0.1	20087394	ND	-	-	-	-
BH2002	0.3	20087395	ND	-	-	-	-
BH2003	0.1	20087396	ND	-	-	-	-
BH2003	0.5	20087397	ND	-	-	-	-
BH2259	0.1	20087398	ND	-	-	-	-
BH2259	1	20087399	ND	-	-	-	-
BH2260	0.3	20087400	ND	-	-	-	-
BH2260	0.5	20087401	ND	-	-	-	-
BH2261	0.1	20087402	ND	-	-	-	-
BH2261	0.5	20087403	ND	-	-	-	-
BH2662	0.3	20087404	ND	-	-	-	-
BH2662	0.5	20087405	ND	-	-	-	-
TP2381	0.3	20087406	ND	-	-	-	-
TP2381	0.5	20087407	ND	-	-	-	-
TP2385	0.2	20087408	ND	-	-	-	-
TP2385	0.6	20087409	ND	-	-	-	-
TP2395	0.1	20087410	ND	-	-	-	-
TP2395	0.3	20087411	ND	-	-	-	-
TP2396	0.2	20087412	ND	-	-	-	-
TP2396	0.6	20087413	ND	-	-	-	-
TP2397	0.4	20087414	ND	-	-	-	-
TP2397	1.4	20087415	ND	-	-	-	-
TP2399	0.2	20087416	ND	-	-	-	-
TP2399	0.4	20087417	ND	-	-	-	-
TP2400	0.5	20087419	ND	-	-	-	-
TP2455	0.1	20087420	ND	-	-	-	-
TP2455	2	20087421	ND	-	-	-	-
TP2462	0.5	20087422	ND	-	-	-	-
TP2462	2.2	20087423	ND	-	-	-	-
TP2465	0.1	20087424	ND	-	-	-	-
TP2465	0.4	20087425	ND	-	-	-	-
TP2466	0.5	20087427	ND	-	-	-	-
TP2467	1.6	20087428	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
TP2467	2.7	20087429	ND	-	-	-	-
TP2469	0.1	20087430	ND	-	-	-	-
TP2469	0.5	20087431	ND	-	-	-	-
BH2663	0.1	20087432	ND	-	-	-	-
BH2663	0.3	20087433	ND	-	-	-	-
BH2725	0.1	20087434	ND	-	-	-	-
BH2725	0.3	20087435	ND	-	-	-	-
BH2265	0.3	20087462	ND	-	-	-	-
BH2265	1	20087463	ND	-	-	-	-
BH2268	0.1	20087464	ND	-	-	-	-
BH2268	1	20087465	ND	-	-	-	-
TP2382	0.3	20087466	ND	-	-	-	-
TP2382	0.5	20087467	ND	-	-	-	-
TP2384	0.3	20087468	ND	-	-	-	-
TP2384	0.5	20087469	ND	-	-	-	-
TP2429	0.1	20087470	ND	-	-	-	-
TP2429	0.4	20087471	ND	-	-	-	-
TP2430	0.1	20087472	ND	-	-	-	-
TP2430	0.4	20087473	ND	-	-	-	-
TP2437	0.2	20087474	ND	-	-	-	-
TP2437	0.5	20087475	ND	-	-	-	-
TP2440	0.3	20087476	ND	-	-	-	-
TP2440	1.4	20087477	ND	-	-	-	-
TP2445	0.5	20087478	ND	-	-	-	-
TP2445	1	20087479	ND	-	-	-	-
TP2446	0.5	20087480	ND	-	-	-	-
TP2446	1.6	20087481	ND	-	-	-	-
TP2447	0.5	20087482	ND	-	-	-	-
TP2447	2	20087483	ND	-	-	-	-
TP2448	0.1	20087484	ND	-	-	-	-
TP2448	1	20087485	ND	-	-	-	-
TP2458	0.3	20087486	ND	-	-	-	-
TP2458	0.7	20087487	ND	-	-	-	-
TP2471	0.5	20087488	ND	-	-	-	-
TP2471	0.9	20087489	ND	-	-	-	-
#N/A	#N/A	20087490	ND	-	-	-	-
TP2472	0.3	20087491	Present	1	-	-	0.27
TP2472	0.5	20087492	ND	-	-	-	-
TP2473	0.3	20087493	ND	-	-	-	-
TP2473	2.1	20087494	ND	-	-	-	-
BH2583	1	20087495	ND	-	-	-	-
TP2466	0.1	20087496	ND	-	-	-	-
TP2466	0.1	20087496	ND	-	-	-	-
BH2263	0.3	20087497	ND	-	-	-	-
BH2263	1.3	20087498	ND	-	-	-	-
TP2435	1	20087499	ND	-	-	-	-
TP2435	2	20087500	ND	-	-	-	-
TP2435	3	20087501	ND	-	-	-	-
TP2435	4	20087502	ND	-	-	-	-
TP2435	5	20087503	ND	-	-	-	-
TP2436	1	20087504	ND	-	-	-	-
TP2436	2	20087505	ND	-	-	-	-
TP2436	3	20087506	ND	-	-	-	-
TP2436	4	20087507	ND	-	-	-	-
TP2436	5	20087508	ND	-	-	-	-
TP2438	0.3	20087509	ND	-	-	-	-
TP2438	0.7	20087510	ND	-	-	-	-
TP2439	0.1	20087511	ND	-	-	-	-
TP2439	0.5	20087512	ND	-	-	-	-
TP2442	0.5	20087513	ND	-	-	-	-
TP2442	1	20087514	ND	-	-	-	-
TP2443	0.2	20087515	ND	-	-	-	-
TP2443	0.6	20087516	ND	-	-	-	-
TP2444	0.2	20087517	ND	-	-	-	-
TP2444	0.5	20087518	ND	-	-	-	-
TP2454	0.5	20087519	ND	-	-	-	-
TP2454	1.2	20087520	ND	-	-	-	-
TP2457	0.5	20087521	ND	-	-	-	-
TP2457	2	20087522	ND	-	-	-	-
TP2459	0.1	20087523	ND	-	-	-	-
TP2459	1	20087524	ND	-	-	-	-
TP2460	0.5	20087525	ND	-	-	-	-
TP2460	1	20087526	ND	-	-	-	-
TP2461	1	20087527	ND	-	-	-	-
TP2461	2	20087528	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
TP2475	0.5	20087529	ND	-	-	-	-
TP2475	0.8	20087530	ND	-	-	-	-
BH2262	0.1	20087546	ND	-	-	-	-
BH2262	1.5	20087547	ND	-	-	-	-
BH2198	0.3	20087548	ND	-	-	-	-
BH2198	0.5	20087549	ND	-	-	-	-
BH2264	1	20087550	ND	-	-	-	-
BH2269	0.3	20087551	ND	-	-	-	-
BH2269	1	20087552	ND	-	-	-	-
TP2451	0.5	20087553	ND	-	-	-	-
TP2451	0.9	20087554	ND	-	-	-	-
TP2452	0.1	20087555	ND	-	-	-	-
TP2452	1.1	20087556	ND	-	-	-	-
TP2453	0.1	20087557	ND	-	-	-	-
TP2453	0.5	20087558	ND	-	-	-	-
TP2474	0.1	20087559	ND	-	-	-	-
TP2474	0.5	20087560	ND	-	-	-	-
TP2476	0.1	20087561	ND	-	-	-	-
TP2476	0.6	20087562	ND	-	-	-	-
BH2584	0.1	20087563	ND	-	-	-	-
BH2584	1	20087564	ND	-	-	-	-
BH2585	0.3	20087565	ND	-	-	-	-
BH2588	0.5	20087566	ND	-	-	-	-
TP2510	0.2	20087567	ND	-	-	-	-
TP2510	0.4	20087568	ND	-	-	-	-
TP2513	0.2	20087569	ND	-	-	-	-
TP2513	0.5	20087570	ND	-	-	-	-
TP2511	0.1	20087571	ND	-	-	-	-
TP2511	0.5	20087572	ND	-	-	-	-
TP2509	0.1	20087573	ND	-	-	-	-
TP2509	0.6	20087574	ND	-	-	-	-
TP2512	0.2	20087575	ND	-	-	-	-
TP2512	0.5	20087576	ND	-	-	-	-
TP2514	0.2	20087577	ND	-	-	-	-
TP2514	0.5	20087578	ND	-	-	-	-
BH2379	0.1	20087579	ND	-	-	-	-
TP2456	0.6	20087580	ND	-	-	-	-
TP2456	1.1	20087581	ND	-	-	-	-
TP2504	0.1	20087582	ND	-	-	-	-
TP2504	0.4	20087583	ND	-	-	-	-
TP2505	0.1	20087584	ND	-	-	-	-
TP2505	1	20087585	ND	-	-	-	-
TP2506	0.1	20087586	ND	-	-	-	-
TP2506	0.5	20087587	ND	-	-	-	-
TP2507	0.1	20087588	ND	-	-	-	-
TP2507	0.5	20087589	ND	-	-	-	-
TP2508	0.1	20087590	ND	-	-	-	-
TP2508	0.6	20087591	ND	-	-	-	-
TP2524	0.3	20087592	ND	-	-	-	-
TP2524	0.7	20087593	ND	-	-	-	-
TP2525	0.1	20087594	ND	-	-	-	-
TP2525	0.5	20087595	ND	-	-	-	-
TP2526	0.2	20087596	ND	-	-	-	-
TP2526	0.4	20087597	ND	-	-	-	-
TP2527	0.2	20087598	ND	-	-	-	-
TP2527	0.5	20087599	ND	-	-	-	-
BH2534	0.5	20087600	ND	-	-	-	-
TP2546	0.1	20087601	ND	-	-	-	-
TP2546	0.5	20087602	ND	-	-	-	-
TP2547	0.5	20087603	ND	-	-	-	-
TP2555	0.1	20087604	ND	-	-	-	-
TP2555	0.5	20087605	ND	-	-	-	-
TP2556	0.1	20087606	ND	-	-	-	-
TP2556	0.5	20087607	ND	-	-	-	-
TP2557	0.5	20087608	ND	-	-	-	-
TP2557	1.1	20087609	ND	-	-	-	-
TP2580	0.2	20087610	ND	-	-	-	-
TP2580	1	20087611	ND	-	-	-	-
TP2581	0.1	20087612	ND	-	-	-	-
TP2581	0.6	20087613	ND	-	-	-	-
TP2582	0.1	20087614	ND	-	-	-	-
TP2582	1.1	20087615	ND	-	-	-	-
BH2636	0.3	20087616	ND	-	-	-	-
TP2547	0.1	20087697	ND	-	-	-	-
BH2587	1.5	20087698	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
BH2533	1	20087699	ND	-	-	-	-
BH2266	1.5	20087700	ND	-	-	-	-
BH2531	1	20087701	ND	-	-	-	-
HS2769	0.1	20087702	ND	-	-	-	-
HS2770B	0.1	20087704	ND	-	-	-	-
HS2772	0.1	20087705	ND	-	-	-	-
HS2773	0.1	20087706	ND	-	-	-	-
HS2776	0.1	20087708	ND	-	-	-	-
HS2775	0.1	20087709	ND	-	-	-	-
HS2796	0.1	20087710	ND	-	-	-	-
HS2795	0.1	20087711	ND	-	-	-	-
HS2794	0.1	20087712	ND	-	-	-	-
HS2792	0.2	20087714	ND	-	-	-	-
HS2791	0.1	20087715	ND	-	-	-	-
HS2787	0.1	20087716	ND	-	-	-	-
HS2788	0.1	20087717	ND	-	-	-	-
HS2790	0.1	20087718	ND	-	-	-	-
HS2789	0.2	20087719	ND	-	-	-	-
HS2786	0.1	20087720	ND	-	-	-	-
HS2785A	0.2	20087721	ND	-	-	-	-
HS2742	0.1	20087722	ND	-	-	-	-
HS2738	0.1	20087723	ND	-	-	-	-
HS2737	0.1	20087724	ND	-	-	-	-
HS2740	0.2	20087725	ND	-	-	-	-
HS2741	0.1	20087726	Present	1	-	-	1.66
HS2739	0.1	20087727	ND	-	-	-	-
HS2013B	0.1	20087728	ND	-	-	-	-
HA2104	0.15	20087729	ND	-	-	-	-
HA2104	0.5	20087730	ND	-	-	-	-
HA2105	0.15	20087731	ND	-	-	-	-
HA2105	0.63	20087732	ND	-	-	-	-
HA2187	0.23	20087733	ND	-	-	-	-
HA2187	0.73	20087734	ND	-	-	-	-
HA2188	0.15	20087735	ND	-	-	-	-
HA2188	0.45	20087736	ND	-	-	-	-
HA2189	0.25	20087737	ND	-	-	-	-
HA2189	0.75	20087738	ND	-	-	-	-
HA2194	0.15	20087739	ND	-	-	-	-
HA2194	0.5	20087740	ND	-	-	-	-
HA2195	0.15	20087741	ND	-	-	-	-
HA2195	0.65	20087742	ND	-	-	-	-
HA2196	0.15	20087743	ND	-	-	-	-
HA2196	0.5	20087744	ND	-	-	-	-
HA2197	0.05	20087745	ND	-	-	-	-
HA2197	0.6	20087746	ND	-	-	-	-
HS2765	0.1	20087747	ND	-	-	-	-
HS2774A	0.1	20087748	ND	-	-	-	-
HS2770A	0.1	20087749	ND	-	-	-	-
HS2766	0.1	20087750	ND	-	-	-	-
HS2767	0.1	20087751	ND	-	-	-	-
HS2769A	0.2	20087752	ND	-	-	-	-
HS2834	0.1	20087753	ND	-	-	-	-
HS2835	0.1	20087754	ND	-	-	-	-
HS2836	0.1	20087755	ND	-	-	-	-
HS2771	0.1	20087757	ND	-	-	-	-
HS2773A	0.1	20087758	ND	-	-	-	-
HS2811	0.15	20087759	ND	-	-	-	-
HS2812	0.1	20087760	ND	-	-	-	-
HS2813	0.1	20087761	ND	-	-	-	-
HS2814	0.15	20087762	ND	-	-	-	-
HS2817	0.1	20087765	ND	-	-	-	-
HS2759B	0.1	20087767	ND	-	-	-	-
HS2761	0.1	20087768	ND	-	-	-	-
HS2760	0.1	20087769	ND	-	-	-	-
HS2764	0.1	20087770	ND	-	-	-	-
HS2763	0.1	20087771	ND	-	-	-	-
HS2762	0.1	20087772	ND	-	-	-	-
HS2762	0.1	20087772	ND	-	-	-	-
HS2822	0.1	20087773	ND	-	-	-	-
HS2824	0.1	20087774	ND	-	-	-	-
HS2825	0.1	20087775	ND	-	-	-	-
HS2826	0.1	20087776	ND	-	-	-	-
HS2827	0.1	20087777	ND	-	-	-	-
HS2823	0.1	20087778	ND	-	-	-	-
HS2831	0.1	20087779	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
HS2832	0.1	20087780	ND	-	-	-	-
HS2833	0.1	20087781	ND	-	-	-	-
HS2776A	0.1	20087782	ND	-	-	-	-
HS2768A	0.1	20087783	ND	-	-	-	-
BH2535	0.5	20087785	ND	-	-	-	-
BH2267	1	20087786	ND	-	-	-	-
TP2561	0.2	20087787	ND	-	-	-	-
TP2561	0.5	20087788	ND	-	-	-	-
TP2565	0.1	20087789	ND	-	-	-	-
TP2565	0.3	20087790	ND	-	-	-	-
TP2566	0.2	20087791	ND	-	-	-	-
TP2566	0.5	20087792	ND	-	-	-	-
TP2570	0.2	20087793	ND	-	-	-	-
TP2570	1	20087794	ND	-	-	-	-
TP2571	0.3	20087795	ND	-	-	-	-
TP2571	0.5	20087796	ND	-	-	-	-
TP2573	0.1	20087797	ND	-	-	-	-
TP2574	0.2	20087798	ND	-	-	-	-
TP2574	0.8	20087799	ND	-	-	-	-
TP2575	0.2	20087800	ND	-	-	-	-
HA2098	0.13	20087801	ND	-	-	-	-
HA2099	0.15	20087802	ND	-	-	-	-
HA2100	0.13	20087803	ND	-	-	-	-
HA2100	0.58	20087804	ND	-	-	-	-
HA2101	0.15	20087805	ND	-	-	-	-
HA2101	0.45	20087806	ND	-	-	-	-
HA2102	0.15	20087807	ND	-	-	-	-
HA2102	0.55	20087808	ND	-	-	-	-
HA2106	0.15	20087810	ND	-	-	-	-
HA2106	0.55	20087811	ND	-	-	-	-
HA2107	0.15	20087812	ND	-	-	-	-
HA2107	0.55	20087813	ND	-	-	-	-
HA2191	0.15	20087814	ND	-	-	-	-
HA2191	0.7	20087815	ND	-	-	-	-
HA2192	0.15	20087816	ND	-	-	-	-
HA2192	0.53	20087817	ND	-	-	-	-
HA2193	0.15	20087818	ND	-	-	-	-
HA2193	0.5	20087819	ND	-	-	-	-
TP2483	0.2	20087820	ND	-	-	-	-
TP2483	1	20087821	ND	-	-	-	-
TP2494	0.2	20087822	ND	-	-	-	-
TP2494	0.5	20087823	ND	-	-	-	-
TP2495	0.2	20087824	ND	-	-	-	-
TP2495	1.2	20087825	ND	-	-	-	-
TP2496	0.2	20087826	ND	-	-	-	-
TP2496	1	20087827	ND	-	-	-	-
TP2497	0.5	20087828	ND	-	-	-	-
TP2497	1	20087829	ND	-	-	-	-
TP2501	0.2	20087830	ND	-	-	-	-
TP2501	0.9	20087831	ND	-	-	-	-
TP2502	0.2	20087832	ND	-	-	-	-
TP2502	0.5	20087833	ND	-	-	-	-
TP2503	0.2	20087834	ND	-	-	-	-
TP2503	1	20087835	ND	-	-	-	-
TP2518	0.2	20087836	ND	-	-	-	-
TP2518	0.5	20087837	ND	-	-	-	-
TP2523	0.2	20087838	ND	-	-	-	-
TP2523	1	20087839	ND	-	-	-	-
TP2572	0.2	20087877	ND	-	-	-	-
TP2572	0.5	20087878	ND	-	-	-	-
BH2354	0.3	20087879	ND	-	-	-	-
BH2353	0.1	20087880	ND	-	-	-	-
BH2532	0.3	20087881	ND	-	-	-	-
TP2576	0.5	20087882	ND	-	-	-	-
TP2576	1.1	20087883	ND	-	-	-	-
TP2576	1.9	20087884	ND	-	-	-	-
TP2577	0.6	20087885	ND	-	-	-	-
TP2578	0.1	20087886	ND	-	-	-	-
TP2578	0.7	20087887	ND	-	-	-	-
TP2548	0.2	20087888	ND	-	-	-	-
TP2548	0.6	20087889	ND	-	-	-	-
TP2554	0.5	20087890	ND	-	-	-	-
TP2554	1.1	20087891	ND	-	-	-	-
TP2549	0.1	20087892	ND	-	-	-	-
TP2549	0.6	20087893	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
TP2522	0.4	20087896	ND	-	-	-	-
TP2522	1.1	20087897	ND	-	-	-	-
TP2521	0.2	20087898	ND	-	-	-	-
TP2521	0.8	20087899	ND	-	-	-	-
TP2500	0.5	20087900	ND	-	-	-	-
TP2500	1	20087901	ND	-	-	-	-
TP2498	0.2	20087902	ND	-	-	-	-
TP2498	0.5	20087903	ND	-	-	-	-
TP2499	0.5	20087904	ND	-	-	-	-
TP2499	1.2	20087905	ND	-	-	-	-
BH2061	0.1	20087906	ND	-	-	-	-
BH2224	0.3	20087907	ND	-	-	-	-
BH2041	0.1	20087908	ND	-	-	-	-
BH2222	0.7	20087909	ND	-	-	-	-
TP2480	0.2	20087910	ND	-	-	-	-
TP2480	0.5	20087911	ND	-	-	-	-
TP2481	0.2	20087912	ND	-	-	-	-
TP2481	0.5	20087913	ND	-	-	-	-
TP2487	0.5	20087914	ND	-	-	-	-
TP2487	1	20087915	ND	-	-	-	-
TP2488	0.2	20087916	ND	-	-	-	-
TP2488	1	20087917	ND	-	-	-	-
TP2490	0.2	20087918	ND	-	-	-	-
TP2490	0.5	20087919	ND	-	-	-	-
TP2519	0.2	20087920	ND	-	-	-	-
TP2519	0.5	20087921	ND	-	-	-	-
TP2544	0.1	20087922	ND	-	-	-	-
TP2544	0.6	20087923	ND	-	-	-	-
TP2550	0.2	20087924	ND	-	-	-	-
TP2550	0.5	20087925	ND	-	-	-	-
TP2551	0.1	20087926	ND	-	-	-	-
TP2551	0.3	20087927	ND	-	-	-	-
TP2552	0.5	20087928	ND	-	-	-	-
TP2552	0.9	20087929	ND	-	-	-	-
TP2567	0.3	20087930	ND	-	-	-	-
TP2567	1.2	20087931	ND	-	-	-	-
TP2568	0.1	20087932	ND	-	-	-	-
TP2568	1	20087933	ND	-	-	-	-
TP2569	0.3	20087935	ND	-	-	-	-
TP2579	0.1	20087959	ND	-	-	-	-
TP2579	0.5	20087960	ND	-	-	-	-
TP2577	1.1	20087961	ND	-	-	-	-
TP2482	0.5	20087962	ND	-	-	-	-
BH2349	0.5	20087963	ND	-	-	-	-
BH2530	0.1	20087964	ND	-	-	-	-
BH2635	0.3	20087965	ND	-	-	-	-
BH2644	1.5	20087966	ND	-	-	-	-
BH2477	0.5	20087967	ND	-	-	-	-
BH2415	0.3	20087968	ND	-	-	-	-
BH2415	1.5	20087969	ND	-	-	-	-
BH2063	0.3	20087970	ND	-	-	-	-
BH2648	1	20087971	ND	-	-	-	-
TP2247	0.3	20087972	ND	-	-	-	-
TP2247	0.6	20087973	ND	-	-	-	-
TP2248	0.3	20087974	ND	-	-	-	-
TP2248	0.7	20087975	ND	-	-	-	-
TP2249	0.6	20087977	ND	-	-	-	-
TP2390	0.5	20087978	ND	-	-	-	-
TP2390	1	20087979	ND	-	-	-	-
TP2391	0.2	20087980	ND	-	-	-	-
TP2391	1	20087981	ND	-	-	-	-
TP2403	0.2	20087982	ND	-	-	-	-
TP2403	0.5	20087983	ND	-	-	-	-
TP2407	0.2	20087984	ND	-	-	-	-
TP2407	1	20087985	ND	-	-	-	-
TP2486	0.2	20087986	ND	-	-	-	-
TP2486	0.5	20087987	ND	-	-	-	-
TP2491	0.2	20087988	ND	-	-	-	-
TP2491	1	20087989	Present	1	-	-	0.52
TP2515	0.2	20087990	ND	-	-	-	-
TP2515	0.5	20087991	ND	-	-	-	-
TP2558	0.1	20087992	ND	-	-	-	-
TP2558	0.7	20087993	ND	-	-	-	-
TP2559	0.3	20087994	ND	-	-	-	-
TP2559	0.5	20087995	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
TP2562	0.5	20087996	ND	-	-	-	-
TP2563	0.1	20087997	ND	-	-	-	-
TP2563	0.6	20087998	ND	-	-	-	-
TP2564	0.1	20087999	ND	-	-	-	-
TP2564	0.3	20088000	ND	-	-	-	-
BH2351	0.3	20088001	ND	-	-	-	-
BH2348	0.3	20088002	ND	-	-	-	-
BH2226	0.1	20088003	ND	-	-	-	-
TP2251	0.1	20088004	ND	-	-	-	-
TP2252	0.5	20088007	ND	-	-	-	-
TP2244	0.1	20088008	ND	-	-	-	-
TP2244	0.5	20088009	ND	-	-	-	-
TP2392	0.3	20088010	ND	-	-	-	-
TP2392	1	20088011	ND	-	-	-	-
TP2394	0.1	20088012	ND	-	-	-	-
TP2394	1	20088013	ND	-	-	-	-
TP2227	0.1	20088014	ND	-	-	-	-
TP2227	0.3	20088015	ND	-	-	-	-
TP2227	0.5	20088016	ND	-	-	-	-
TP2227	1	20088017	ND	-	-	-	-
HA2094	0.08	20088018	ND	-	-	-	-
HA2094	0.75	20088019	ND	-	-	-	-
HA2095	0.05	20088020	ND	-	-	-	-
HA2095	0.2	20088021	ND	-	-	-	-
HA2097	0.75	20088023	ND	-	-	-	-
HA2096	0.1	20088024	ND	-	-	-	-
HA2096	0.75	20088025	ND	-	-	-	-
HA2190	0.3	20088027	ND	-	-	-	-
HA2270	0.1	20088028	ND	-	-	-	-
HA2270	0.4	20088029	ND	-	-	-	-
HA2108	0.08	20088030	ND	-	-	-	-
HA2108	0.45	20088031	ND	-	-	-	-
HA2277	0.55	20088033	ND	-	-	-	-
TP2410	0.5	20088034	ND	-	-	-	-
TP2410	2	20088035	ND	-	-	-	-
TP2402	0.2	20088036	ND	-	-	-	-
TP2402	0.6	20088037	ND	-	-	-	-
TP2246	0.2	20088038	ND	-	-	-	-
TP2246	1	20088039	ND	-	-	-	-
TP2409	0.2	20088040	ND	-	-	-	-
TP2409	0.5	20088041	ND	-	-	-	-
TP2408	0.2	20088042	ND	-	-	-	-
TP2408	1	20088043	ND	-	-	-	-
TP2411	0.5	20088044	ND	-	-	-	-
TP2411	1	20088045	ND	-	-	-	-
BH2529	0.5	20088046	ND	-	-	-	-
BH2668	0.3	20088079	ND	-	-	-	-
BH2225	0.1	20088080	ND	-	-	-	-
BH2669	1	20088081	ND	-	-	-	-
BH2670	0.5	20088082	ND	-	-	-	-
BH2221	0.45	20088083	ND	-	-	-	-
TP2055	0.3	20088084	ND	-	-	-	-
TP2055	1	20088085	ND	-	-	-	-
TP2056	1.5	20088086	ND	-	-	-	-
TP2056	1.8	20088087	ND	-	-	-	-
TP2057	1	20088088	ND	-	-	-	-
TP2057	2.2	20088089	ND	-	-	-	-
TP2363	0.1	20088090	ND	-	-	-	-
TP2363	0.5	20088091	ND	-	-	-	-
TP2243	0.2	20088092	ND	-	-	-	-
TP2243	0.5	20088093	ND	-	-	-	-
TP2360	0.1	20088094	ND	-	-	-	-
TP2360	0.5	20088095	ND	-	-	-	-
TP2242	0.1	20088096	ND	-	-	-	-
TP2242	0.4	20088097	ND	-	-	-	-
TP2239	0.1	20088098	ND	-	-	-	-
TP2239	0.4	20088099	ND	-	-	-	-
TP2240	0.1	20088100	ND	-	-	-	-
TP2240	0.5	20088101	ND	-	-	-	-
TP2241	0.1	20088102	ND	-	-	-	-
TP2241	0.5	20088103	ND	-	-	-	-
BH2671	0.5	20088104	ND	-	-	-	-
BH2671	1.5	20088105	ND	-	-	-	-
BH2674	0.1	20088106	ND	-	-	-	-
BH2672	0.3	20088107	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
TP2052	1	20088108	ND	-	-	-	-
TP2052	2	20088109	ND	-	-	-	-
TP2052	3	20088110	ND	-	-	-	-
TP2052	4	20088111	ND	-	-	-	-
TP2052	5	20088112	ND	-	-	-	-
TP2054	0.3	20088113	ND	-	-	-	-
TP2054	0.5	20088114	ND	-	-	-	-
TP2058	0.3	20088115	ND	-	-	-	-
TP2058	0.6	20088116	ND	-	-	-	-
TP2059	0.4	20088117	ND	-	-	-	-
TP2059	1	20088118	ND	-	-	-	-
TP2362	0.1	20088119	ND	-	-	-	-
TP2362	1.2	20088120	ND	-	-	-	-
TP2366	0.3	20088121	ND	-	-	-	-
TP2366	1.1	20088122	ND	-	-	-	-
TP2367	0.1	20088123	ND	-	-	-	-
TP2367	0.4	20088124	ND	-	-	-	-
TP2369	0.5	20088125	ND	-	-	-	-
TP2369	2.3	20088126	ND	-	-	-	-
TP2370	0.6	20088127	ND	-	-	-	-
TP2370	1.5	20088128	ND	-	-	-	-
TP2371	0.1	20088129	ND	-	-	-	-
TP2371	0.5	20088130	ND	-	-	-	-
TP2377	0.6	20088131	ND	-	-	-	-
TP2377	1	20088132	ND	-	-	-	-
TP2378	0.1	20088133	ND	-	-	-	-
TP2378	0.5	20088134	ND	-	-	-	-
BH2675	0.3	20088135	ND	-	-	-	-
BH2673	0.1	20088136	ND	-	-	-	-
BH2676	0.3	20088137	ND	-	-	-	-
TP2732	0.1	20088138	ND	-	-	-	-
TP2732	1.5	20088139	ND	-	-	-	-
TP2733	0.1	20088140	ND	-	-	-	-
TP2733	0.5	20088141	ND	-	-	-	-
TP2734	0.1	20088142	ND	-	-	-	-
TP2734	0.5	20088143	ND	-	-	-	-
TP2735	0.1	20088144	ND	-	-	-	-
TP2735	0.6	20088145	ND	-	-	-	-
TP2743	0.4	20088147	ND	-	-	-	-
TP2744	1.5	20088149	ND	-	-	-	-
TP2745	0.1	20088150	ND	-	-	-	-
TP2745	0.7	20088151	ND	-	-	-	-
TP2765	0.3	20088152	ND	-	-	-	-
TP2777A	0.4	20088153	ND	-	-	-	-
TP2777A	1.1	20088154	ND	-	-	-	-
TP2778A	0.3	20088155	ND	-	-	-	-
TP2778A	0.7	20088156	ND	-	-	-	-
TP2779A	0.1	20088157	ND	-	-	-	-
TP2779A	0.6	20088158	ND	-	-	-	-
TP2780A	1	20088159	ND	-	-	-	-
TP2781	0.3	20088160	ND	-	-	-	-
TP2781	0.5	20088161	ND	-	-	-	-
TP2782	0.2	20088162	ND	-	-	-	-
TP2782	0.4	20088163	ND	-	-	-	-
TP2783	0.2	20088164	ND	-	-	-	-
TP2783	0.5	20088165	ND	-	-	-	-
TP2784	0.3	20088166	ND	-	-	-	-
TP2784	2	20088167	ND	-	-	-	-
TP2755	0.1	20088168	ND	-	-	-	-
TP2755	0.3	20088169	ND	-	-	-	-
TP2756	0.1	20088170	ND	-	-	-	-
TP2756	0.3	20088171	ND	-	-	-	-
TP2757	0.1	20088172	ND	-	-	-	-
TP2757	0.6	20088173	ND	-	-	-	-
TP2758	0.1	20088174	ND	-	-	-	-
TP2758	0.8	20088175	ND	-	-	-	-
TP2766A	0.2	20088176	ND	-	-	-	-
TP2766A	0.5	20088177	ND	-	-	-	-
TP2767	0.1	20088178	ND	-	-	-	-
TP2767	0.3	20088179	ND	-	-	-	-
TP2768	0.3	20088180	ND	-	-	-	-
TP2768	0.5	20088181	ND	-	-	-	-
TP3077	0.3	20088182	ND	-	-	-	-
TP3077	0.3	20088182	ND	-	-	-	-
TP3077	0.5	20088183	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
TP3078	1	20088184	ND	-	-	-	-
TP3078	0.6	20088185	ND	-	-	-	-
TP3079	0.3	20088186	ND	-	-	-	-
TP3079	0.5	20088187	ND	-	-	-	-
TP2765	1	20088194	ND	-	-	-	-
TP2562	0.1	20088195	ND	-	-	-	-
BH2680	1	20088251	ND	-	-	-	-
BH2677	0.5	20088252	ND	-	-	-	-
BH2679	1.5	20088253	ND	-	-	-	-
BH2679	1.5	20088253	ND	-	-	-	-
BH3084	1.5	20088255	ND	-	-	-	-
BH2652	0.1	20088256	ND	-	-	-	-
BH2652	1.2	20088257	ND	-	-	-	-
TP2763A	0.3	20088258	ND	-	-	-	-
TP2763A	0.5	20088259	ND	-	-	-	-
TP2766	0.1	20088260	ND	-	-	-	-
TP2766	0.5	20088261	ND	-	-	-	-
TP2798	0.1	20088262	ND	-	-	-	-
TP2798	0.5	20088263	ND	-	-	-	-
TP2799	0.3	20088264	ND	-	-	-	-
TP2799	0.5	20088265	ND	-	-	-	-
TP2807	0.1	20088266	ND	-	-	-	-
TP2807	0.3	20088267	ND	-	-	-	-
TP2808	0.1	20088268	ND	-	-	-	-
TP2808	0.3	20088269	ND	-	-	-	-
TP2809	0.1	20088270	ND	-	-	-	-
TP2809	0.3	20088271	ND	-	-	-	-
TP2863	0.1	20088272	ND	-	-	-	-
TP2863	0.3	20088273	ND	-	-	-	-
TP2864	0.3	20088274	ND	-	-	-	-
TP2864	0.5	20088275	ND	-	-	-	-
TP2865	0.3	20088276	ND	-	-	-	-
TP2865	0.5	20088277	ND	-	-	-	-
TP2866	0.3	20088278	ND	-	-	-	-
TP2866	1	20088279	ND	-	-	-	-
TP2869	0.2	20088280	ND	-	-	-	-
TP2869	1	20088281	ND	-	-	-	-
TP2870	0.1	20088282	ND	-	-	-	-
TP2870	0.5	20088283	ND	-	-	-	-
TP2871	0.1	20088284	ND	-	-	-	-
TP2871	0.5	20088285	ND	-	-	-	-
AS30-A	0.1	20088286	ND	-	-	-	-
AS30-B	0.15	20088287	ND	-	-	-	-
AS30-C	0.15	20088288	ND	-	-	-	-
AS30-D	0.2	20088289	ND	-	-	-	-
AS30-E	0.25	20088290	ND	-	-	-	-
AS31-A	0.05	20088291	ND	-	-	-	-
AS31-B	0.1	20088292	ND	-	-	-	-
AS31-C	0.1	20088293	ND	-	-	-	-
AS31-D	0.12	20088294	ND	-	-	-	-
AS31-E	0.15	20088295	ND	-	-	-	-
AS32-A	0.2	20088296	ND	-	-	-	-
AS32-B	0.15	20088297	ND	-	-	-	-
AS32-C	0.15	20088298	ND	-	-	-	-
AS32-D	0.2	20088299	ND	-	-	-	-
AS32-E	0.25	20088300	ND	-	-	-	-
TP2780A	0.5	20088326	ND	-	-	-	-
BH2678	0.3	20088327	ND	-	-	-	-
BH3085	0.5	20088328	ND	-	-	-	-
AS22-A	0.15	20088329	ND	-	-	-	-
AS22-B	0.2	20088330	ND	-	-	-	-
AS22-C	0.3	20088331	ND	-	-	-	-
AS22-D	0.25	20088332	ND	-	-	-	-
AS22-E	0.1	20088333	ND	-	-	-	-
AS23-A	0.15	20088334	ND	-	-	-	-
AS23-B	0.1	20088335	ND	-	-	-	-
AS23-C	0.1	20088336	ND	-	-	-	-
AS23-D	0.1	20088337	Present	1	-	-	1
AS23-E	0.05	20088338	ND	-	-	-	-
AS24-A	0.2	20088339	ND	-	-	-	-
AS24-B	0.2	20088340	ND	-	-	-	-
AS24-C	0.15	20088341	ND	-	-	-	-
AS24-D	0.2	20088342	ND	-	-	-	-
AS24-E	0.15	20088343	ND	-	-	-	-
AS26-A	0.1	20088344	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
AS28-A	0.1	20088345	ND	-	-	-	-
AS28-B	0.15	20088346	ND	-	-	-	-
AS28-C	0.15	20088347	ND	-	-	-	-
AS28-D	0.2	20088348	ND	-	-	-	-
AS28-E	0.1	20088349	ND	-	-	-	-
AS34-A	0.1	20088350	ND	-	-	-	-
AS34-B	0.05	20088351	ND	-	-	-	-
AS34-C	0.15	20088352	ND	-	-	-	-
AS34-D	0.2	20088353	ND	-	-	-	-
AS34-E	0.2	20088354	ND	-	-	-	-
TP2040	0.1	20088355	ND	-	-	-	-
TP2040	0.5	20088356	ND	-	-	-	-
TP2777	0.3	20088358	ND	-	-	-	-
TP2778	0.1	20088359	ND	-	-	-	-
TP2778	1	20088360	ND	-	-	-	-
TP2780	0.1	20088361	ND	-	-	-	-
TP2780	1	20088362	ND	-	-	-	-
TP2800	0.1	20088363	ND	-	-	-	-
TP2800	0.3	20088364	ND	-	-	-	-
TP2818	0.1	20088365	ND	-	-	-	-
TP2818	0.3	20088366	ND	-	-	-	-
TP2821	0.3	20088367	ND	-	-	-	-
TP2821	0.5	20088368	ND	-	-	-	-
TP2867	0.1	20088369	ND	-	-	-	-
TP2867	0.5	20088370	ND	-	-	-	-
TP2877	0.3	20088371	ND	-	-	-	-
TP2877	1	20088372	ND	-	-	-	-
TP2878	0.3	20088373	ND	-	-	-	-
TP2878	0.5	20088374	ND	-	-	-	-
TP2879	0.1	20088375	ND	-	-	-	-
TP2879	0.5	20088376	ND	-	-	-	-
TP2880	0.1	20088377	ND	-	-	-	-
TP2880	0.5	20088378	ND	-	-	-	-
TP3077	1	20088380	ND	-	-	-	-
BH2643	0.1	20088381	ND	-	-	-	-
BH2586	0.3	20088382	ND	-	-	-	-
BH2653	1	20088383	ND	-	-	-	-
BH2352	0.1	20088384	ND	-	-	-	-
TP2893	0.1	20088385	ND	-	-	-	-
TP2893	0.3	20088386	ND	-	-	-	-
TP2894	0.1	20088387	ND	-	-	-	-
TP2894	0.3	20088388	ND	-	-	-	-
TP2895	0.1	20088389	ND	-	-	-	-
TP2895	0.3	20088390	ND	-	-	-	-
TP2950	0.3	20088391	ND	-	-	-	-
TP2950	1	20088392	ND	-	-	-	-
TP2951	0.1	20088393	ND	-	-	-	-
TP2951	0.3	20088394	ND	-	-	-	-
TP2952	0.1	20088395	ND	-	-	-	-
TP2952	0.5	20088396	ND	-	-	-	-
TP2953	0.1	20088397	ND	-	-	-	-
TP2953	0.3	20088398	ND	-	-	-	-
TP2954	0.1	20088399	ND	-	-	-	-
TP2954	0.5	20088400	ND	-	-	-	-
TP2955	0.1	20088401	ND	-	-	-	-
TP2955	0.3	20088402	ND	-	-	-	-
TP2973	0.3	20088403	ND	-	-	-	-
TP2973	2	20088404	ND	-	-	-	-
TP2975	0.1	20088405	ND	-	-	-	-
TP2975	0.3	20088406	ND	-	-	-	-
TP2976	0.1	20088407	ND	-	-	-	-
TP2976	0.3	20088408	ND	-	-	-	-
TP2977	0.1	20088409	ND	-	-	-	-
TP2977	0.5	20088410	ND	-	-	-	-
TP3073	0.3	20088411	ND	-	-	-	-
TP3073	1.2	20088412	ND	-	-	-	-
TP3074	0.1	20088413	ND	-	-	-	-
TP3074	0.5	20088414	ND	-	-	-	-
TP3075	0.1	20088415	ND	-	-	-	-
TP3075	0.4	20088416	ND	-	-	-	-
TP3076	0.1	20088417	ND	-	-	-	-
TP3076	0.3	20088418	ND	-	-	-	-
AS25-A	0.2	20088419	ND	-	-	-	-
AS25-B	0.15	20088420	ND	-	-	-	-
AS25-C	0.1	20088421	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
AS25-D	0.1	20088422	ND	-	-	-	-
AS25-E	0.05	20088423	ND	-	-	-	-
AS35-A	0.15	20088424	ND	-	-	-	-
AS35-B	0.1	20088425	ND	-	-	-	-
AS35-C	0.2	20088426	ND	-	-	-	-
AS35-D	0.2	20088427	ND	-	-	-	-
AS35-E	0.15	20088428	ND	-	-	-	-
AS21-A	0.1	20088429	ND	-	-	-	-
AS21-B	0.1	20088430	ND	-	-	-	-
AS21-C	0.15	20088431	ND	-	-	-	-
AS21-D	0.2	20088432	ND	-	-	-	-
AS21-E	0.05	20088433	ND	-	-	-	-
AS33-A	0.1	20088434	ND	-	-	-	-
AS33-B	0.15	20088435	ND	-	-	-	-
AS33-C	0.15	20088436	ND	-	-	-	-
AS33-D	0.2	20088437	ND	-	-	-	-
AS33-E	0.2	20088438	ND	-	-	-	-
AS27-A	0.25	20088439	ND	-	-	-	-
AS27-B	0.2	20088440	ND	-	-	-	-
AS27-C	0.2	20088441	ND	-	-	-	-
AS27-D	0.15	20088442	ND	-	-	-	-
AS27-E	0.1	20088443	ND	-	-	-	-
AS29-A	0.15	20088444	ND	-	-	-	-
AS29-B	0.15	20088445	ND	-	-	-	-
AS29-C	0.25	20088446	ND	-	-	-	-
AS29-D	0.1	20088447	ND	-	-	-	-
AS29-E	0.1	20088448	ND	-	-	-	-
BH2416	0.1	20088449	ND	-	-	-	-
BH2350	0.3	20088450	ND	-	-	-	-
BH2412	0.1	20088451	ND	-	-	-	-
BH2414	0.5	20088452	ND	-	-	-	-
BH2667	0.1	20088453	ND	-	-	-	-
TP2908	0.1	20088454	ND	-	-	-	-
TP2908	0.3	20088455	ND	-	-	-	-
TP2887	0.1	20088456	ND	-	-	-	-
TP2887	0.5	20088457	ND	-	-	-	-
TP2888	0.1	20088458	ND	-	-	-	-
TP2888	0.3	20088459	ND	-	-	-	-
TP2896	0.1	20088460	ND	-	-	-	-
TP2896	0.3	20088461	ND	-	-	-	-
TP2909	0.1	20088462	ND	-	-	-	-
TP2909	0.3	20088463	ND	-	-	-	-
TP2956	0.5	20088464	ND	-	-	-	-
TP2956	1	20088465	ND	-	-	-	-
TP2957	0.1	20088466	ND	-	-	-	-
TP2957	0.3	20088467	ND	-	-	-	-
TP2971	0.1	20088468	ND	-	-	-	-
TP2971	0.5	20088469	ND	-	-	-	-
TP2972	0.3	20088471	ND	-	-	-	-
TP2974	0.1	20088472	ND	-	-	-	-
TP2974	0.3	20088473	ND	-	-	-	-
AS36-A	0.1	20088474	ND	-	-	-	-
AS36-B	0.15	20088475	ND	-	-	-	-
AS36-C	0.15	20088476	ND	-	-	-	-
AS36-D	0.2	20088477	ND	-	-	-	-
AS36-E	0.2	20088478	ND	-	-	-	-
AS41-A	0.25	20088479	ND	-	-	-	-
AS41-B	0.15	20088480	ND	-	-	-	-
AS41-C	0.15	20088481	ND	-	-	-	-
AS41-D	0.2	20088482	ND	-	-	-	-
AS41-E	0.1	20088483	ND	-	-	-	-
AS39-A	0.2	20088484	ND	-	-	-	-
AS39-B	0.25	20088485	ND	-	-	-	-
AS39-C	0.2	20088486	ND	-	-	-	-
AS39-D	0.15	20088487	ND	-	-	-	-
AS39-E	0.25	20088488	ND	-	-	-	-
AS40-A	0.1	20088489	ND	-	-	-	-
AS40-B	0.15	20088490	ND	-	-	-	-
AS40-C	0.15	20088491	ND	-	-	-	-
AS40-D	0.1	20088492	ND	-	-	-	-
AS40-E	0.2	20088493	ND	-	-	-	-
AS38-A	0.2	20088494	ND	-	-	-	-
AS38-B	0.15	20088495	ND	-	-	-	-
AS38-C	0.15	20088496	ND	-	-	-	-
AS38-D	0.1	20088497	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
AS38-E	0.15	20088498	ND	-	-	-	-
AS37-A	0.2	20088499	ND	-	-	-	-
AS37-B	0.15	20088500	ND	-	-	-	-
AS37-C	0.1	20088501	ND	-	-	-	-
AS37-D	0.15	20088502	ND	-	-	-	-
AS37-E	0.2	20088503	ND	-	-	-	-
AS26-B	0.1	20088504	ND	-	-	-	-
AS26-D	0.15	20088506	ND	-	-	-	-
AS26-E	0.1	20088507	ND	-	-	-	-
BH2355	0.3	20090002	ND	-	-	-	-
BH2380	0.1	20090003	ND	-	-	-	-
WS2645	0.1	20090004	ND	-	-	-	-
TP2361	0.1	20090005	ND	-	-	-	-
TP2361	0.3	20090006	ND	-	-	-	-
TP3007	0.1	20090007	ND	-	-	-	-
TP3007	0.5	20090008	ND	-	-	-	-
TP3008	0.1	20090009	ND	-	-	-	-
TP3008	0.3	20090010	ND	-	-	-	-
TP3009	0.1	20090011	ND	-	-	-	-
TP3009	0.3	20090012	ND	-	-	-	-
TP3010	0.1	20090013	ND	-	-	-	-
TP3010	0.5	20090014	ND	-	-	-	-
TP3011	0.1	20090015	ND	-	-	-	-
TP3011	0.5	20090016	ND	-	-	-	-
TP3012	0.1	20090017	ND	-	-	-	-
TP3012	0.3	20090018	ND	-	-	-	-
TP3029	0.1	20090019	ND	-	-	-	-
TP3029	0.5	20090020	ND	-	-	-	-
TP3030	0.1	20090021	ND	-	-	-	-
TP3030	0.5	20090022	ND	-	-	-	-
TP3031	0.1	20090023	ND	-	-	-	-
TP3031	0.3	20090024	ND	-	-	-	-
TP3032	0.1	20090025	ND	-	-	-	-
TP3032	0.3	20090026	ND	-	-	-	-
TP3033	0.1	20090027	ND	-	-	-	-
TP3033	0.3	20090028	ND	-	-	-	-
TP3034	0.1	20090029	ND	-	-	-	-
TP3034	0.5	20090030	ND	-	-	-	-
HA2004	0.15	20090031	ND	-	-	-	-
HA2004	0.75	20090032	ND	-	-	-	-
HA2005	0.15	20090033	ND	-	-	-	-
HA2005	0.45	20090034	ND	-	-	-	-
HA2006	0.15	20090035	ND	-	-	-	-
HA2006	0.55	20090036	ND	-	-	-	-
HA2007	0.15	20090037	ND	-	-	-	-
HA2007	0.6	20090038	ND	-	-	-	-
HA2009	0.15	20090039	ND	-	-	-	-
HA2009	0.55	20090040	ND	-	-	-	-
HA2008	0.15	20090041	ND	-	-	-	-
HA2008	0.55	20090042	ND	-	-	-	-
HA2271	0.3	20090044	ND	-	-	-	-
HA2272	0.15	20090045	ND	-	-	-	-
HA2272	0.55	20090046	ND	-	-	-	-
HA2275	0.15	20090047	ND	-	-	-	-
HA2275	0.48	20090048	ND	-	-	-	-
HA2276	0.9	20090050	ND	-	-	-	-
TP2830	0.1	20090051	ND	-	-	-	-
TP2830	0.5	20090052	ND	-	-	-	-
TP2889	0.1	20090053	ND	-	-	-	-
TP2889	0.3	20090054	ND	-	-	-	-
TP2910	0.1	20090055	ND	-	-	-	-
TP2910	0.3	20090056	ND	-	-	-	-
TP2911	0.1	20090057	ND	-	-	-	-
TP2911	0.3	20090058	ND	-	-	-	-
TP2920	0.1	20090059	ND	-	-	-	-
TP2920	0.5	20090060	ND	-	-	-	-
TP2921	0.1	20090061	ND	-	-	-	-
TP2921	1.3	20090062	ND	-	-	-	-
TP2922	0.1	20090063	ND	-	-	-	-
TP2922	0.5	20090064	ND	-	-	-	-
TP3002	0.1	20090065	ND	-	-	-	-
TP3002	0.3	20090066	ND	-	-	-	-
TP3003	0.1	20090067	ND	-	-	-	-
TP3003	0.3	20090068	ND	-	-	-	-
TP3004	0.1	20090069	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
TP3004	0.3	20090070	ND	-	-	-	-
TP3005	0.1	20090071	ND	-	-	-	-
TP3005	0.5	20090072	ND	-	-	-	-
TP3006	0.1	20090073	ND	-	-	-	-
TP3006	0.3	20090074	ND	-	-	-	-
HA2065	0.15	20090075	ND	-	-	-	-
HA2065	0.5	20090076	ND	-	-	-	-
HA2067	0.15	20090077	ND	-	-	-	-
HA2067	0.45	20090078	ND	-	-	-	-
WS3086	0.1	20090079	ND	-	-	-	-
WS3088	0.1	20090080	ND	-	-	-	-
BH2537	0.3	20090081	ND	-	-	-	-
WS3089	0.1	20090082	ND	-	-	-	-
TP2918	0.1	20090083	ND	-	-	-	-
TP2918	0.5	20090084	ND	-	-	-	-
TP2919	0.1	20090085	ND	-	-	-	-
TP2919	0.3	20090086	ND	-	-	-	-
TP2929	0.3	20090087	ND	-	-	-	-
TP2929	1.8	20090088	ND	-	-	-	-
TP2930	0.1	20090089	ND	-	-	-	-
TP2930	0.3	20090090	ND	-	-	-	-
TP2931	0.1	20090091	ND	-	-	-	-
TP2931	0.5	20090092	ND	-	-	-	-
TP2932	0.1	20090093	ND	-	-	-	-
TP2932	0.3	20090094	ND	-	-	-	-
TP2991	0.1	20090095	ND	-	-	-	-
TP2991	0.5	20090096	ND	-	-	-	-
TP3054	0.4	20090097	ND	-	-	-	-
TP3054	0.8	20090098	ND	-	-	-	-
TP3055	0.2	20090099	ND	-	-	-	-
TP3055	0.6	20090100	ND	-	-	-	-
TP3064	0.1	20090101	ND	-	-	-	-
TP3064	0.3	20090102	ND	-	-	-	-
TP3065	0.1	20090103	ND	-	-	-	-
TP3065	0.3	20090104	ND	-	-	-	-
TP3066	0.1	20090105	ND	-	-	-	-
TP3066	0.5	20090106	ND	-	-	-	-
TP3057	0.1	20090107	ND	-	-	-	-
TP3057	0.3	20090108	ND	-	-	-	-
HA2236	0.15	20090109	ND	-	-	-	-
HA2236	0.9	20090110	ND	-	-	-	-
HA2237	0.15	20090111	ND	-	-	-	-
HA2237	0.5	20090112	ND	-	-	-	-
HA2238	0.15	20090113	ND	-	-	-	-
HA2238	0.55	20090114	ND	-	-	-	-
HA2066	0.15	20090115	ND	-	-	-	-
HA2066	0.75	20090116	ND	-	-	-	-
HA2345	0.15	20090117	ND	-	-	-	-
HA2345	0.5	20090118	ND	-	-	-	-
HA2347	0.15	20090119	ND	-	-	-	-
HA2347	0.5	20090120	ND	-	-	-	-
HA2346	0.15	20090121	ND	-	-	-	-
HA2346	0.35	20090122	ND	-	-	-	-
HA2042	0.15	20090123	ND	-	-	-	-
HA2042	0.75	20090124	ND	-	-	-	-
TP2933	0.1	20090125	ND	-	-	-	-
TP2933	0.3	20090126	ND	-	-	-	-
TP2934	0.1	20090127	ND	-	-	-	-
TP2934	0.3	20090128	ND	-	-	-	-
TP2935	0.1	20090129	ND	-	-	-	-
TP2935	0.3	20090130	ND	-	-	-	-
TP2936	0.1	20090131	ND	-	-	-	-
TP2936	0.3	20090132	ND	-	-	-	-
TP2937	0.1	20090133	ND	-	-	-	-
TP2937	0.5	20090134	ND	-	-	-	-
TP2992	0.1	20090135	ND	-	-	-	-
TP2992	0.3	20090136	ND	-	-	-	-
TP2993	0.1	20090137	ND	-	-	-	-
TP2993	0.3	20090138	ND	-	-	-	-
TP2994	0.3	20090140	ND	-	-	-	-
TP3001	0.1	20090141	ND	-	-	-	-
TP3001	0.3	20090142	ND	-	-	-	-
TP3043	0.1	20090143	ND	-	-	-	-
TP3043	0.3	20090144	ND	-	-	-	-
TP3044	0.3	20090146	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
TP3044	0.3	20090146	ND	-	-	-	-
TP3045	0.1	20090147	ND	-	-	-	-
TP3045	0.3	20090148	ND	-	-	-	-
TP3046	0.2	20090149	ND	-	-	-	-
TP3046	0.6	20090150	ND	-	-	-	-
WS3087	0.3	20090151	ND	-	-	-	-
WS3090	0.1	20090152	ND	-	-	-	-
BH2413	0.5	20090153	ND	-	-	-	-
TP2779	0.3	20090154	ND	-	-	-	-
TP2779	0.5	20090155	ND	-	-	-	-
WS2650	0.3	20090199	ND	-	-	-	-
BH2682	0.1	20090200	ND	-	-	-	-
WS3091	0.3	20090201	ND	-	-	-	-
WS2646	0.5	20090202	ND	-	-	-	-
TP2083	0.1	20090203	ND	-	-	-	-
TP2083	0.3	20090204	ND	-	-	-	-
TP2090	0.1	20090207	ND	-	-	-	-
TP2090	0.3	20090208	ND	-	-	-	-
TP2075	0.1	20090209	ND	-	-	-	-
TP2075	0.3	20090210	ND	-	-	-	-
TP2232	0.3	20090211	ND	-	-	-	-
TP2232	0.5	20090212	ND	-	-	-	-
TP2235	0.5	20090214	ND	-	-	-	-
TP2235	0.5	20090214	ND	-	-	-	-
TP2253	0.4	20090215	ND	-	-	-	-
TP2253	0.6	20090216	ND	-	-	-	-
TP2254	0.3	20090217	ND	-	-	-	-
TP2254	0.7	20090218	ND	-	-	-	-
HS2751	0	20090220	ND	-	-	-	-
HS2746	0	20090223	ND	-	-	-	-
HS2760A	0.15	20090229	ND	-	-	-	-
HS2761A	0.15	20090230	ND	-	-	-	-
WS3092	0.1	20090231	ND	-	-	-	-
WS2649	0.3	20090232	ND	-	-	-	-
TP2406	0.1	20090233	ND	-	-	-	-
TP2406	0.3	20090234	ND	-	-	-	-
TP2079A	0.1	20090235	ND	-	-	-	-
TP2079A	0.3	20090236	ND	-	-	-	-
TP2080	0.1	20090237	ND	-	-	-	-
TP2080	0.3	20090238	ND	-	-	-	-
TP2077	0.1	20090239	ND	-	-	-	-
TP2077	0.4	20090240	ND	-	-	-	-
TP2078	0.3	20090241	ND	-	-	-	-
TP2078	0.5	20090242	ND	-	-	-	-
TP2081	0.1	20090243	ND	-	-	-	-
TP2081	0.3	20090244	ND	-	-	-	-
TP2079	0.1	20090245	ND	-	-	-	-
TP2079	0.5	20090246	ND	-	-	-	-
TP2230	0.2	20090247	ND	-	-	-	-
TP2230	0.5	20090248	ND	-	-	-	-
TP2231	0.3	20090249	ND	-	-	-	-
TP2231	0.7	20090250	ND	-	-	-	-
TP2233	0.6	20090252	ND	-	-	-	-
TP2234	0.3	20090253	ND	-	-	-	-
TP2234	0.6	20090254	ND	-	-	-	-
TP2255	0.4	20090255	ND	-	-	-	-
TP2255	0.8	20090256	ND	-	-	-	-
TP2256	0.3	20090257	ND	-	-	-	-
TP2256	0.7	20090258	ND	-	-	-	-
TP2257	0.3	20090259	ND	-	-	-	-
TP2257	0.8	20090260	ND	-	-	-	-
TP2258	0.2	20090261	ND	-	-	-	-
TP2258	0.9	20090262	ND	-	-	-	-
HS2757A	0.1	20090263	ND	-	-	-	-
HS2769B	0.15	20090264	ND	-	-	-	-
HS2770	0.15	20090265	ND	-	-	-	-
HS2772A	0.05	20090267	ND	-	-	-	-
HS2771A	0.1	20090268	ND	-	-	-	-
HS2801	0.05	20090269	ND	-	-	-	-
HS2802	0.15	20090270	ND	-	-	-	-
HS2803	0.2	20090271	ND	-	-	-	-
HS2804	0.15	20090272	ND	-	-	-	-
HS2805	0.1	20090273	ND	-	-	-	-
HS2806	0.1	20090274	ND	-	-	-	-
HS2012	0.05	20090275	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
WS3094	0.1	20090318	ND	-	-	-	-
WS2647	0.3	20090319	ND	-	-	-	-
BH2681	0.3	20090320	ND	-	-	-	-
TP2087	0.3	20090321	ND	-	-	-	-
TP2087	0.5	20090322	ND	-	-	-	-
TP2330	0.1	20090323	ND	-	-	-	-
TP2330	0.9	20090324	ND	-	-	-	-
TP2383	1	20090325	ND	-	-	-	-
TP2383	2	20090326	Present	1	-	-	0.44
TP2383	3	20090327	ND	-	-	-	-
TP2383	4	20090328	ND	-	-	-	-
TP2383	5	20090329	ND	-	-	-	-
TP2401	0.1	20090330	ND	-	-	-	-
TP2401	0.5	20090331	ND	-	-	-	-
TP2404	0.1	20090332	Present	1	-	-	1.22
TP2404	0.5	20090333	ND	-	-	-	-
TP2404	2	20090334	ND	-	-	-	-
TP2405	0.3	20090335	ND	-	-	-	-
TP2405	1	20090336	ND	-	-	-	-
TP2665	0.3	20090337	ND	-	-	-	-
TP2665	0.5	20090338	ND	-	-	-	-
TP2245	0.3	20090339	ND	-	-	-	-
TP2245	0.8	20090340	ND	-	-	-	-
TP2250	0.4	20090341	ND	-	-	-	-
TP2250	0.9	20090342	ND	-	-	-	-
TP2702	0.3	20090343	ND	-	-	-	-
TP2702	0.6	20090344	ND	-	-	-	-
HS2872	0.1	20090345	ND	-	-	-	-
HS2874	0.1	20090346	ND	-	-	-	-
HS2873	0.05	20090347	ND	-	-	-	-
HS2876	0.1	20090348	ND	-	-	-	-
HS2875	0.1	20090349	ND	-	-	-	-
HS2872A	0.1	20090350	ND	-	-	-	-
HS2884	0.2	20090351	ND	-	-	-	-
HS2883	0.15	20090352	ND	-	-	-	-
HS2882	0.1	20090353	ND	-	-	-	-
HS2885	0.2	20090354	ND	-	-	-	-
HS2886	0.15	20090355	ND	-	-	-	-
HS2860	0.1	20090357	ND	-	-	-	-
HS2859	0.15	20090358	ND	-	-	-	-
HS2861	0.1	20090359	ND	-	-	-	-
HS2861	0.1	20090359	ND	-	-	-	-
HS2856	0.2	20090360	ND	-	-	-	-
HS2857	0.05	20090361	ND	-	-	-	-
HS2858	0.15	20090362	ND	-	-	-	-
TP2703	0.1	20090363	ND	-	-	-	-
TP2703	0.2	20090364	ND	-	-	-	-
TP2542	0.1	20090365	ND	-	-	-	-
TP2542	0.5	20090366	ND	-	-	-	-
TP2543	0.1	20090367	ND	-	-	-	-
TP2543	0.3	20090368	ND	-	-	-	-
TP2560	0.1	20090369	ND	-	-	-	-
TP2560	0.3	20090370	ND	-	-	-	-
TP2687	0.3	20090371	ND	-	-	-	-
TP2687	0.8	20090372	ND	-	-	-	-
TP2690	0.3	20090373	ND	-	-	-	-
TP2690	0.9	20090374	ND	-	-	-	-
TP2689	0.3	20090375	ND	-	-	-	-
TP2689	0.8	20090376	ND	-	-	-	-
TP2688	0.4	20090377	ND	-	-	-	-
TP2688	0.8	20090378	ND	-	-	-	-
TP2704	0.2	20090379	ND	-	-	-	-
TP2704	0.8	20090380	ND	-	-	-	-
TP2705	0.3	20090381	ND	-	-	-	-
TP2705	0.7	20090382	ND	-	-	-	-
TP2684	1	20090383	ND	-	-	-	-
TP2684	2	20090384	ND	-	-	-	-
TP2684	5	20090385	ND	-	-	-	-
TP2684	4	20090386	ND	-	-	-	-
TP2684	3	20090387	ND	-	-	-	-
HS2958	0.1	20090388	ND	-	-	-	-
HS2959	0.15	20090389	ND	-	-	-	-
HS2960	0.05	20090390	ND	-	-	-	-
HS2961	0.2	20090391	ND	-	-	-	-
HS2962	0.15	20090392	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
HS2963	0.1	20090393	ND	-	-	-	-
HS2964	0.1	20090394	ND	-	-	-	-
HS2965	0.15	20090395	ND	-	-	-	-
HS2966	0.05	20090396	ND	-	-	-	-
HS2967	0.2	20090397	ND	-	-	-	-
HS2968	0.1	20090398	ND	-	-	-	-
HS2969	0.1	20090399	ND	-	-	-	-
HS2978	0.15	20090400	ND	-	-	-	-
HS2984	0.2	20090403	ND	-	-	-	-
HS2985	0.1	20090404	ND	-	-	-	-
HS2986	0.15	20090405	ND	-	-	-	-
HS2987	0.05	20090406	ND	-	-	-	-
HS2988	0.1	20090407	ND	-	-	-	-
TP2715	0.1	20090484	ND	-	-	-	-
TP2715	0.5	20090485	ND	-	-	-	-
TP2716	0.1	20090486	ND	-	-	-	-
TP2716	1.5	20090487	ND	-	-	-	-
TP2717	0.1	20090488	ND	-	-	-	-
TP2717	0.5	20090489	ND	-	-	-	-
TP2718	0.5	20090490	ND	-	-	-	-
TP2718	1.8	20090491	ND	-	-	-	-
TP2719	0.3	20090492	ND	-	-	-	-
TP2719	1.7	20090493	ND	-	-	-	-
TP2720	0.1	20090494	ND	-	-	-	-
TP2720	0.5	20090495	ND	-	-	-	-
TP2721	0.1	20090496	ND	-	-	-	-
TP2721	0.3	20090497	ND	-	-	-	-
TP2722	0.3	20090498	ND	-	-	-	-
TP2722	0.5	20090499	ND	-	-	-	-
TP2723	0.1	20090500	ND	-	-	-	-
TP2723	0.3	20090501	ND	-	-	-	-
TP2724	0.1	20090502	ND	-	-	-	-
TP2724	0.5	20090503	ND	-	-	-	-
WS3100	0.1	20090504	ND	-	-	-	-
WS3100	2	20090505	ND	-	-	-	-
WS3101	0.3	20090506	ND	-	-	-	-
WS3102	0.1	20090507	ND	-	-	-	-
WS3102	1	20090508	ND	-	-	-	-
HA2074	0.3	20090509	ND	-	-	-	-
HA2074	0.68	20090510	ND	-	-	-	-
HA2069	0.4	20090512	ND	-	-	-	-
HA2070	0.35	20090513	ND	-	-	-	-
HA2070	0.55	20090514	ND	-	-	-	-
HA2071	0.15	20090515	ND	-	-	-	-
HA2071	0.6	20090516	ND	-	-	-	-
HA2072	0.1	20090517	ND	-	-	-	-
HA2072	0.35	20090518	ND	-	-	-	-
HA2073	0.1	20090519	ND	-	-	-	-
HA2073	0.4	20090520	ND	-	-	-	-
HA2273	0.15	20090521	ND	-	-	-	-
HA2273	0.4	20090522	ND	-	-	-	-
HA2274	0.15	20090523	ND	-	-	-	-
HA2274	0.5	20090524	ND	-	-	-	-
HA2279	0.15	20090525	ND	-	-	-	-
HA2279	0.55	20090526	ND	-	-	-	-
HS2904	0.1	20090527	ND	-	-	-	-
HS2903	0.15	20090528	ND	-	-	-	-
HS2897A	0.2	20090529	ND	-	-	-	-
HS2898A	0.1	20090530	ND	-	-	-	-
HS2899A	0.15	20090531	ND	-	-	-	-
HS2901	0.1	20090532	ND	-	-	-	-
HS2980	0.15	20090533	ND	-	-	-	-
HS2905	0.1	20090535	ND	-	-	-	-
HS2902	0.15	20090536	ND	-	-	-	-
HS2907	0.05	20090537	ND	-	-	-	-
HS2906	0.2	20090538	ND	-	-	-	-
HS2900	0.05	20090539	ND	-	-	-	-
HS2893	0.2	20090540	ND	-	-	-	-
HS2892A	0.15	20090541	ND	-	-	-	-
HS2891A	0.1	20090542	ND	-	-	-	-
HS2894	0.05	20090543	ND	-	-	-	-
HS2895	0.1	20090544	ND	-	-	-	-
HS2896	0.15	20090545	ND	-	-	-	-
TP2373	0.1	20090546	ND	-	-	-	-
TP2373	0.3	20090547	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
TP2376	0.3	20090548	ND	-	-	-	-
TP2376	1.2	20090549	ND	-	-	-	-
TP2374	0.1	20090550	ND	-	-	-	-
TP2374	1.3	20090551	ND	-	-	-	-
TP2375	0.1	20090552	ND	-	-	-	-
TP2375	0.5	20090553	ND	-	-	-	-
WS3101	1	20090640	ND	-	-	-	-
TP2364	1	20090641	ND	-	-	-	-
TP2364	2	20090642	ND	-	-	-	-
TP2364	3	20090643	ND	-	-	-	-
TP2364	4	20090644	ND	-	-	-	-
TP2364	5	20090645	ND	-	-	-	-
TP2431	0.1	20090646	ND	-	-	-	-
TP2431	0.8	20090647	ND	-	-	-	-
TP2432	0.1	20090648	ND	-	-	-	-
TP2432	0.3	20090649	ND	-	-	-	-
TP2603	0.1	20090650	ND	-	-	-	-
TP2603	1	20090651	ND	-	-	-	-
TP2060	0.1	20090652	ND	-	-	-	-
TP2060	0.5	20090653	ND	-	-	-	-
TP2626	0.3	20090654	ND	-	-	-	-
TP2626	1	20090655	ND	-	-	-	-
TP3056	0.1	20090656	ND	-	-	-	-
TP3056	1	20090657	ND	-	-	-	-
HS2757	0.1	20090659	ND	-	-	-	-
HS2758A	0.1	20090660	ND	-	-	-	-
HS2758A	0.1	20090660	ND	-	-	-	-
HS2759	0.1	20090661	ND	-	-	-	-
HS2759	0.1	20090661	ND	-	-	-	-
HS2760B	0.1	20090662	ND	-	-	-	-
HS2781	0.15	20090663	ND	-	-	-	-
HS2782	0.05	20090664	ND	-	-	-	-
HS2784	0.2	20090666	ND	-	-	-	-
HS2785	0.2	20090667	ND	-	-	-	-
HS2786A	0.15	20090668	ND	-	-	-	-
HS2846	0.1	20090669	ND	-	-	-	-
HS2848	0.1	20090671	ND	-	-	-	-
HS2850	0.1	20090673	ND	-	-	-	-
HS2851	0.1	20090674	ND	-	-	-	-
HS2890	0.1	20090675	ND	-	-	-	-
HS2891	0.2	20090676	ND	-	-	-	-
HS2892	0.15	20090677	ND	-	-	-	-
HS2897	0.05	20090678	ND	-	-	-	-
HS2898	0.1	20090679	ND	-	-	-	-
HS2899	0.1	20090680	ND	-	-	-	-
HS3068	0.15	20090681	ND	-	-	-	-
HS3068A	0.15	20090682	ND	-	-	-	-
HS3069	0.2	20090683	ND	-	-	-	-
HS3070	0.05	20090684	ND	-	-	-	-
HS3071	0.1	20090685	ND	-	-	-	-
HS3072	0.1	20090686	ND	-	-	-	-
HA2043	0.15	20090687	ND	-	-	-	-
HA2043	0.45	20090688	ND	-	-	-	-
HA2045	0.15	20090689	ND	-	-	-	-
HA2045	0.45	20090690	ND	-	-	-	-
HA2200	0.65	20090692	ND	-	-	-	-
HA2201	0.15	20090693	ND	-	-	-	-
HA2201	0.75	20090694	ND	-	-	-	-
HA2202	0.15	20090695	ND	-	-	-	-
HA2202	0.75	20090696	ND	-	-	-	-
HA2203	0.55	20090698	ND	-	-	-	-
HA2278	0.15	20090699	ND	-	-	-	-
HA2278	0.55	20090700	ND	-	-	-	-
HA2417	0.15	20090701	ND	-	-	-	-
HA2417	0.6	20090702	ND	-	-	-	-
HA2418	0.15	20090703	ND	-	-	-	-
HA2419	0.15	20090704	ND	-	-	-	-
HA2419	0.4	20090705	ND	-	-	-	-
BH2683	0.3	20090706	ND	-	-	-	-
BH2683	1	20090707	ND	-	-	-	-
TP2427	0.3	20090708	ND	-	-	-	-
TP2427	1	20090709	ND	-	-	-	-
TP2428	0.3	20090710	ND	-	-	-	-
TP2428	1.5	20090711	ND	-	-	-	-
TP2433	0.3	20090712	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
TP2433	0.8	20090713	ND	-	-	-	-
TP2434	0.3	20090714	ND	-	-	-	-
TP2434	1	20090715	ND	-	-	-	-
TP2449	1	20090716	ND	-	-	-	-
TP2449	0.3	20090717	ND	-	-	-	-
TP2426	0.3	20090718	ND	-	-	-	-
TP2426	1	20090719	ND	-	-	-	-
HS2912	0.1	20090720	ND	-	-	-	-
HS2915	0.15	20090721	ND	-	-	-	-
HS2913	0.1	20090722	ND	-	-	-	-
HS2914	0.15	20090723	ND	-	-	-	-
HS2916	0.2	20090724	ND	-	-	-	-
HS2917	0.05	20090725	ND	-	-	-	-
HS2923	0.1	20090726	ND	-	-	-	-
HS2924	0.1	20090727	ND	-	-	-	-
HS2925	0.15	20090728	ND	-	-	-	-
HS2926	0.05	20090729	ND	-	-	-	-
HS2927	0.2	20090730	ND	-	-	-	-
HS2928	0.05	20090731	ND	-	-	-	-
HS2938	0.15	20090732	ND	-	-	-	-
HS2939	0.1	20090733	ND	-	-	-	-
HS3058	0.2	20090734	ND	-	-	-	-
HS3059	0.05	20090735	ND	-	-	-	-
HS3060	0.1	20090736	ND	-	-	-	-
HS3061	0.15	20090737	ND	-	-	-	-
HS3062	0.1	20090738	ND	-	-	-	-
HS3063	0.15	20090739	ND	-	-	-	-
HA2420	0.15	20090740	ND	-	-	-	-
HA2420	0.8	20090741	ND	-	-	-	-
HA2538	0.15	20090742	ND	-	-	-	-
HA2538	0.45	20090743	ND	-	-	-	-
HA2539	0.15	20090744	ND	-	-	-	-
HA2539	1	20090745	ND	-	-	-	-
HA2637	0.15	20090746	ND	-	-	-	-
HA2637	0.8	20090747	ND	-	-	-	-
HA2638	0.15	20090748	ND	-	-	-	-
HA2638	0.5	20090749	ND	-	-	-	-
HA2639	0.15	20090750	ND	-	-	-	-
HA2639	0.55	20090751	ND	-	-	-	-
HA2640	0.45	20090752	ND	-	-	-	-
HA2640	0.8	20090753	ND	-	-	-	-
HA2641	0.15	20090754	ND	-	-	-	-
HA2641	0.45	20090755	ND	-	-	-	-
HA2642	0.15	20090756	ND	-	-	-	-
HA2642	0.85	20090757	ND	-	-	-	-
TP2047	0.3	20090758	ND	-	-	-	-
TP2047	0.5	20090759	ND	-	-	-	-
TP2048	0.4	20090760	ND	-	-	-	-
TP2048	1	20090761	ND	-	-	-	-
TP2050	0.5	20090762	ND	-	-	-	-
TP2050	2	20090763	ND	-	-	-	-
TP2051	0.3	20090764	ND	-	-	-	-
TP2051	1.5	20090765	ND	-	-	-	-
TP2989	0.3	20090766	ND	-	-	-	-
TP2989	2.1	20090767	ND	-	-	-	-
TP2990	0.3	20090768	ND	-	-	-	-
TP2990	0.5	20090769	ND	-	-	-	-
HS2755	0.1	20090770	ND	-	-	-	-
HS2944	0.05	20090771	ND	-	-	-	-
HS2945	0.1	20090772	ND	-	-	-	-
HS2946	0.2	20090773	ND	-	-	-	-
HS2947	0.05	20090774	ND	-	-	-	-
HS2948	0.2	20090775	ND	-	-	-	-
HS2949	0.15	20090776	ND	-	-	-	-
HS3022	0.1	20090777	ND	-	-	-	-
HS3034	0.1	20090778	ND	-	-	-	-
HS3035	0.15	20090779	ND	-	-	-	-
HS3036	0.2	20090780	ND	-	-	-	-
HS3037	0.05	20090781	ND	-	-	-	-
HS3038	0.05	20090782	ND	-	-	-	-
HS3039	0.1	20090783	ND	-	-	-	-
HS3040	0.15	20090784	ND	-	-	-	-
HS3041	0.2	20090785	Present	1	-	-	3.31
HS3042	0.1	20090786	ND	-	-	-	-
HA2478	0.15	20090787	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
HA2479	0.15	20090788	ND	-	-	-	-
HA2479	0.4	20090789	ND	-	-	-	-
HA2489	0.15	20090790	ND	-	-	-	-
HA2489	0.5	20090791	ND	-	-	-	-
HA2492	0.15	20090792	ND	-	-	-	-
HA2492	0.45	20090793	ND	-	-	-	-
HA2493	0.15	20090794	ND	-	-	-	-
HA2517	0.15	20090795	ND	-	-	-	-
HA2540	0.15	20090796	ND	-	-	-	-
HA2540	0.85	20090797	ND	-	-	-	-
HA2541	0.15	20090798	ND	-	-	-	-
HA2541	0.5	20090799	ND	-	-	-	-
HA3103	0.15	20090800	ND	-	-	-	-
HA3103	0.45	20090801	ND	-	-	-	-
TP2082	0.1	20090866	ND	-	-	-	-
TP2082	1	20090867	ND	-	-	-	-
TP2084	0.3	20090868	ND	-	-	-	-
TP2084	1	20090869	ND	-	-	-	-
TP2085	0.1	20090870	ND	-	-	-	-
TP2085	0.5	20090871	ND	-	-	-	-
TP2228	0.1	20090872	ND	-	-	-	-
TP2228	0.6	20090873	ND	-	-	-	-
TP2229	0.1	20090874	ND	-	-	-	-
TP2229	0.6	20090875	ND	-	-	-	-
TP2331	0.1	20090876	ND	-	-	-	-
TP2331	0.5	20090877	ND	-	-	-	-
TP2365	0.1	20090878	ND	-	-	-	-
TP2365	0.3	20090879	ND	-	-	-	-
TP2398	0.1	20090880	ND	-	-	-	-
TP2398	0.5	20090881	ND	-	-	-	-
TP2468	0.1	20090882	ND	-	-	-	-
TP2468	0.3	20090883	ND	-	-	-	-
TP2484	1	20090884	ND	-	-	-	-
TP2484	2	20090885	ND	-	-	-	-
TP2484	3	20090886	ND	-	-	-	-
TP2484	4	20090887	ND	-	-	-	-
TP2484	5	20090888	ND	-	-	-	-
TP2619	0.1	20090889	ND	-	-	-	-
TP2619	0.6	20090890	ND	-	-	-	-
TP2625	0.1	20090891	ND	-	-	-	-
TP2625	1.1	20090892	ND	-	-	-	-
TP2654	0.1	20090893	ND	-	-	-	-
TP2654	0.5	20090894	ND	-	-	-	-
HS2940	0.15	20090895	ND	-	-	-	-
HS3014	0.15	20090897	ND	-	-	-	-
HS3015	0.2	20090898	ND	-	-	-	-
HS3016	0.1	20090899	ND	-	-	-	-
HS3018	0.2	20090901	ND	-	-	-	-
HS3019	0.1	20090902	ND	-	-	-	-
HS3020	0.1	20090903	ND	-	-	-	-
HS3021	0.05	20090904	ND	-	-	-	-
HS3023	0.2	20090905	ND	-	-	-	-
HS3024	0.15	20090906	ND	-	-	-	-
HS3025	0.1	20090907	ND	-	-	-	-
HS3026	0.05	20090908	ND	-	-	-	-
HS3027	0.05	20090909	ND	-	-	-	-
HS3028	0.05	20090910	ND	-	-	-	-
BH2223	0.1	20090911	ND	-	-	-	-
TP2049	0.1	20090912	ND	-	-	-	-
TP2049	0.5	20090913	ND	-	-	-	-
TP2686	0.1	20090914	ND	-	-	-	-
TP2686	0.95	20090915	Present	1	-	-	1.2
TP2711	0.1	20090916	ND	-	-	-	-
TP2711	2	20090917	ND	-	-	-	-
TP2712	0.3	20090918	ND	-	-	-	-
TP2712	1	20090919	ND	-	-	-	-
TP2712	2	20090920	ND	-	-	-	-
TP2712	3.2	20090921	ND	-	-	-	-
TP2713	0.3	20090922	ND	-	-	-	-
TP2713	1.5	20090923	ND	-	-	-	-
TP2713	2.8	20090924	ND	-	-	-	-
TP2762	0.5	20090925	ND	-	-	-	-
TP2762	1	20090926	ND	-	-	-	-
TP2593	0.3	20090927	ND	-	-	-	-
TP2593	0.6	20090928	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
TP2628	0.3	20090929	ND	-	-	-	-
TP2628	2	20090930	ND	-	-	-	-
TP2630	0.3	20090931	ND	-	-	-	-
TP2630	1.8	20090932	ND	-	-	-	-
TP2630	2.2	20090933	ND	-	-	-	-
TP2852	0.1	20090934	ND	-	-	-	-
TP2852	0.3	20090935	ND	-	-	-	-
TP2853	0.1	20090936	ND	-	-	-	-
TP2853	0.6	20090937	ND	-	-	-	-
TP2854	0.1	20090938	ND	-	-	-	-
TP2854	0.6	20090939	ND	-	-	-	-
TP2855	0.1	20090940	ND	-	-	-	-
TP2855	0.3	20090941	ND	-	-	-	-
AS42-A	0.05	20090942	ND	-	-	-	-
AS42-B	0.1	20090943	ND	-	-	-	-
AS42-C	0.15	20090944	ND	-	-	-	-
AS42-D	0.2	20090945	ND	-	-	-	-
AS42-E	0.1	20090946	ND	-	-	-	-
AS45-A	0.05	20090947	ND	-	-	-	-
AS45-B	0.1	20090948	ND	-	-	-	-
AS45-C	0.15	20090949	ND	-	-	-	-
AS45-D	0.2	20090950	ND	-	-	-	-
AS45-E	0.1	20090951	ND	-	-	-	-
HS2591B	0.05	20090952	ND	-	-	-	-
HS2592	0.15	20090953	ND	-	-	-	-
HS3048	0.15	20090954	ND	-	-	-	-
HS3049	0.1	20090955	ND	-	-	-	-
HS3050	0.2	20090956	ND	-	-	-	-
HS3051	0.1	20090957	ND	-	-	-	-
HS3052	0.15	20090958	ND	-	-	-	-
HS3080	0.2	20090960	ND	-	-	-	-
HS3081	0.15	20090961	ND	-	-	-	-
HS3082	0.1	20090962	ND	-	-	-	-
HS3083	0.1	20090963	ND	-	-	-	-
TP2113	0.4	20090964	ND	-	-	-	-
TP2113	0.8	20090965	ND	-	-	-	-
TP2122	0.3	20090966	ND	-	-	-	-
TP2122	0.8	20090967	ND	-	-	-	-
TP2332	0.3	20090968	ND	-	-	-	-
TP2332	0.5	20090969	ND	-	-	-	-
TP2332	1.5	20090970	ND	-	-	-	-
TP2334	0.1	20090971	ND	-	-	-	-
TP2334	0.5	20090972	ND	-	-	-	-
TP2838	0.5	20090973	ND	-	-	-	-
TP2838	0.1	20090974	ND	-	-	-	-
TP2844	0.1	20090975	ND	-	-	-	-
TP2844	0.5	20090976	ND	-	-	-	-
BH2664	0.3	20090977	ND	-	-	-	-
AS46-A	0.05	20090978	ND	-	-	-	-
AS46-B	0.1	20090979	ND	-	-	-	-
AS46-C	0.15	20090980	ND	-	-	-	-
AS46-D	0.2	20090981	ND	-	-	-	-
AS46-E	0.1	20090982	ND	-	-	-	-
AS44-A	0.05	20090983	ND	-	-	-	-
AS44-B	0.1	20090984	ND	-	-	-	-
AS44-C	0.15	20090985	ND	-	-	-	-
AS44-D	0.2	20090986	ND	-	-	-	-
AS44-E	0.1	20090987	ND	-	-	-	-
AS48-A	0.05	20090988	ND	-	-	-	-
AS48-B	0.1	20090989	ND	-	-	-	-
AS48-C	0.15	20090990	ND	-	-	-	-
AS48-D	0.2	20090991	ND	-	-	-	-
AS48-E	0.1	20090992	ND	-	-	-	-
AS47-A	0.05	20090993	ND	-	-	-	-
AS47-B	0.1	20090994	ND	-	-	-	-
AS47-C	0.15	20090995	ND	-	-	-	-
AS47-D	0.2	20090996	ND	-	-	-	-
AS47-E	0.1	20090997	ND	-	-	-	-
AS50-A	0.05	20090998	ND	-	-	-	-
AS50-B	0.1	20090999	ND	-	-	-	-
AS50-C	0.15	20091000	ND	-	-	-	-
AS50-D	0.2	20091001	ND	-	-	-	-
AS50-E	0.1	20091002	ND	-	-	-	-
TP2685	0.3	20091003	ND	-	-	-	-
TP2685	1	20091004	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
TP2685	2.7	20091005	ND	-	-	-	-
TP2706	0.1	20091006	ND	-	-	-	-
TP2706	1.4	20091007	ND	-	-	-	-
TP2706	2.8	20091008	ND	-	-	-	-
TP2707	0.3	20091009	ND	-	-	-	-
TP2707	1.6	20091010	ND	-	-	-	-
TP2708	0.1	20091011	ND	-	-	-	-
TP2708	0.5	20091012	ND	-	-	-	-
TP2708	1.5	20091013	ND	-	-	-	-
TP2709	0.1	20091014	ND	-	-	-	-
TP2709	0.8	20091015	ND	-	-	-	-
TP2709	2.2	20091016	ND	-	-	-	-
TP2710	0.1	20091017	ND	-	-	-	-
TP2710	0.3	20091018	ND	-	-	-	-
TP2714	0.1	20091019	ND	-	-	-	-
TP2714	0.5	20091020	ND	-	-	-	-
TP2714	1.5	20091021	ND	-	-	-	-
TP2691	0.1	20091022	ND	-	-	-	-
TP2691	0.5	20091023	ND	-	-	-	-
TP2692	0.1	20091024	ND	-	-	-	-
TP2692	0.5	20091025	ND	-	-	-	-
TP2693	0.1	20091026	ND	-	-	-	-
TP2693	0.3	20091027	ND	-	-	-	-
TP2694	0.1	20091028	ND	-	-	-	-
TP2694	0.5	20091029	ND	-	-	-	-
TP2695	0.1	20091030	ND	-	-	-	-
TP2695	0.3	20091031	ND	-	-	-	-
TP3118	0.1	20091235	ND	-	-	-	-
TP3118	0.5	20091236	ND	-	-	-	-
TP3118	1.4	20091237	ND	-	-	-	-
TP3116	0.5	20091238	ND	-	-	-	-
TP3116	1	20091239	ND	-	-	-	-
TP3116	3	20091240	ND	-	-	-	-
TP3115	0.3	20091242	ND	-	-	-	-
TP3114	0.1	20091243	ND	-	-	-	-
TP3114	0.3	20091244	ND	-	-	-	-
TP3113	0.1	20091245	ND	-	-	-	-
TP3113	0.5	20091246	Present	1	-	-	<0.001
TP2696	0.1	20091247	ND	-	-	-	-
TP2696	0.5	20091248	ND	-	-	-	-
TP2697	0.1	20091249	ND	-	-	-	-
TP2697	0.3	20091250	ND	-	-	-	-
TP3109	0.1	20091251	ND	-	-	-	-
TP3109	0.6	20091252	ND	-	-	-	-
TP3110	0.1	20091253	ND	-	-	-	-
TP3110	0.3	20091254	ND	-	-	-	-
TP3111	0.3	20091255	ND	-	-	-	-
TP3111	1.1	20091256	ND	-	-	-	-
TP3112	0.1	20091257	Present	1	-	-	<0.001
TP3112	0.7	20091258	ND	-	-	-	-
AS49-A	0.05	20091259	ND	-	-	-	-
AS49-B	0.1	20091260	ND	-	-	-	-
AS49-C	0.15	20091261	ND	-	-	-	-
AS49-D	0.2	20091262	ND	-	-	-	-
AS49-E	0.1	20091263	ND	-	-	-	-
AS43-A	0.05	20091264	ND	-	-	-	-
AS43-B	0.1	20091265	ND	-	-	-	-
AS43-C	0.15	20091266	ND	-	-	-	-
AS43-D	0.2	20091267	ND	-	-	-	-
AS43-E	0.1	20091268	ND	-	-	-	-
HA2516	0.25	20091269	ND	-	-	-	-
HA3105	0.3	20091270	ND	-	-	-	-
HA3105	0.5	20091271	ND	-	-	-	-
HA3104	0.25	20091272	ND	-	-	-	-
TP2698	0.4	20091273	ND	-	-	-	-
TP2698	0.4	20091274	ND	-	-	-	-
TP2698	0.8	20091275	ND	-	-	-	-
TP2699	0.1	20091276	ND	-	-	-	-
TP2699	0.1	20091277	ND	-	-	-	-
TP2699	0.5	20091278	ND	-	-	-	-
TP2700	0.1	20091279	ND	-	-	-	-
TP2700	0.35	20091280	ND	-	-	-	-
TP2700	0.35	20091281	ND	-	-	-	-
TP2701	0.05	20091282	ND	-	-	-	-
TP2701	0.3	20091283	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
TP2701	0.3	20091284	ND	-	-	-	-
TP3106	0.4	20091285	ND	-	-	-	-
TP3106	0.4	20091286	ND	-	-	-	-
TP3106	0.9	20091287	ND	-	-	-	-
TP3117	0.3	20091288	ND	-	-	-	-
TP3117	0.5	20091289	ND	-	-	-	-
TP3117	0.5	20091290	ND	-	-	-	-
TP3119	0.1	20091291	ND	-	-	-	-
TP3119	0.1	20091292	ND	-	-	-	-
TP3119	0.5	20091293	ND	-	-	-	-
TP3120	0.1	20091294	ND	-	-	-	-
TP3120	0.3	20091295	ND	-	-	-	-
TP3120	0.3	20091296	ND	-	-	-	-
TP3121	0.1	20091297	ND	-	-	-	-
TP3121	1	20091298	ND	-	-	-	-
TP3121	1	20091299	ND	-	-	-	-
TP2368	0.1	20091300	ND	-	-	-	-
TP2368	0.1	20091301	ND	-	-	-	-
TP2368	0.3	20091302	ND	-	-	-	-
TP2372	0.1	20091303	ND	-	-	-	-
TP2372	0.1	20091304	ND	-	-	-	-
TP2372	2	20091305	ND	-	-	-	-
TP2393	0.1	20091306	ND	-	-	-	-
TP2393	1	20091307	ND	-	-	-	-
TP2393	1	20091308	ND	-	-	-	-
TP2726	0.4	20091309	ND	-	-	-	-
TP2726	0.4	20091310	ND	-	-	-	-
TP2726	0.9	20091311	ND	-	-	-	-
TP2727	0.1	20091312	ND	-	-	-	-
TP2727	0.1	20091313	ND	-	-	-	-
TP2727	1.5	20091314	ND	-	-	-	-
TP2828	0.1	20091315	ND	-	-	-	-
TP2828	0.1	20091316	ND	-	-	-	-
TP2828	0.4	20091317	ND	-	-	-	-
TP2890	0.1	20091318	ND	-	-	-	-
TP2890	0.5	20091319	ND	-	-	-	-
TP2890	0.5	20091320	ND	-	-	-	-
TP3107	0.1	20091321	ND	-	-	-	-
TP3107	0.1	20091322	ND	-	-	-	-
TP3107	0.3	20091323	ND	-	-	-	-
TP3108	0.35	20091324	ND	-	-	-	-
TP3108	0.35	20091325	ND	-	-	-	-
TP3108	1.6	20091326	ND	-	-	-	-
TP3122	0.1	20091327	ND	-	-	-	-
TP3122	0.5	20091328	ND	-	-	-	-
TP3122	0.5	20091329	ND	-	-	-	-
TP3123	0.1	20091330	ND	-	-	-	-
TP3123	0.5	20091331	ND	-	-	-	-
TP3123	0.5	20091332	ND	-	-	-	-
TP3124	0.1	20091333	ND	-	-	-	-
TP3124	0.3	20091334	ND	-	-	-	-
TP3124	0.3	20091335	ND	-	-	-	-
TP2053	0.3	20091336	ND	-	-	-	-
TP2053	1	20091337	ND	-	-	-	-
TP2053	1	20091338	ND	-	-	-	-
TP3139	0.1	20091339	ND	-	-	-	-
TP3139	0.5	20091340	ND	-	-	-	-
TP3139	0.5	20091341	ND	-	-	-	-
TP3140	0.1	20091342	ND	-	-	-	-
TP3140	0.1	20091343	ND	-	-	-	-
TP3140	0.75	20091344	ND	-	-	-	-
TP3145	0.3	20091345	ND	-	-	-	-
TP3145	0.3	20091346	ND	-	-	-	-
TP3145	1.2	20091347	ND	-	-	-	-
TP3146	0.1	20091348	ND	-	-	-	-
TP3146	0.6	20091349	ND	-	-	-	-
TP3146	0.6	20091350	ND	-	-	-	-
TP3157	0.1	20091351	ND	-	-	-	-
TP3157	0.1	20091352	ND	-	-	-	-
TP3157	0.3	20091353	ND	-	-	-	-
TP3158	0.1	20091354	ND	-	-	-	-
TP3158	0.3	20091355	ND	-	-	-	-
TP3158	0.3	20091356	ND	-	-	-	-
TP3159	0.1	20091357	ND	-	-	-	-
TP3159	0.1	20091358	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
TP3159	0.5	20091359	ND	-	-	-	-
TP3160	0.1	20091360	ND	-	-	-	-
TP3160	0.1	20091361	ND	-	-	-	-
TP3160	0.5	20091362	ND	-	-	-	-
TP3164	0.3	20091363	ND	-	-	-	-
TP3164	1.1	20091364	ND	-	-	-	-
TP3164	1.1	20091365	ND	-	-	-	-
TP3165	0.1	20091366	ND	-	-	-	-
TP3165	0.6	20091367	ND	-	-	-	-
TP3165	0.6	20091368	ND	-	-	-	-
TP3172	0.3	20091369	ND	-	-	-	-
TP3172	0.3	20091370	ND	-	-	-	-
TP3172	0.6	20091371	ND	-	-	-	-
TP3125	0.1	20091528	ND	-	-	-	-
TP3125	0.9	20091529	ND	-	-	-	-
TP3125	0.9	20091530	ND	-	-	-	-
TP3126	0.3	20091532	ND	-	-	-	-
TP3126	0.3	20091533	ND	-	-	-	-
TP3127	0.1	20091534	ND	-	-	-	-
TP3127	0.3	20091536	ND	-	-	-	-
TP3128	0.3	20091537	ND	-	-	-	-
TP3128	0.3	20091538	ND	-	-	-	-
TP3128	0.5	20091539	ND	-	-	-	-
TP3128	1.2	20091540	ND	-	-	-	-
TP3129	0.1	20091542	ND	-	-	-	-
TP3129	0.5	20091543	ND	-	-	-	-
TP3130	0.5	20091544	ND	-	-	-	-
TP3130	0.5	20091545	ND	-	-	-	-
TP3130	1.1	20091546	ND	-	-	-	-
TP3131	0.4	20091547	ND	-	-	-	-
TP3131	0.4	20091548	ND	-	-	-	-
TP3131	1	20091549	ND	-	-	-	-
TP3156	0.1	20091550	ND	-	-	-	-
TP3156	0.5	20091551	ND	-	-	-	-
TP3156	0.5	20091552	ND	-	-	-	-
TP3173	0.15	20091553	ND	-	-	-	-
TP3173	0.4	20091554	ND	-	-	-	-
TP3173	0.4	20091555	ND	-	-	-	-
TP3174	0.1	20091556	ND	-	-	-	-
TP3174	0.9	20091557	ND	-	-	-	-
TP3175	0.1	20091558	ND	-	-	-	-
TP3175	0.1	20091559	ND	-	-	-	-
TP3175	1.5	20091560	ND	-	-	-	-
TP3176	0.4	20091561	ND	-	-	-	-
TP3176	0.4	20091562	ND	-	-	-	-
TP3176	1.7	20091563	ND	-	-	-	-
TP3177	0.1	20091564	ND	-	-	-	-
TP3177	0.1	20091565	ND	-	-	-	-
TP3177	0.9	20091566	ND	-	-	-	-
TP3184	0.1	20091567	ND	-	-	-	-
TP3184	0.1	20091568	ND	-	-	-	-
TP3184	0.4	20091569	ND	-	-	-	-
TP3187	0.4	20091570	ND	-	-	-	-
TP3187	1.8	20091571	ND	-	-	-	-
TP3187	1.8	20091572	ND	-	-	-	-
TP3188	0.5	20091574	ND	-	-	-	-
TP3190	0.5	20091575	ND	-	-	-	-
TP3190	0.9	20091576	ND	-	-	-	-
TP3190	0.9	20091577	ND	-	-	-	-
TP3191	0.3	20091578	ND	-	-	-	-
TP3191	0.6	20091579	ND	-	-	-	-
TP3191	0.6	20091580	ND	-	-	-	-
TP3192	0.3	20091581	ND	-	-	-	-
TP3192	0.3	20091582	ND	-	-	-	-
TP3192	1.2	20091583	ND	-	-	-	-
TP3193	0.1	20091584	ND	-	-	-	-
TP3193	0.1	20091585	ND	-	-	-	-
TP3193	0.4	20091586	ND	-	-	-	-
TP3194	0.4	20091587	ND	-	-	-	-
TP3194	1	20091588	ND	-	-	-	-
TP3199	0.1	20091589	ND	-	-	-	-
TP3199	0.5	20091590	ND	-	-	-	-
TP3199	0.5	20091591	ND	-	-	-	-
TP3200	0.1	20091592	ND	-	-	-	-
TP3200	0.3	20091593	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
TP3200	0.3	20091594	ND	-	-	-	-
TP3201	0.3	20091595	ND	-	-	-	-
TP3201	0.3	20091596	ND	-	-	-	-
TP3201	1.1	20091597	ND	-	-	-	-
TP3202	0.1	20091598	ND	-	-	-	-
TP3202	0.6	20091599	ND	-	-	-	-
TP3202	0.6	20091600	ND	-	-	-	-
TP3204	0.05	20091601	ND	-	-	-	-
TP3204	0.8	20091602	ND	-	-	-	-
TP3205	0.1	20091603	ND	-	-	-	-
TP3205	0.1	20091604	ND	-	-	-	-
TP3205	0.4	20091605	ND	-	-	-	-
HS3147	0.1	20091606	ND	-	-	-	-
HS3148	0.2	20091607	ND	-	-	-	-
HS3149	0.15	20091608	ND	-	-	-	-
HS3150	0.2	20091609	ND	-	-	-	-
HS3151	0.1	20091610	ND	-	-	-	-
HS3152	0.2	20091611	ND	-	-	-	-
HS3153	0.1	20091612	ND	-	-	-	-
HS3154	0.15	20091613	ND	-	-	-	-
HS3155	0.2	20091614	ND	-	-	-	-
HS3161	0.2	20091615	ND	-	-	-	-
HS3162	0.1	20091616	ND	-	-	-	-
HS3167	0.1	20091618	ND	-	-	-	-
TP2425	0.05	20091619	ND	-	-	-	-
TP2425	1	20091620	ND	-	-	-	-
TP2425	1	20091621	ND	-	-	-	-
TP2425	1.5	20091622	ND	-	-	-	-
TP2614	0.1	20091623	ND	-	-	-	-
TP2614	0.3	20091624	ND	-	-	-	-
TP2614	0.3	20091625	ND	-	-	-	-
TP2763	0.1	20091626	ND	-	-	-	-
TP2763	0.1	20091627	ND	-	-	-	-
TP2763	0.6	20091628	ND	-	-	-	-
TP2827	0.1	20091629	ND	-	-	-	-
TP2827	0.4	20091630	ND	-	-	-	-
TP2827	0.4	20091631	ND	-	-	-	-
TP3185	0.1	20091632	ND	-	-	-	-
TP3185	0.4	20091633	ND	-	-	-	-
TP3185	0.4	20091634	ND	-	-	-	-
TP3186	0.1	20091635	ND	-	-	-	-
TP3186	0.1	20091636	ND	-	-	-	-
TP3186	0.35	20091637	ND	-	-	-	-
TP3203	0.1	20091638	ND	-	-	-	-
TP3203	0.1	20091639	ND	-	-	-	-
TP3203	0.8	20091640	ND	-	-	-	-
HA2485	0.3	20091641	ND	-	-	-	-
HA2485	0.3	20091641	ND	-	-	-	-
HA2485	0.7	20091643	ND	-	-	-	-
HA2545	0.3	20091644	ND	-	-	-	-
HA2545	0.3	20091644	ND	-	-	-	-
HA2545	0.7	20091646	ND	-	-	-	-
HA2553	0.4	20091647	ND	-	-	-	-
HA2553	0.4	20091647	ND	-	-	-	-
HA2553	0.8	20091649	ND	-	-	-	-
HA2658	0.25	20091650	ND	-	-	-	-
HA2658	0.25	20091650	ND	-	-	-	-
HA2658	0.75	20091652	ND	-	-	-	-
HA2659	0.3	20091653	ND	-	-	-	-
HA2659	0.3	20091653	ND	-	-	-	-
HA2659	0.8	20091655	ND	-	-	-	-
HA2660	0.2	20091656	ND	-	-	-	-
HA2660	0.2	20091656	ND	-	-	-	-
HA2660	0.55	20091658	ND	-	-	-	-
HA2661	0.3	20091659	ND	-	-	-	-
HA2661	0.3	20091659	ND	-	-	-	-
HA2661	0.8	20091661	ND	-	-	-	-
HA2819	0.2	20091662	ND	-	-	-	-
HA2819	0.7	20091663	ND	-	-	-	-
HA2819	0.7	20091663	ND	-	-	-	-
HA2820	0.25	20091665	ND	-	-	-	-
HA2820	0.7	20091666	ND	-	-	-	-
HA2820	0.7	20091666	ND	-	-	-	-
HS3133	0.2	20091669	ND	-	-	-	-
HS3134	0.2	20091670	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
HS3135	0.2	20091671	ND	-	-	-	-
HS3136	0.2	20091672	ND	-	-	-	-
HS3137	0.1	20091673	ND	-	-	-	-
HS3138	0.2	20091674	ND	-	-	-	-
HS3142	0.2	20091675	ND	-	-	-	-
HS3163	0.25	20091676	ND	-	-	-	-
HS3168	0.2	20091677	ND	-	-	-	-
HS3169	0.2	20091678	ND	-	-	-	-
HS3170	0.1	20091679	ND	-	-	-	-
HS3141	0.15	20091680	ND	-	-	-	-
HS3178	0.2	20091681	ND	-	-	-	-
TP2761	0.1	20091866	ND	-	-	-	-
TP2761	0.1	20091867	ND	-	-	-	-
TP2761	0.4	20091868	ND	-	-	-	-
TP2764	0.1	20091869	ND	-	-	-	-
TP2764	0.5	20091870	ND	-	-	-	-
TP2764	0.5	20091871	ND	-	-	-	-
TP3189	0.3	20091872	Present	-	-	1	30.9
HA2728	0.25	20091875	ND	-	-	-	-
HA2728	0.25	20091875	ND	-	-	-	-
HA2728	0.75	20091877	ND	-	-	-	-
HA2729	0.2	20091878	ND	-	-	-	-
HA2729	0.2	20091878	ND	-	-	-	-
HA2730	0.2	20091880	ND	-	-	-	-
HA2730	0.2	20091880	ND	-	-	-	-
HA2731	0.25	20091883	ND	-	-	-	-
HA2731	0.25	20091883	ND	-	-	-	-
HA2731	0.85	20091885	ND	-	-	-	-
HA2753	0.2	20091886	ND	-	-	-	-
HA2753	0.7	20091887	ND	-	-	-	-
HA2753	0.7	20091887	ND	-	-	-	-
HA2754	0.25	20091889	ND	-	-	-	-
HA2754	0.25	20091889	ND	-	-	-	-
HA2754	0.65	20091891	ND	-	-	-	-
HA2755A	0.2	20091892	ND	-	-	-	-
HA2755A	0.7	20091893	ND	-	-	-	-
HA2755A	0.7	20091893	ND	-	-	-	-
HA2756A	0.35	20091895	ND	-	-	-	-
HA2756A	0.35	20091895	ND	-	-	-	-
HA2756A	0.85	20091897	ND	-	-	-	-
HS2010	0.2	20091898	ND	-	-	-	-
HS2010	0.2	20091899	ND	-	-	-	-
HS2011	0.2	20091900	ND	-	-	-	-
HS2011	0.2	20091901	ND	-	-	-	-
HS2997	0.1	20091905	ND	-	-	-	-
HS2999	0.2	20091906	ND	-	-	-	-
HS2999	0.2	20091907	ND	-	-	-	-
HS3047	0.2	20091908	ND	-	-	-	-
HS3047	0.2	20091909	ND	-	-	-	-
HS3143	0.2	20091910	ND	-	-	-	-
HS3143	0.2	20091911	ND	-	-	-	-
HS3144	0.2	20091912	ND	-	-	-	-
HS3144	0.2	20091913	ND	-	-	-	-
HS3179	0.1	20091914	ND	-	-	-	-
HS3179	0.1	20091915	ND	-	-	-	-
HS3180	0.2	20091916	ND	-	-	-	-
HS3180	0.2	20091917	ND	-	-	-	-
HA2068A	0.2	20091918	ND	-	-	-	-
HA2068A	0.2	20091918	ND	-	-	-	-
HA2068A	0.7	20091920	ND	-	-	-	-
HA2086	0.25	20091921	ND	-	-	-	-
HA2086	0.9	20091922	ND	-	-	-	-
HA2086	0.9	20091922	ND	-	-	-	-
HA2088	0.2	20091924	ND	-	-	-	-
HA2088	0.2	20091924	ND	-	-	-	-
HA2088	0.7	20091926	ND	-	-	-	-
HA2089	0.2	20091927	ND	-	-	-	-
HA2089	0.2	20091927	ND	-	-	-	-
HA2089	0.75	20091929	ND	-	-	-	-
HA2837	0.25	20091930	ND	-	-	-	-
HA2837	0.25	20091930	ND	-	-	-	-
HA2837	0.8	20091932	ND	-	-	-	-
HA2840	0.2	20091933	ND	-	-	-	-
HA2840	0.75	20091934	ND	-	-	-	-
HA2840	0.75	20091934	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
HA2841	0.2	20091936	ND	-	-	-	-
HA2841	0.2	20091936	ND	-	-	-	-
HA2841	0.8	20091938	ND	-	-	-	-
HA2842	0.25	20091939	ND	-	-	-	-
HA2842	0.7	20091940	ND	-	-	-	-
HA2842	0.7	20091940	ND	-	-	-	-
HS2943	0.2	20091942	ND	-	-	-	-
HS2943	0.2	20091943	ND	-	-	-	-
HS2995	0.2	20091944	ND	-	-	-	-
HS2998	0.15	20091948	ND	-	-	-	-
HS2998	0.15	20091949	ND	-	-	-	-
HS3195	0.25	20091952	ND	-	-	-	-
HS3195	0.25	20091953	ND	-	-	-	-
HS3196	0.2	20091954	ND	-	-	-	-
HS3196	0.2	20091955	ND	-	-	-	-
HS3197	0.2	20091956	ND	-	-	-	-
HS3197	0.2	20091957	ND	-	-	-	-
HA2044	0.15	20091960	ND	-	-	-	-
HA2044	0.47	20091961	ND	-	-	-	-
HA2046	0.15	20091962	ND	-	-	-	-
HA2046	0.4	20091963	ND	-	-	-	-
HA2357	0.55	20091965	ND	-	-	-	-
HA2358	0.25	20091966	ND	-	-	-	-
HA2358	0.47	20091967	ND	-	-	-	-
HA2359	0.15	20091968	ND	-	-	-	-
HA2359	0.85	20091969	ND	-	-	-	-
HA2450	0.15	20091970	ND	-	-	-	-
HA2450	0.55	20091971	ND	-	-	-	-
HA2463	0.15	20091972	ND	-	-	-	-
HA2463	0.42	20091973	ND	-	-	-	-
HA2464	0.15	20091974	ND	-	-	-	-
HA2464	0.55	20091975	ND	-	-	-	-
HA2655	0.15	20091976	ND	-	-	-	-
HA2656	0.15	20091977	ND	-	-	-	-
HA2656	0.45	20091978	ND	-	-	-	-
HA2657	0.25	20091979	ND	-	-	-	-
HA2657	0.57	20091980	ND	-	-	-	-
HA2970	0.5	20091982	ND	-	-	-	-
HA3171	0.15	20091983	ND	-	-	-	-
HA3171	0.45	20091984	ND	-	-	-	-
TP3194	1	20091985	ND	-	-	-	-
HA2033	0.15	20091986	ND	-	-	-	-
HA2033	0.85	20091987	ND	-	-	-	-
HA2312	0.15	20091988	ND	-	-	-	-
HA2312	0.8	20091989	ND	-	-	-	-
HA2313	0.25	20091990	ND	-	-	-	-
HA2313	0.55	20091991	ND	-	-	-	-
HA2314	0.15	20091992	ND	-	-	-	-
HA2314	0.45	20091993	ND	-	-	-	-
HA2424	0.15	20091994	ND	-	-	-	-
HA2424	0.45	20091995	ND	-	-	-	-
HA2764A	0.47	20091997	ND	-	-	-	-
HA2765a	0.32	20091998	ND	-	-	-	-
HA2765a	0.47	20091999	ND	-	-	-	-
HA2797	0.15	20092000	ND	-	-	-	-
HA2797	0.82	20092001	ND	-	-	-	-
HA2810	0.25	20092002	ND	-	-	-	-
HA2810	0.45	20092003	ND	-	-	-	-
HA2839	0.3	20092004	ND	-	-	-	-
HA2839	0.5	20092005	ND	-	-	-	-
HA2843	0.15	20092006	ND	-	-	-	-
HA2843	0.4	20092007	ND	-	-	-	-
HA2862	0.15	20092008	ND	-	-	-	-
HA2862	0.42	20092009	ND	-	-	-	-
HA3181	0.15	20092010	ND	-	-	-	-
HA3181	0.45	20092011	ND	-	-	-	-
HA3182	0.25	20092012	ND	-	-	-	-
HA3182	0.45	20092013	ND	-	-	-	-
HA3183	0.15	20092014	ND	-	-	-	-
HA3183	0.45	20092015	ND	-	-	-	-
BOG TP01	0.1	3003/02	ND	-	-	-	-
BOG TP01	1.2	3004/02	ND	-	-	-	-
BOG TP02	0.1	3005/02	ND	-	-	-	-
BOG TP02	0.6	3006/02	ND	-	-	-	-
BOG TP03	0.1	3007/02	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
BOG TP03	3.5	3008/02	ND	-	-	-	-
BOG TP04	0.6	3009/02	ND	-	-	-	-
BOG TP05	0.2	3010/02	ND	-	-	-	-
BOG TP05	1.5	3011/02	ND	-	-	-	-
BOG TP06	0.1	3012/02	ND	-	-	-	-
BOG TP06	0.4	3013/02	Present	-	-	1	-
BOG TP07	0.2	3014/02	ND	-	-	-	-
BOG TP07	1.6	3015/02	Present	-	-	1	-
BOG TP08	0.8	3016/02	ND	-	-	-	-
BOG TP08	1	3017/02	ND	-	-	-	-
BOG TP08	4	3018/02	ND	-	-	-	-
BOG TP09	0.05	3019/02	ND	-	-	-	-
BOG TP09	1	3020/02	ND	-	-	-	-
BOG TP09	3	3021/02	Present	-	-	1	-
BOG TP10	0.1	3022/02	ND	-	-	-	-
BOG TP10	0.5	3023/02	ND	-	-	-	-
BOG TP11	0.2	3024/02	ND	-	-	-	-
BOG TP11	0.5	3025/02	ND	-	-	-	-
BOG TP12	0.6	3026/02	ND	-	-	-	-
BOG TP12	1	3027/02	ND	-	-	-	-
BOG TP13	3	3029/02	ND	-	-	-	-
BOG TP14	0.1	3030/02	ND	-	-	-	-
HS1533	0.15	LN2221/05	ND	-	-	-	-
HS1534	0.15	LN2222/05	ND	-	-	-	-
HS1535	0.1	LN2223/05	ND	-	-	-	-
HS1536	0.15	LN2224/05	Present	1	-	1	-
HS1537	0.1	LN2225/05	ND	-	-	-	-
HS1538	0.1	LN2226/05	ND	-	-	-	-
HS1539	0.1	LN2227/05	ND	-	-	-	-
HS1540	0.15	LN2228/05	ND	-	-	-	-
HS1541	0.1	LN2229/05	ND	-	-	-	-
HS1542	0.1	LN2230/05	ND	-	-	-	-
HS1543	0.1	LN2231/05	ND	-	-	-	-
HS1544	0.1	LN2232/05	ND	-	-	-	-
HS1546	0.1	LN2233/05	ND	-	-	-	-
HS1547	0.1	LN2234/05	ND	-	-	-	-
HS1548	0.1	LN2235/05	ND	-	-	-	-
HS1549	0.1	LN2236/05	ND	-	-	-	-
HS1554	0.1	LN2237/05	ND	-	-	-	-
HS1555	0.1	LN2238/05	ND	-	-	-	-
HS1556	0.1	LN2239/05	ND	-	-	-	-
HS1557	0.1	LN2240/05	Present	1	-	-	-
HS1558	0.1	LN2241/05	ND	-	-	-	-
HS1559	0.15	LN2242/05	ND	-	-	-	-
HS1560	0.1	LN2243/05	ND	-	-	-	-
HS1561	0.1	LN2244/05	ND	-	-	-	-
HS1562	0.1	LN2245/05	ND	-	-	-	-
HS1563	0.05	LN2246/05	ND	-	-	-	-
HS1564	0.15	LN2247/05	ND	-	-	-	-
HS1565	0.05	LN2248/05	ND	-	-	-	-
HS1566	0.1	LN2249/05	ND	-	-	-	-
HS1567	0.1	LN2250/05	ND	-	-	-	-
HS1568	0.1	LN2251/05	ND	-	-	-	-
HS1569	0.15	LN2252/05	ND	-	-	-	-
HS1570	0.15	LN2253/05	ND	-	-	-	-
HS1571	0.1	LN2254/05	Present	-	-	1	-
HS1572	0.1	LN2255/05	ND	-	-	-	-
HS1573	0.1	LN2256/05	ND	-	-	-	-
HS1574	0.1	LN2257/05	ND	-	-	-	-
HS1575	0.05	LN2258/05	ND	-	-	-	-
HS1576	0.1	LN2259/05	ND	-	-	-	-
HS1577	0.1	LN2260/05	ND	-	-	-	-
HS1578	0.15	LN2261/05	ND	-	-	-	-
HS1579	0.15	LN2262/05	ND	-	-	-	-
HS1580	0.1	LN2263/05	ND	-	-	-	-
HS1581	0.1	LN2264/05	ND	-	-	-	-
HS1582	0.1	LN2265/05	ND	-	-	-	-
HS1584	0.1	LN2266/05	ND	-	-	-	-
HS1585	0.1	LN2267/05	Present	1	-	-	-
HS1586	0.1	LN2268/05	ND	-	-	-	-
HS1587	0.1	LN2269/05	ND	-	-	-	-
HS1588	0.1	LN2270/05	ND	-	-	-	-
HS1589	0.1	LN2271/05	ND	-	-	-	-
HS1590	0.15	LN2272/05	ND	-	-	-	-
HS1591	0.1	LN2273/05	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
HS1592	0.15	LN2274/05	ND	-	-	-	-
HS1593	0.05	LN2275/05	ND	-	-	-	-
HS1594	0.1	LN2276/05	ND	-	-	-	-
HS1595	0.1	LN2277/05	ND	-	-	-	-
HS1596	0.1	LN2278/05	ND	-	-	-	-
HS1597	0.1	LN2279/05	ND	-	-	-	-
HS1599	0.05	LN2280/05	ND	-	-	-	-
HS1600	0.1	LN2281/05	ND	-	-	-	-
HS1601	0.05	LN2282/05	ND	-	-	-	-
HS1602	0.1	LN2283/05	ND	-	-	-	-
HS1603	0.1	LN2284/05	ND	-	-	-	-
HS1604	0.1	LN2285/05	ND	-	-	-	-
HS1605	0.1	LN2286/05	ND	-	-	-	-
HS1606	0.1	LN2287/05	ND	-	-	-	-
HS1607	0.1	LN2288/05	ND	-	-	-	-
HS1608	0.1	LN2289/05	ND	-	-	-	-
HS1609	0.1	LN2290/05	ND	-	-	-	-
HS1610	0.1	LN2291/05	ND	-	-	-	-
HS1611	0.1	LN2292/05	Present	-	1	-	-
HS1615	0.1	LN2293/05	ND	-	-	-	-
HS1616	0.1	LN2294/05	Present	-	1	-	-
AS01	0.1	LN2353/05	ND	-	-	-	-
BH1074	0.3	LN2354/05	ND	-	-	-	-
BH1089	0.5	LN2355/05	ND	-	-	-	-
BH1108	0.1	LN2356/05	ND	-	-	-	-
BH1194	0.3	LN2357/05	ND	-	-	-	-
BH1194	0.5	LN2358/05	ND	-	-	-	-
BH1219	0.1	LN2359/05	ND	-	-	-	-
BH1219	0.5	LN2360/05	ND	-	-	-	-
BH1231	0.1	LN2361/05	ND	-	-	-	-
BH1231	0.5	LN2362/05	ND	-	-	-	-
BH1242	0.1	LN2363/05	ND	-	-	-	-
BH1242	0.5	LN2364/05	ND	-	-	-	-
BH1349	0.1	LN2365/05	ND	-	-	-	-
BH1349	0.5	LN2366/05	ND	-	-	-	-
BH1445	0.1	LN2367/05	ND	-	-	-	-
BH1445	1	LN2368/05	ND	-	-	-	-
BH1451	0.3	LN2369/05	ND	-	-	-	-
BH1451	1	LN2370/05	ND	-	-	-	-
BH1455	0.3	LN2371/05	ND	-	-	-	-
BH1455	1	LN2372/05	ND	-	-	-	-
TP1502	0.3	LN2373/05	ND	-	-	-	-
TP1502	1	LN2374/05	Present	1	-	1	-
BH1504	0.1	LN2375/05	ND	-	-	-	-
BH1504	0.5	LN2376/05	ND	-	-	-	-
BH1505	0.1	LN2377/05	ND	-	-	-	-
BH1505	0.3	LN2378/05	ND	-	-	-	-
BH1532	0.1	LN2379/05	ND	-	-	-	-
BH1532	0.5	LN2380/05	ND	-	-	-	-
BH1621	0.3	LN2381/05	ND	-	-	-	-
BH1621	1	LN2382/05	ND	-	-	-	-
HS1545	0.15	LN2383/05	ND	-	-	-	-
HS1550	0.1	LN2384/05	ND	-	-	-	-
HS1551	0.1	LN2385/05	ND	-	-	-	-
HS1552	0.1	LN2386/05	ND	-	-	-	-
HS1553	0.1	LN2387/05	ND	-	-	-	-
HS1583	0.1	LN2388/05	ND	-	-	-	-
HS1598	0.15	LN2389/05	ND	-	-	-	-
HS1612	0.15	LN2390/05	ND	-	-	-	-
HS1613	0.15	LN2391/05	ND	-	-	-	-
HS1614	0.15	LN2392/05	ND	-	-	-	-
TP1056	0.1	LN2393/05	ND	-	-	-	-
TP1056	0.7	LN2394/05	ND	-	-	-	-
TP1057	0.1	LN2395/05	ND	-	-	-	-
TP1057	1.2	LN2396/05	ND	-	-	-	-
TP1058	0.3	LN2397/05	ND	-	-	-	-
TP1058	1.2	LN2398/05	ND	-	-	-	-
TP1059	0.3	LN2399/05	ND	-	-	-	-
TP1059	0.85	LN2400/05	ND	-	-	-	-
TP1060	0.1	LN2401/05	ND	-	-	-	-
TP1060	0.6	LN2402/05	ND	-	-	-	-
TP1061	0.3	LN2403/05	ND	-	-	-	-
TP1061	1.1	LN2404/05	ND	-	-	-	-
TP1062	0.3	LN2405/05	ND	-	-	-	-
TP1062	1	LN2406/05	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
TP1063	0.3	LN2407/05	ND	-	-	-	-
TP1063	0.6	LN2408/05	ND	-	-	-	-
TP1064	0.1	LN2409/05	ND	-	-	-	-
TP1064	0.5	LN2410/05	ND	-	-	-	-
TP1065	0.1	LN2411/05	ND	-	-	-	-
TP1065	0.5	LN2412/05	ND	-	-	-	-
TP1067	0.4	LN2413/05	ND	-	-	-	-
TP1067	1.2	LN2414/05	ND	-	-	-	-
TP1069	0.1	LN2415/05	ND	-	-	-	-
TP1069	0.7	LN2416/05	ND	-	-	-	-
TP1070	0.4	LN2417/05	ND	-	-	-	-
TP1070	1	LN2418/05	ND	-	-	-	-
TP1071	0.1	LN2419/05	ND	-	-	-	-
TP1071	0.3	LN2420/05	ND	-	-	-	-
TP1073	0.3	LN2421/05	ND	-	-	-	-
TP1073	0.7	LN2422/05	ND	-	-	-	-
TP1076	0.1	LN2423/05	ND	-	-	-	-
TP1076	0.5	LN2424/05	ND	-	-	-	-
TP1078	0.5	LN2425/05	ND	-	-	-	-
TP1078	1	LN2426/05	ND	-	-	-	-
TP1078	1.5	LN2427/05	ND	-	-	-	-
TP1080	0.5	LN2428/05	ND	-	-	-	-
TP1080	2	LN2429/05	ND	-	-	-	-
TP1082	0.2	LN2430/05	ND	-	-	-	-
TP1082	0.5	LN2431/05	ND	-	-	-	-
TP1083	0.5	LN2432/05	ND	-	-	-	-
TP1083	1.5	LN2433/05	ND	-	-	-	-
TP1083	2.3	LN2434/05	ND	-	-	-	-
TP1084	0.4	LN2435/05	ND	-	-	-	-
TP1084	0.8	LN2436/05	ND	-	-	-	-
TP1085	0.2	LN2437/05	ND	-	-	-	-
TP1085	0.5	LN2438/05	Present	1	1	-	-
TP1086	0.1	LN2439/05	ND	-	-	-	-
TP1086	0.6	LN2440/05	ND	-	-	-	-
TP1090	0.3	LN2441/05	ND	-	-	-	-
TP1090	1.7	LN2442/05	ND	-	-	-	-
TP1091	0.1	LN2443/05	ND	-	-	-	-
TP1091	1.2	LN2444/05	ND	-	-	-	-
TP1092	0.3	LN2445/05	ND	-	-	-	-
TP1092	2	LN2446/05	ND	-	-	-	-
TP1094	0.1	LN2447/05	ND	-	-	-	-
TP1094	0.5	LN2448/05	ND	-	-	-	-
TP1095	0.1	LN2449/05	ND	-	-	-	-
TP1095	0.5	LN2450/05	ND	-	-	-	-
TP1096	0.1	LN2451/05	ND	-	-	-	-
TP1096	1	LN2452/05	ND	-	-	-	-
TP1097	0.3	LN2453/05	ND	-	-	-	-
TP1097	0.6	LN2454/05	ND	-	-	-	-
TP1100	0.3	LN2455/05	ND	-	-	-	-
TP1100	1	LN2456/05	ND	-	-	-	-
TP1101	0.2	LN2457/05	ND	-	-	-	-
TP1101	2.8	LN2458/05	ND	-	-	-	-
TP1465	0.1	LN2459/05	ND	-	-	-	-
TP1465	0.5	LN2460/05	ND	-	-	-	-
TP1465	1	LN2461/05	ND	-	-	-	-
BH1027	0.1	LN2523/05	ND	-	-	-	-
BH1027	0.5	LN2524/05	ND	-	-	-	-
BH1167	0.3	LN2525/05	ND	-	-	-	-
BH1167	1	LN2526/05	ND	-	-	-	-
BH1258	0.1	LN2527/05	ND	-	-	-	-
BH1258	0.5	LN2528/05	ND	-	-	-	-
TP1259	0.1	LN2529/05	ND	-	-	-	-
TP1259	0.3	LN2530/05	ND	-	-	-	-
BH1271	0.1	LN2531/05	ND	-	-	-	-
BH1271	0.3	LN2532/05	ND	-	-	-	-
BH1297	0.1	LN2533/05	ND	-	-	-	-
BH1297	0.3	LN2534/05	ND	-	-	-	-
BH1306	0.1	LN2535/05	ND	-	-	-	-
BH1306	0.3	LN2536/05	ND	-	-	-	-
BH1429	0.3	LN2537/05	ND	-	-	-	-
BH1429	0.5	LN2538/05	ND	-	-	-	-
TP1066	0.1	LN2539/05	ND	-	-	-	-
TP1066	0.3	LN2540/05	ND	-	-	-	-
TP1068	0.1	LN2541/05	ND	-	-	-	-
TP1068	0.3	LN2542/05	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
TP1072	0.1	LN2543/05	ND	-	-	-	-
TP1072	0.3	LN2544/05	ND	-	-	-	-
TP1075	0.1	LN2545/05	ND	-	-	-	-
TP1075	0.6	LN2546/05	ND	-	-	-	-
TP1077	0.3	LN2547/05	ND	-	-	-	-
TP1077	0.5	LN2548/05	ND	-	-	-	-
TP1079	0.1	LN2549/05	ND	-	-	-	-
TP1079	0.3	LN2550/05	ND	-	-	-	-
TP1081	0.3	LN2551/05	ND	-	-	-	-
TP1081	1.2	LN2552/05	ND	-	-	-	-
TP1087	0.3	LN2553/05	ND	-	-	-	-
TP1087	0.7	LN2554/05	ND	-	-	-	-
TP1088	0.1	LN2555/05	ND	-	-	-	-
TP1088	0.5	LN2556/05	ND	-	-	-	-
TP1093	0.1	LN2557/05	ND	-	-	-	-
TP1093	0.3	LN2558/05	ND	-	-	-	-
TP1098	0.1	LN2559/05	ND	-	-	-	-
TP1098	0.5	LN2560/05	ND	-	-	-	-
TP1099	0.1	LN2561/05	ND	-	-	-	-
TP1099	0.3	LN2562/05	ND	-	-	-	-
TP1102	0.1	LN2563/05	ND	-	-	-	-
TP1102	1	LN2564/05	ND	-	-	-	-
TP1102	1.5	LN2565/05	ND	-	-	-	-
TP1103	0.1	LN2566/05	ND	-	-	-	-
TP1103	0.3	LN2567/05	ND	-	-	-	-
TP1104	0.1	LN2568/05	ND	-	-	-	-
TP1104	0.3	LN2569/05	ND	-	-	-	-
TP1105	0.1	LN2570/05	ND	-	-	-	-
TP1105	0.6	LN2571/05	ND	-	-	-	-
TP1106	0.1	LN2572/05	ND	-	-	-	-
TP1106	0.3	LN2573/05	ND	-	-	-	-
TP1107	0.1	LN2574/05	ND	-	-	-	-
TP1107	0.5	LN2575/05	ND	-	-	-	-
TP1109	0.1	LN2576/05	ND	-	-	-	-
TP1109	0.3	LN2577/05	ND	-	-	-	-
TP1110	0.1	LN2578/05	ND	-	-	-	-
TP1110	0.3	LN2579/05	ND	-	-	-	-
TP1111	0.1	LN2580/05	ND	-	-	-	-
TP1111	0.5	LN2581/05	ND	-	-	-	-
TP1112	0.1	LN2582/05	ND	-	-	-	-
TP1112	0.5	LN2583/05	ND	-	-	-	-
TP1113	0.1	LN2584/05	ND	-	-	-	-
TP1113	0.5	LN2585/05	ND	-	-	-	-
TP1114	0.1	LN2586/05	ND	-	-	-	-
TP1114	0.3	LN2587/05	ND	-	-	-	-
TP1116	0.1	LN2588/05	ND	-	-	-	-
TP1116	0.5	LN2589/05	ND	-	-	-	-
TP1117	0.1	LN2590/05	ND	-	-	-	-
TP1117	0.3	LN2591/05	ND	-	-	-	-
TP1118	0.1	LN2592/05	ND	-	-	-	-
TP1118	0.3	LN2593/05	ND	-	-	-	-
TP1119	0.1	LN2594/05	ND	-	-	-	-
TP1119	0.3	LN2595/05	ND	-	-	-	-
TP1119	1	LN2596/05	ND	-	-	-	-
TP1120	0.1	LN2597/05	ND	-	-	-	-
TP1120	0.3	LN2598/05	ND	-	-	-	-
BH1089	2	LN2645/05	ND	-	-	-	-
BH1089	4	LN2646/05	ND	-	-	-	-
BH1108	3	LN2647/05	ND	-	-	-	-
HA1313	0.1	LN2648/05	ND	-	-	-	-
HA1313	0.4	LN2649/05	ND	-	-	-	-
HA1318	0.1	LN2650/05	ND	-	-	-	-
HA1325	0.1	LN2651/05	ND	-	-	-	-
HA1471	0.1	LN2652/05	ND	-	-	-	-
HA1471	1	LN2653/05	ND	-	-	-	-
HA1473	0.1	LN2654/05	ND	-	-	-	-
HA1473	1.5	LN2655/05	ND	-	-	-	-
TP1115	0.1	LN2656/05	ND	-	-	-	-
TP1115	0.5	LN2657/05	ND	-	-	-	-
TP1121	0.3	LN2658/05	ND	-	-	-	-
TP1121	2.2	LN2659/05	ND	-	-	-	-
TP1122	0.1	LN2660/05	ND	-	-	-	-
TP1122	0.3	LN2661/05	ND	-	-	-	-
TP1123	0.1	LN2662/05	ND	-	-	-	-
TP1123	0.5	LN2663/05	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
TP1123	1	LN2664/05	ND	-	-	-	-
TP1124	0.1	LN2665/05	ND	-	-	-	-
TP1124	0.3	LN2666/05	ND	-	-	-	-
TP1125	0.1	LN2667/05	ND	-	-	-	-
TP1125	0.3	LN2668/05	ND	-	-	-	-
TP1126	0.1	LN2669/05	Present	-	1	1	-
TP1126	0.5	LN2670/05	ND	-	-	-	-
TP1127	0.3	LN2671/05	ND	-	-	-	-
TP1127	0.5	LN2672/05	ND	-	-	-	-
TP1155	0.1	LN2673/05	ND	-	-	-	-
TP1155	1	LN2674/05	ND	-	-	-	-
TP1188	0.5	LN2675/05	ND	-	-	-	-
TP1191	0.3	LN2676/05	ND	-	-	-	-
TP1191	0.5	LN2677/05	ND	-	-	-	-
TP1404	0.1	LN2678/05	ND	-	-	-	-
TP1404	0.6	LN2679/05	ND	-	-	-	-
TP1405	0.1	LN2680/05	ND	-	-	-	-
TP1405	0.3	LN2681/05	ND	-	-	-	-
TP1406	0.5	LN2682/05	ND	-	-	-	-
TP1406	1	LN2683/05	ND	-	-	-	-
TP1409	0.1	LN2684/05	ND	-	-	-	-
TP1409	0.55	LN2685/05	ND	-	-	-	-
TP1410	0.1	LN2686/05	ND	-	-	-	-
TP1410	0.6	LN2687/05	ND	-	-	-	-
TP1411	0.1	LN2688/05	ND	-	-	-	-
TP1411	0.5	LN2689/05	ND	-	-	-	-
TP1413	0.6	LN2690/05	ND	-	-	-	-
TP1413	2.6	LN2691/05	ND	-	-	-	-
TP1415	0.2	LN2692/05	ND	-	-	-	-
TP1415	0.5	LN2693/05	ND	-	-	-	-
TP1416	0.05	LN2694/05	ND	-	-	-	-
TP1416	0.3	LN2695/05	ND	-	-	-	-
TP1418	0.1	LN2696/05	ND	-	-	-	-
TP1418	1	LN2697/05	ND	-	-	-	-
TP1419	0.3	LN2698/05	ND	-	-	-	-
TP1419	1	LN2699/05	ND	-	-	-	-
TP1420	0.3	LN2700/05	Present	-	-	1	-
TP1420	1.9	LN2701/05	Present	-	-	1	-
TP1421	0.1	LN2702/05	ND	-	-	-	-
TP1421	0.5	LN2703/05	ND	-	-	-	-
TP1440	0.1	LN2704/05	ND	-	-	-	-
TP1440	0.3	LN2705/05	ND	-	-	-	-
TP1441	0.3	LN2706/05	ND	-	-	-	-
TP1441	1	LN2707/05	ND	-	-	-	-
TP1442	0.3	LN2708/05	ND	-	-	-	-
TP1442	2	LN2709/05	ND	-	-	-	-
TP1443	0.1	LN2710/05	ND	-	-	-	-
TP1443	0.5	LN2711/05	ND	-	-	-	-
TP1443	1	LN2712/05	ND	-	-	-	-
TP1444	0.4	LN2713/05	ND	-	-	-	-
TP1444	0.5	LN2714/05	ND	-	-	-	-
TP1446	0.3	LN2715/05	ND	-	-	-	-
TP1446	0.5	LN2716/05	ND	-	-	-	-
TP1447	0.1	LN2717/05	ND	-	-	-	-
TP1447	0.5	LN2718/05	ND	-	-	-	-
TP1447	1.8	LN2719/05	ND	-	-	-	-
TP1448	0.1	LN2720/05	ND	-	-	-	-
TP1448	0.3	LN2721/05	ND	-	-	-	-
TP1449	0.1	LN2722/05	ND	-	-	-	-
TP1449	0.3	LN2723/05	ND	-	-	-	-
TP1450	0.3	LN2724/05	ND	-	-	-	-
TP1450	0.5	LN2725/05	ND	-	-	-	-
TP1452	0.1	LN2726/05	ND	-	-	-	-
TP1452	0.5	LN2727/05	ND	-	-	-	-
TP1453	0.1	LN2728/05	ND	-	-	-	-
TP1453	0.3	LN2729/05	ND	-	-	-	-
TP1453	0.5	LN2730/05	ND	-	-	-	-
TP1454	0.1	LN2731/05	ND	-	-	-	-
TP1454	0.3	LN2732/05	ND	-	-	-	-
TP1456	0.4	LN2733/05	ND	-	-	-	-
TP1456	0.7	LN2734/05	ND	-	-	-	-
TP1456	2.7	LN2735/05	ND	-	-	-	-
TP1459	0.2	LN2736/05	ND	-	-	-	-
TP1459	0.5	LN2737/05	ND	-	-	-	-
TP1460	0.1	LN2738/05	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
TP1460	0.3	LN2739/05	ND	-	-	-	-
AS02	0.1	LN2756/05	ND	-	-	-	-
AS03	0.1	LN2757/05	ND	-	-	-	-
AS04	0.1	LN2758/05	ND	-	-	-	-
AS05	0.1	LN2759/05	ND	-	-	-	-
AS06	0.1	LN2760/05	ND	-	-	-	-
AS08	0.1	LN2761/05	ND	-	-	-	-
AS10	0.1	LN2762/05	ND	-	-	-	-
AS11	0.1	LN2763/05	ND	-	-	-	-
AS12	0.1	LN2764/05	ND	-	-	-	-
AS13	0.1	LN2765/05	ND	-	-	-	-
AS14	0.1	LN2766/05	ND	-	-	-	-
AS15	0.1	LN2767/05	ND	-	-	-	-
AS16	0.1	LN2768/05	Present	-	-	1	-
AS17	0.1	LN2769/05	ND	-	-	-	-
AS19	0.1	LN2770/05	ND	-	-	-	-
BH1074	3	LN2771/05	ND	-	-	-	-
BH1074	4.3	LN2772/05	ND	-	-	-	-
BH1231	3	LN2773/05	ND	-	-	-	-
BH1231	8.5	LN2774/05	ND	-	-	-	-
BH1242	3.5	LN2775/05	ND	-	-	-	-
BH1242	4.5	LN2776/05	ND	-	-	-	-
BH1306	2	LN2777/05	ND	-	-	-	-
BH1306	4.5	LN2778/05	ND	-	-	-	-
BH1349	4.5	LN2779/05	ND	-	-	-	-
BH1445	2	LN2780/05	ND	-	-	-	-
BH1445	4.5	LN2781/05	ND	-	-	-	-
BH1455	1.5	LN2782/05	ND	-	-	-	-
BH1455	4.5	LN2783/05	ND	-	-	-	-
BH1532	3	LN2784/05	ND	-	-	-	-
BH1532	4.5	LN2785/05	ND	-	-	-	-
BH1621	3	LN2786/05	ND	-	-	-	-
BH1621	6	LN2787/05	ND	-	-	-	-
HA1265	0.1	LN2788/05	ND	-	-	-	-
HA1265	0.4	LN2789/05	ND	-	-	-	-
HA1395	0.1	LN2790/05	ND	-	-	-	-
HA1397	0.1	LN2791/05	ND	-	-	-	-
HA1397	0.4	LN2792/05	ND	-	-	-	-
HA1399	0.1	LN2793/05	ND	-	-	-	-
HA1399	0.4	LN2794/05	ND	-	-	-	-
HA1401	0.1	LN2795/05	ND	-	-	-	-
HA1401	0.4	LN2796/05	ND	-	-	-	-
HA1403	0.1	LN2797/05	ND	-	-	-	-
HA1403	0.4	LN2798/05	ND	-	-	-	-
HA1475	0.1	LN2799/05	ND	-	-	-	-
HA1475	0.4	LN2800/05	ND	-	-	-	-
HA1477	0.1	LN2801/05	ND	-	-	-	-
HA1477	1	LN2802/05	ND	-	-	-	-
HA1480	0.4	LN2803/05	ND	-	-	-	-
HA1480	1.5	LN2804/05	ND	-	-	-	-
HA1482	0.1	LN2805/05	ND	-	-	-	-
HA1482	1	LN2806/05	ND	-	-	-	-
TP1026	0.3	LN2807/05	ND	-	-	-	-
TP1026	0.5	LN2808/05	ND	-	-	-	-
TP1026	3.9	LN2809/05	ND	-	-	-	-
#N/A	#N/A	LN2810/05	ND	-	-	-	-
TP1028	0.1	LN2811/05	ND	-	-	-	-
TP1028	0.5	LN2812/05	ND	-	-	-	-
TP1028	3	LN2813/05	ND	-	-	-	-
TP1037	0.1	LN2814/05	ND	-	-	-	-
TP1037	0.3	LN2815/05	ND	-	-	-	-
TP1037	3.5	LN2816/05	ND	-	-	-	-
TP1128	0.1	LN2817/05	ND	-	-	-	-
TP1128	0.7	LN2818/05	ND	-	-	-	-
TP1129	0.1	LN2819/05	ND	-	-	-	-
TP1129	0.9	LN2820/05	ND	-	-	-	-
TP1132	0.1	LN2821/05	ND	-	-	-	-
TP1132	1	LN2822/05	ND	-	-	-	-
TP1133	0.1	LN2823/05	ND	-	-	-	-
TP1133	0.4	LN2824/05	ND	-	-	-	-
TP1136	0.1	LN2825/05	ND	-	-	-	-
TP1136	0.4	LN2826/05	ND	-	-	-	-
TP1147	0.1	LN2827/05	ND	-	-	-	-
TP1147	0.3	LN2828/05	ND	-	-	-	-
TP1151	0.1	LN2829/05	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
TP1151	0.5	LN2830/05	ND	-	-	-	-
TP1153	0.1	LN2831/05	ND	-	-	-	-
TP1153	1.5	LN2832/05	ND	-	-	-	-
TP1188	0.1	LN2833/05	ND	-	-	-	-
TP1241	0.1	LN2834/05	ND	-	-	-	-
TP1241	1	LN2835/05	ND	-	-	-	-
TP1311	0.1	LN2836/05	ND	-	-	-	-
TP1311	0.3	LN2837/05	ND	-	-	-	-
TP1312	0.3	LN2838/05	ND	-	-	-	-
TP1312	2.2	LN2839/05	ND	-	-	-	-
TP1314	0.3	LN2840/05	ND	-	-	-	-
TP1314	2	LN2841/05	ND	-	-	-	-
TP1316	0.1	LN2842/05	ND	-	-	-	-
TP1316	0.5	LN2843/05	ND	-	-	-	-
TP1317	0.3	LN2844/05	ND	-	-	-	-
TP1317	1	LN2845/05	ND	-	-	-	-
TP1319	0.1	LN2846/05	ND	-	-	-	-
TP1319	0.3	LN2847/05	ND	-	-	-	-
TP1320	0.2	LN2848/05	ND	-	-	-	-
TP1320	0.5	LN2849/05	ND	-	-	-	-
TP1321	0.1	LN2850/05	ND	-	-	-	-
TP1321	0.3	LN2851/05	ND	-	-	-	-
TP1323	0.3	LN2852/05	ND	-	-	-	-
TP1323	0.5	LN2853/05	ND	-	-	-	-
TP1326	0.3	LN2854/05	ND	-	-	-	-
TP1326	0.5	LN2855/05	ND	-	-	-	-
TP1330	0.3	LN2856/05	ND	-	-	-	-
TP1330	0.5	LN2857/05	ND	-	-	-	-
TP1334	0.5	LN2858/05	ND	-	-	-	-
TP1337	0.3	LN2859/05	ND	-	-	-	-
TP1337	1	LN2860/05	ND	-	-	-	-
TP1338	0.1	LN2861/05	ND	-	-	-	-
TP1338	0.5	LN2862/05	ND	-	-	-	-
TP1339	0.1	LN2863/05	ND	-	-	-	-
TP1339	0.3	LN2864/05	ND	-	-	-	-
TP1342	0.5	LN2865/05	ND	-	-	-	-
TP1342	1	LN2866/05	ND	-	-	-	-
TP1344	0.3	LN2867/05	ND	-	-	-	-
TP1344	1	LN2868/05	ND	-	-	-	-
TP1347	0.5	LN2869/05	ND	-	-	-	-
TP1347	1.55	LN2870/05	ND	-	-	-	-
TP1351	0.5	LN2871/05	ND	-	-	-	-
TP1351	2	LN2872/05	ND	-	-	-	-
TP1352	0.1	LN2873/05	ND	-	-	-	-
TP1352	0.5	LN2874/05	ND	-	-	-	-
TP1353	0.1	LN2875/05	ND	-	-	-	-
TP1353	0.5	LN2876/05	ND	-	-	-	-
TP1354	0.5	LN2877/05	ND	-	-	-	-
TP1354	1	LN2878/05	ND	-	-	-	-
TP1355	0.1	LN2879/05	ND	-	-	-	-
TP1355	0.5	LN2880/05	ND	-	-	-	-
TP1356	0.1	LN2881/05	ND	-	-	-	-
TP1356	0.3	LN2882/05	ND	-	-	-	-
TP1356	1	LN2883/05	ND	-	-	-	-
TP1357	0.1	LN2884/05	ND	-	-	-	-
TP1357	0.4	LN2885/05	ND	-	-	-	-
TP1358	0.3	LN2886/05	ND	-	-	-	-
TP1358	1	LN2887/05	ND	-	-	-	-
TP1359	0.1	LN2888/05	ND	-	-	-	-
TP1359	0.3	LN2889/05	ND	-	-	-	-
TP1360	0.4	LN2890/05	ND	-	-	-	-
TP1360	1	LN2891/05	ND	-	-	-	-
TP1361	0.1	LN2892/05	ND	-	-	-	-
TP1361	0.5	LN2893/05	ND	-	-	-	-
TP1363	0.1	LN2894/05	ND	-	-	-	-
TP1363	0.3	LN2895/05	ND	-	-	-	-
TP1364	0.25	LN2896/05	ND	-	-	-	-
TP1364	1.5	LN2897/05	ND	-	-	-	-
TP1365	0.5	LN2898/05	ND	-	-	-	-
TP1365	1.8	LN2899/05	ND	-	-	-	-
TP1367	0.4	LN2900/05	ND	-	-	-	-
TP1367	0.8	LN2901/05	ND	-	-	-	-
TP1368	0.35	LN2902/05	ND	-	-	-	-
TP1368	1.9	LN2903/05	ND	-	-	-	-
TP1369	0.3	LN2904/05	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
TP1369	0.7	LN2905/05	ND	-	-	-	-
TP1370	0.1	LN2906/05	ND	-	-	-	-
TP1370	0.6	LN2907/05	ND	-	-	-	-
TP1372	0.1	LN2908/05	ND	-	-	-	-
TP1372	0.25	LN2909/05	ND	-	-	-	-
TP1373	0.1	LN2910/05	ND	-	-	-	-
TP1373	0.5	LN2911/05	ND	-	-	-	-
TP1374	0.1	LN2912/05	ND	-	-	-	-
TP1374	0.8	LN2913/05	ND	-	-	-	-
TP1376	0.1	LN2914/05	ND	-	-	-	-
TP1376	0.35	LN2915/05	ND	-	-	-	-
TP1377	0.3	LN2916/05	ND	-	-	-	-
TP1377	0.9	LN2917/05	ND	-	-	-	-
TP1378	0.1	LN2918/05	ND	-	-	-	-
TP1378	0.4	LN2919/05	ND	-	-	-	-
TP1379	0.1	LN2920/05	ND	-	-	-	-
TP1379	0.7	LN2921/05	ND	-	-	-	-
TP1382	0.1	LN2922/05	ND	-	-	-	-
TP1382	0.5	LN2923/05	ND	-	-	-	-
TP1383	0.4	LN2924/05	ND	-	-	-	-
TP1383	1.1	LN2925/05	ND	-	-	-	-
TP1386	0.3	LN2926/05	ND	-	-	-	-
TP1386	1.1	LN2927/05	ND	-	-	-	-
TP1390	0.1	LN2928/05	ND	-	-	-	-
TP1390	0.5	LN2929/05	ND	-	-	-	-
TP1391	0.1	LN2930/05	Present	1	1	-	-
TP1391	0.4	LN2931/05	ND	-	-	-	-
TP1392	0.1	LN2932/05	ND	-	-	-	-
TP1392	0.3	LN2933/05	ND	-	-	-	-
TP1392	0.7	LN2934/05	ND	-	-	-	-
TP1458	0.3	LN2935/05	ND	-	-	-	-
TP1458	2	LN2936/05	ND	-	-	-	-
TP1461	0.1	LN2937/05	ND	-	-	-	-
TP1461	0.3	LN2938/05	ND	-	-	-	-
TP1462	0.3	LN2939/05	ND	-	-	-	-
TP1462	0.5	LN2940/05	ND	-	-	-	-
TP1463	0.1	LN2941/05	ND	-	-	-	-
TP1463	0.5	LN2942/05	ND	-	-	-	-
TP1464	0.5	LN2943/05	ND	-	-	-	-
TP1464	2	LN2944/05	ND	-	-	-	-
BH1046	0.3	LN3030/05	ND	-	-	-	-
BH1046	1	LN3031/05	ND	-	-	-	-
BH1050	0.1	LN3032/05	ND	-	-	-	-
BH1050	0.3	LN3033/05	ND	-	-	-	-
BH1134	0.1	LN3034/05	ND	-	-	-	-
BH1134	0.3	LN3035/05	ND	-	-	-	-
BH1134	2	LN3036/05	ND	-	-	-	-
BH1134	3	LN3037/05	ND	-	-	-	-
BH1167	1.5	LN3038/05	ND	-	-	-	-
BH1167	3	LN3039/05	ND	-	-	-	-
BH1194	6	LN3040/05	ND	-	-	-	-
BH1194	12	LN3041/05	ND	-	-	-	-
BH1219	3	LN3042/05	ND	-	-	-	-
BH1258	1.5	LN3043/05	ND	-	-	-	-
BH1258	4.5	LN3044/05	ND	-	-	-	-
BH1271	3	LN3045/05	ND	-	-	-	-
BH1271	7.5	LN3046/05	ND	-	-	-	-
BH1297	3	LN3047/05	ND	-	-	-	-
BH1297	4.5	LN3048/05	ND	-	-	-	-
BH1366	0.1	LN3049/05	ND	-	-	-	-
BH1366	0.5	LN3050/05	ND	-	-	-	-
BH1366	3	LN3051/05	ND	-	-	-	-
BH1366	4.8	LN3052/05	ND	-	-	-	-
BH1375	0.35	LN3053/05	ND	-	-	-	-
BH1375	0.5	LN3054/05	ND	-	-	-	-
BH1412	2	LN3055/05	ND	-	-	-	-
BH1412	4.5	LN3056/05	ND	-	-	-	-
BH1429	1.5	LN3057/05	ND	-	-	-	-
BH1429	4.5	LN3058/05	ND	-	-	-	-
BH1430	0.1	LN3059/05	ND	-	-	-	-
BH1430	0.6	LN3060/05	ND	-	-	-	-
BH1430	1.5	LN3061/05	ND	-	-	-	-
BH1430	4.5	LN3062/05	ND	-	-	-	-
BH1495	0.3	LN3063/05	ND	-	-	-	-
BH1495	1	LN3064/05	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
BH1495	3	LN3065/05	ND	-	-	-	-
BH1495	4.5	LN3066/05	ND	-	-	-	-
BH1504	1.5	LN3067/05	ND	-	-	-	-
BH1504	4.5	LN3068/05	ND	-	-	-	-
BH1528	0.1	LN3069/05	ND	-	-	-	-
BH1528	0.5	LN3070/05	ND	-	-	-	-
BH1528	3	LN3071/05	ND	-	-	-	-
BH1529	0.1	LN3072/05	ND	-	-	-	-
BH1529	0.5	LN3073/05	ND	-	-	-	-
BH1529	1.5	LN3074/05	ND	-	-	-	-
BH1530	0.5	LN3075/05	ND	-	-	-	-
BH1530	1	LN3076/05	ND	-	-	-	-
BH1530	3.5	LN3077/05	ND	-	-	-	-
BH1530	7.5	LN3078/05	ND	-	-	-	-
BH1622	0.1	LN3079/05	ND	-	-	-	-
BH1622	0.3	LN3080/05	ND	-	-	-	-
HA1212	0.1	LN3081/05	ND	-	-	-	-
HA1212	0.4	LN3082/05	ND	-	-	-	-
HA1315	0.4	LN3083/05	ND	-	-	-	-
HA1315	1.4	LN3084/05	ND	-	-	-	-
HA1324	0.1	LN3085/05	ND	-	-	-	-
HA1324	0.8	LN3086/05	ND	-	-	-	-
HA1371	0.1	LN3087/05	ND	-	-	-	-
HA1371	0.4	LN3088/05	ND	-	-	-	-
HA1385	0.1	LN3089/05	ND	-	-	-	-
HA1385	0.3	LN3090/05	ND	-	-	-	-
HA1389	0.1	LN3091/05	ND	-	-	-	-
HA1389	0.4	LN3092/05	ND	-	-	-	-
HA1457	0.1	LN3093/05	ND	-	-	-	-
HA1457	0.4	LN3094/05	ND	-	-	-	-
HA1483	0.1	LN3095/05	ND	-	-	-	-
HA1483	0.4	LN3096/05	ND	-	-	-	-
HA1485	0.1	LN3097/05	ND	-	-	-	-
HA1485	0.4	LN3098/05	ND	-	-	-	-
HA1487	0.1	LN3099/05	ND	-	-	-	-
HA1487	0.4	LN3100/05	ND	-	-	-	-
HA1488	0.1	LN3101/05	ND	-	-	-	-
HA1488	0.4	LN3102/05	ND	-	-	-	-
HA1493	0.1	LN3103/05	ND	-	-	-	-
HA1493	0.3	LN3104/05	ND	-	-	-	-
TP1012	0.3	LN3105/05	ND	-	-	-	-
TP1012	1	LN3106/05	ND	-	-	-	-
TP1020	0.3	LN3107/05	ND	-	-	-	-
TP1020	0.5	LN3108/05	ND	-	-	-	-
TP1025	0.1	LN3109/05	ND	-	-	-	-
TP1025	0.3	LN3110/05	ND	-	-	-	-
TP1029	0.4	LN3111/05	ND	-	-	-	-
TP1029	2.4	LN3112/05	ND	-	-	-	-
TP1030	0.1	LN3113/05	ND	-	-	-	-
TP1030	2	LN3114/05	ND	-	-	-	-
TP1031	0.1	LN3115/05	ND	-	-	-	-
TP1031	0.35	LN3116/05	ND	-	-	-	-
TP1032	0.25	LN3117/05	ND	-	-	-	-
TP1032	0.5	LN3118/05	ND	-	-	-	-
TP1033	0.1	LN3119/05	ND	-	-	-	-
TP1033	0.3	LN3120/05	ND	-	-	-	-
TP1034	0.1	LN3121/05	ND	-	-	-	-
TP1034	0.35	LN3122/05	ND	-	-	-	-
TP1035	0.1	LN3123/05	ND	-	-	-	-
TP1035	0.4	LN3124/05	ND	-	-	-	-
TP1036	0.45	LN3125/05	ND	-	-	-	-
TP1036	1.8	LN3126/05	ND	-	-	-	-
TP1043	0.1	LN3127/05	ND	-	-	-	-
TP1043	0.5	LN3128/05	ND	-	-	-	-
TP1130	0.1	LN3129/05	ND	-	-	-	-
TP1130	0.5	LN3130/05	ND	-	-	-	-
TP1131	0.1	LN3131/05	ND	-	-	-	-
TP1131	0.45	LN3132/05	ND	-	-	-	-
TP1135	0.3	LN3133/05	ND	-	-	-	-
TP1135	0.5	LN3134/05	ND	-	-	-	-
TP1137	0.45	LN3135/05	ND	-	-	-	-
TP1137	1.4	LN3136/05	ND	-	-	-	-
TP1138	0.1	LN3137/05	ND	-	-	-	-
TP1138	0.5	LN3138/05	ND	-	-	-	-
TP1139	0.1	LN3139/05	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
TP1139	0.3	LN3140/05	ND	-	-	-	-
TP1140	0.3	LN3141/05	ND	-	-	-	-
TP1140	0.5	LN3142/05	ND	-	-	-	-
TP1141	0.2	LN3143/05	ND	-	-	-	-
TP1141	1	LN3144/05	ND	-	-	-	-
TP1143	0.1	LN3145/05	ND	-	-	-	-
TP1143	0.5	LN3146/05	ND	-	-	-	-
TP1174	0.1	LN3147/05	ND	-	-	-	-
TP1174	0.5	LN3148/05	ND	-	-	-	-
TP1177	0.1	LN3149/05	ND	-	-	-	-
TP1177	0.3	LN3150/05	ND	-	-	-	-
TP1180	0.3	LN3151/05	ND	-	-	-	-
TP1180	0.5	LN3152/05	ND	-	-	-	-
TP1181	0.2	LN3153/05	ND	-	-	-	-
TP1181	0.5	LN3154/05	ND	-	-	-	-
TP1182	0.3	LN3155/05	ND	-	-	-	-
TP1182	0.5	LN3156/05	ND	-	-	-	-
TP1183	0.1	LN3157/05	ND	-	-	-	-
TP1183	0.8	LN3158/05	ND	-	-	-	-
TP1185	0.15	LN3159/05	ND	-	-	-	-
TP1185	0.35	LN3160/05	ND	-	-	-	-
TP1186	0.2	LN3161/05	ND	-	-	-	-
TP1186	0.5	LN3162/05	ND	-	-	-	-
TP1192	0.1	LN3163/05	ND	-	-	-	-
TP1192	0.6	LN3164/05	ND	-	-	-	-
TP1193	0.3	LN3165/05	ND	-	-	-	-
TP1193	1.7	LN3166/05	ND	-	-	-	-
TP1195	0.1	LN3167/05	ND	-	-	-	-
TP1195	0.3	LN3168/05	ND	-	-	-	-
TP1196	0.3	LN3169/05	ND	-	-	-	-
TP1196	0.5	LN3170/05	ND	-	-	-	-
TP1196	1.1	LN3171/05	ND	-	-	-	-
TP1203	0.15	LN3172/05	ND	-	-	-	-
TP1203	0.5	LN3173/05	ND	-	-	-	-
TP1205	0.3	LN3174/05	ND	-	-	-	-
TP1205	1.4	LN3175/05	ND	-	-	-	-
TP1206	0.1	LN3176/05	ND	-	-	-	-
TP1206	0.3	LN3177/05	ND	-	-	-	-
TP1207	0.1	LN3178/05	ND	-	-	-	-
TP1207	0.6	LN3179/05	ND	-	-	-	-
TP1208	0.1	LN3180/05	Present	1	-	-	-
TP1208	0.35	LN3181/05	ND	-	-	-	-
TP1209	0.2	LN3182/05	ND	-	-	-	-
TP1209	1.1	LN3183/05	ND	-	-	-	-
TP1211	0.1	LN3184/05	ND	-	-	-	-
TP1211	0.3	LN3185/05	ND	-	-	-	-
TP1213	0.3	LN3186/05	ND	-	-	-	-
TP1213	1.3	LN3187/05	ND	-	-	-	-
TP1214	0.1	LN3188/05	ND	-	-	-	-
TP1214	1.1	LN3189/05	ND	-	-	-	-
TP1216	0.3	LN3190/05	ND	-	-	-	-
TP1216	0.7	LN3191/05	ND	-	-	-	-
TP1217	0.1	LN3192/05	ND	-	-	-	-
TP1217	0.5	LN3193/05	ND	-	-	-	-
TP1218	0.5	LN3194/05	ND	-	-	-	-
TP1218	1.2	LN3195/05	ND	-	-	-	-
TP1220	0.1	LN3196/05	ND	-	-	-	-
TP1220	0.5	LN3197/05	ND	-	-	-	-
TP1221	0.2	LN3198/05	ND	-	-	-	-
TP1221	1	LN3199/05	Present	-	-	1	-
TP1222	0.1	LN3200/05	ND	-	-	-	-
TP1222	0.5	LN3201/05	ND	-	-	-	-
TP1223	0.1	LN3202/05	ND	-	-	-	-
TP1223	0.3	LN3203/05	ND	-	-	-	-
TP1224	0.2	LN3204/05	ND	-	-	-	-
TP1224	0.5	LN3205/05	ND	-	-	-	-
TP1226	0.25	LN3206/05	ND	-	-	-	-
TP1226	0.5	LN3207/05	ND	-	-	-	-
TP1227	0.2	LN3208/05	ND	-	-	-	-
TP1227	1.1	LN3209/05	ND	-	-	-	-
TP1230	0.1	LN3210/05	ND	-	-	-	-
TP1230	0.3	LN3211/05	ND	-	-	-	-
TP1234	0.1	LN3212/05	ND	-	-	-	-
TP1234	0.6	LN3213/05	ND	-	-	-	-
TP1235	0.1	LN3214/05	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
TP1235	0.4	LN3215/05	ND	-	-	-	-
TP1237	0.3	LN3216/05	ND	-	-	-	-
TP1237	0.5	LN3217/05	ND	-	-	-	-
TP1238	0.1	LN3218/05	ND	-	-	-	-
TP1238	0.3	LN3219/05	ND	-	-	-	-
TP1239	0.1	LN3220/05	ND	-	-	-	-
TP1239	0.5	LN3221/05	ND	-	-	-	-
TP1240	0.1	LN3222/05	ND	-	-	-	-
TP1240	0.3	LN3223/05	ND	-	-	-	-
TP1287	0.1	LN3224/05	ND	-	-	-	-
TP1287	1.05	LN3225/05	ND	-	-	-	-
TP1327	0.1	LN3226/05	ND	-	-	-	-
TP1327	0.3	LN3227/05	ND	-	-	-	-
TP1328	0.3	LN3228/05	ND	-	-	-	-
TP1328	0.5	LN3229/05	ND	-	-	-	-
TP1331	0.1	LN3230/05	ND	-	-	-	-
TP1331	0.5	LN3231/05	ND	-	-	-	-
TP1332	0.1	LN3232/05	ND	-	-	-	-
TP1332	0.5	LN3233/05	ND	-	-	-	-
TP1333	0.1	LN3234/05	ND	-	-	-	-
TP1333	0.5	LN3235/05	Present	1	-	1	-
TP1336	0.3	LN3236/05	ND	-	-	-	-
TP1336	0.5	LN3237/05	ND	-	-	-	-
TP1340	0.25	LN3238/05	ND	-	-	-	-
TP1340	0.5	LN3239/05	ND	-	-	-	-
TP1341	0.5	LN3240/05	ND	-	-	-	-
TP1341	1	LN3241/05	ND	-	-	-	-
TP1343	0.1	LN3242/05	ND	-	-	-	-
TP1343	1	LN3243/05	ND	-	-	-	-
TP1345	0.3	LN3244/05	ND	-	-	-	-
TP1345	0.5	LN3245/05	ND	-	-	-	-
TP1346	0.1	LN3246/05	ND	-	-	-	-
TP1346	0.8	LN3247/05	ND	-	-	-	-
TP1348	0.3	LN3248/05	ND	-	-	-	-
TP1348	0.5	LN3249/05	ND	-	-	-	-
TP1350	0.1	LN3250/05	Present	1	-	-	-
TP1350	0.3	LN3251/05	ND	-	-	-	-
TP1380	0.1	LN3252/05	ND	-	-	-	-
TP1380	0.6	LN3253/05	ND	-	-	-	-
TP1384	0.1	LN3254/05	ND	-	-	-	-
TP1384	0.4	LN3255/05	ND	-	-	-	-
TP1431	0.1	LN3256/05	ND	-	-	-	-
TP1431	0.3	LN3257/05	ND	-	-	-	-
TP1434	0.1	LN3258/05	ND	-	-	-	-
TP1434	0.5	LN3259/05	ND	-	-	-	-
TP1466	0.5	LN3260/05	ND	-	-	-	-
TP1466	1	LN3261/05	ND	-	-	-	-
TP1467	0.1	LN3262/05	ND	-	-	-	-
TP1467	0.3	LN3263/05	ND	-	-	-	-
TP1469	0.3	LN3264/05	ND	-	-	-	-
TP1469	0.5	LN3265/05	ND	-	-	-	-
BH1027	4.5	LN3323/05	ND	-	-	-	-
BH1027	7.5	LN3324/05	ND	-	-	-	-
BH1375	7.5	LN3325/05	ND	-	-	-	-
BH1375	12	LN3326/05	ND	-	-	-	-
BH1451	4.5	LN3327/05	ND	-	-	-	-
BH1451	9	LN3328/05	ND	-	-	-	-
BH1505	1.5	LN3329/05	ND	-	-	-	-
BH1505	3	LN3330/05	ND	-	-	-	-
BH1531	7.5	LN3331/05	ND	-	-	-	-
BH1531	13.5	LN3332/05	ND	-	-	-	-
BH1623	0.1	LN3333/05	ND	-	-	-	-
BH1623	0.5	LN3334/05	ND	-	-	-	-
BH1623	3	LN3335/05	ND	-	-	-	-
BH1624	0.1	LN3336/05	ND	-	-	-	-
BH1624	0.5	LN3337/05	ND	-	-	-	-
BH1624	1.5	LN3338/05	ND	-	-	-	-
BH1624	4.5	LN3339/05	ND	-	-	-	-
CM01	0	LN3340/05	ND	-	-	-	-
CM02	0	LN3341/05	ND	-	-	-	-
CM03	0	LN3342/05	ND	-	-	-	-
CM04	0	LN3343/05	ND	-	-	-	-
CM05	0	LN3344/05	ND	-	-	-	-
CM06	0	LN3345/05	ND	-	-	-	-
CM07	0	LN3346/05	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
CM08	0	LN3347/05	ND	-	-	-	-
CM09	0	LN3348/05	ND	-	-	-	-
CM10	0	LN3349/05	ND	-	-	-	-
CM11	0	LN3350/05	ND	-	-	-	-
CM12	0	LN3351/05	ND	-	-	-	-
CM13	0	LN3352/05	Present	1	-	-	-
CM14	0	LN3353/05	ND	-	-	-	-
CM15	0	LN3354/05	ND	-	-	-	-
HA1264	0.4	LN3355/05	ND	-	-	-	-
HA1264	1	LN3356/05	ND	-	-	-	-
HA1322	0.1	LN3357/05	ND	-	-	-	-
HA1322	0.4	LN3358/05	ND	-	-	-	-
HA1329	0.1	LN3359/05	ND	-	-	-	-
HA1329	0.4	LN3360/05	ND	-	-	-	-
HA1476	0.1	LN3361/05	ND	-	-	-	-
HA1476	1	LN3362/05	ND	-	-	-	-
TP1173	0.5	LN3363/05	ND	-	-	-	-
TP1173	1	LN3364/05	ND	-	-	-	-
TP1175	0.1	LN3365/05	ND	-	-	-	-
TP1175	0.3	LN3366/05	Present	1	-	-	-
TP1176	0.1	LN3367/05	ND	-	-	-	-
TP1176	0.3	LN3368/05	ND	-	-	-	-
TP1178	0.5	LN3369/05	ND	-	-	-	-
TP1178	1.2	LN3370/05	ND	-	-	-	-
TP1179	0.1	LN3371/05	ND	-	-	-	-
TP1179	0.5	LN3372/05	ND	-	-	-	-
TP1184	0.2	LN3373/05	ND	-	-	-	-
TP1184	0.5	LN3374/05	ND	-	-	-	-
TP1187	0.1	LN3375/05	ND	-	-	-	-
TP1187	0.3	LN3376/05	ND	-	-	-	-
TP1189	0.1	LN3377/05	ND	-	-	-	-
TP1189	0.6	LN3378/05	ND	-	-	-	-
TP1190	0.1	LN3379/05	ND	-	-	-	-
TP1190	0.3	LN3380/05	ND	-	-	-	-
TP1197	0.3	LN3381/05	ND	-	-	-	-
TP1197	0.5	LN3382/05	ND	-	-	-	-
TP1198	0.1	LN3383/05	ND	-	-	-	-
TP1198	0.3	LN3384/05	ND	-	-	-	-
TP1199	0.1	LN3385/05	ND	-	-	-	-
TP1199	0.3	LN3386/05	ND	-	-	-	-
TP1202	0.1	LN3387/05	ND	-	-	-	-
TP1202	0.6	LN3388/05	ND	-	-	-	-
TP1204	0.1	LN3389/05	ND	-	-	-	-
TP1204	0.5	LN3390/05	ND	-	-	-	-
TP1210	0.1	LN3391/05	ND	-	-	-	-
TP1210	0.3	LN3392/05	ND	-	-	-	-
TP1215	0.1	LN3393/05	ND	-	-	-	-
TP1215	0.45	LN3394/05	ND	-	-	-	-
TP1225	0.1	LN3395/05	ND	-	-	-	-
TP1225	0.5	LN3396/05	ND	-	-	-	-
TP1228	0.1	LN3397/05	ND	-	-	-	-
TP1228	0.3	LN3398/05	ND	-	-	-	-
TP1229	0.25	LN3399/05	ND	-	-	-	-
TP1229	0.5	LN3400/05	ND	-	-	-	-
TP1232	0.3	LN3401/05	ND	-	-	-	-
TP1232	2.5	LN3402/05	ND	-	-	-	-
TP1236	0.3	LN3403/05	ND	-	-	-	-
TP1236	0.5	LN3404/05	ND	-	-	-	-
TP1243	0.1	LN3405/05	ND	-	-	-	-
TP1243	0.3	LN3406/05	ND	-	-	-	-
TP1244	0.1	LN3407/05	ND	-	-	-	-
TP1244	0.5	LN3408/05	ND	-	-	-	-
TP1245	0.1	LN3409/05	ND	-	-	-	-
TP1245	0.5	LN3410/05	ND	-	-	-	-
TP1246	0.3	LN3411/05	ND	-	-	-	-
TP1246	0.5	LN3412/05	ND	-	-	-	-
TP1247	0.5	LN3413/05	ND	-	-	-	-
TP1247	2.2	LN3414/05	ND	-	-	-	-
TP1248	0.1	LN3415/05	ND	-	-	-	-
TP1248	0.5	LN3416/05	ND	-	-	-	-
TP1249	0.1	LN3417/05	ND	-	-	-	-
TP1249	1.4	LN3418/05	ND	-	-	-	-
TP1250	0.1	LN3419/05	ND	-	-	-	-
TP1250	0.3	LN3420/05	ND	-	-	-	-
TP1251	0.3	LN3421/05	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
TP1251	0.7	LN3422/05	ND	-	-	-	-
TP1252	0.1	LN3423/05	ND	-	-	-	-
TP1252	0.3	LN3424/05	ND	-	-	-	-
TP1253	0.1	LN3425/05	ND	-	-	-	-
TP1253	0.3	LN3426/05	ND	-	-	-	-
TP1288	0.3	LN3427/05	ND	-	-	-	-
TP1288	0.6	LN3428/05	ND	-	-	-	-
TP1289	0.3	LN3429/05	ND	-	-	-	-
TP1289	0.8	LN3430/05	ND	-	-	-	-
TP1290	0.05	LN3431/05	ND	-	-	-	-
TP1290	1.3	LN3432/05	ND	-	-	-	-
TP1291	0.1	LN3433/05	ND	-	-	-	-
TP1291	0.5	LN3434/05	ND	-	-	-	-
TP1292	0.1	LN3435/05	ND	-	-	-	-
TP1292	0.3	LN3436/05	ND	-	-	-	-
TP1293	0.1	LN3437/05	Present	1	-	1	-
TP1293	0.3	LN3438/05	Present	-	-	1	-
TP1294	0.1	LN3439/05	ND	-	-	-	-
TP1294	0.5	LN3440/05	ND	-	-	-	-
TP1295	0.3	LN3441/05	ND	-	-	-	-
TP1295	1.9	LN3442/05	ND	-	-	-	-
TP1296	0.2	LN3443/05	ND	-	-	-	-
TP1296	1.2	LN3444/05	ND	-	-	-	-
TP1298	0.1	LN3445/05	ND	-	-	-	-
TP1298	0.5	LN3446/05	ND	-	-	-	-
TP1299	0.3	LN3447/05	ND	-	-	-	-
TP1299	0.5	LN3448/05	ND	-	-	-	-
TP1300	0.3	LN3449/05	ND	-	-	-	-
TP1300	0.7	LN3450/05	ND	-	-	-	-
TP1301	0.1	LN3451/05	ND	-	-	-	-
TP1301	0.5	LN3452/05	ND	-	-	-	-
TP1302	0.1	LN3453/05	ND	-	-	-	-
TP1302	0.5	LN3454/05	ND	-	-	-	-
TP1304	0.2	LN3455/05	ND	-	-	-	-
TP1304	0.4	LN3456/05	ND	-	-	-	-
TP1305	0.3	LN3457/05	ND	-	-	-	-
TP1305	1.2	LN3458/05	ND	-	-	-	-
TP1307	0.2	LN3459/05	ND	-	-	-	-
TP1307	1.1	LN3460/05	ND	-	-	-	-
TP1310	0.3	LN3461/05	ND	-	-	-	-
TP1310	0.5	LN3462/05	ND	-	-	-	-
TP1393	0.1	LN3463/05	ND	-	-	-	-
TP1393	0.7	LN3464/05	ND	-	-	-	-
TP1394	0.1	LN3465/05	ND	-	-	-	-
TP1394	1.2	LN3466/05	ND	-	-	-	-
TP1396	0.3	LN3467/05	ND	-	-	-	-
TP1396	1.2	LN3468/05	ND	-	-	-	-
TP1402	0.1	LN3469/05	ND	-	-	-	-
TP1402	0.3	LN3470/05	ND	-	-	-	-
TP1417	0.3	LN3471/05	ND	-	-	-	-
TP1417	1.2	LN3472/05	ND	-	-	-	-
TP1422	0.2	LN3473/05	ND	-	-	-	-
TP1422	1.2	LN3474/05	ND	-	-	-	-
TP1422	1.8	LN3475/05	ND	-	-	-	-
TP1423	0.1	LN3476/05	ND	-	-	-	-
TP1423	0.5	LN3477/05	ND	-	-	-	-
TP1423	3.2	LN3478/05	ND	-	-	-	-
TP1424	0.1	LN3479/05	ND	-	-	-	-
TP1424	0.4	LN3480/05	ND	-	-	-	-
TP1432	0.5	LN3481/05	ND	-	-	-	-
TP1432	1	LN3482/05	ND	-	-	-	-
TP1433	0.2	LN3483/05	ND	-	-	-	-
TP1433	1.2	LN3484/05	ND	-	-	-	-
TP1436	0.25	LN3485/05	ND	-	-	-	-
TP1436	0.5	LN3486/05	ND	-	-	-	-
TP1438	0.4	LN3487/05	ND	-	-	-	-
TP1438	1.2	LN3488/05	ND	-	-	-	-
TP1439	0.5	LN3489/05	ND	-	-	-	-
TP1439	1.6	LN3490/05	ND	-	-	-	-
HA1039	0.1	LN3553/05	ND	-	-	-	-
HA1039	0.4	LN3554/05	ND	-	-	-	-
HA1049	0.1	LN3555/05	ND	-	-	-	-
HA1051	0.1	LN3556/05	ND	-	-	-	-
HA1051	0.4	LN3557/05	ND	-	-	-	-
HA1303	0.1	LN3558/05	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
HA1303	0.4	LN3559/05	ND	-	-	-	-
HA1308	0.1	LN3560/05	ND	-	-	-	-
HA1308	0.4	LN3561/05	ND	-	-	-	-
HA1309	0.1	LN3562/05	ND	-	-	-	-
HA1468	0.4	LN3563/05	ND	-	-	-	-
HA1468	0.9	LN3564/05	ND	-	-	-	-
HA1510	0.1	LN3565/05	ND	-	-	-	-
HA1510	0.4	LN3566/05	ND	-	-	-	-
HA1619	0.1	LN3567/05	ND	-	-	-	-
HA1619	0.9	LN3568/05	ND	-	-	-	-
HA1620	0.9	LN3569/05	ND	-	-	-	-
HA1620	1.4	LN3570/05	ND	-	-	-	-
TP1001	0.3	LN3571/05	ND	-	-	-	-
TP1001	2.3	LN3572/05	ND	-	-	-	-
TP1002	0.1	LN3573/05	ND	-	-	-	-
TP1002	0.3	LN3574/05	ND	-	-	-	-
TP1003	0.2	LN3575/05	ND	-	-	-	-
TP1003	0.6	LN3576/05	ND	-	-	-	-
TP1004	0.3	LN3577/05	ND	-	-	-	-
TP1004	0.7	LN3578/05	ND	-	-	-	-
TP1005	0.1	LN3579/05	ND	-	-	-	-
TP1005	1.1	LN3580/05	ND	-	-	-	-
TP1006	0.1	LN3581/05	ND	-	-	-	-
TP1006	1.1	LN3582/05	ND	-	-	-	-
TP1007	0.1	LN3583/05	ND	-	-	-	-
TP1007	0.6	LN3584/05	ND	-	-	-	-
TP1008	0.05	LN3585/05	ND	-	-	-	-
TP1008	0.5	LN3586/05	ND	-	-	-	-
TP1009	0.3	LN3587/05	ND	-	-	-	-
TP1009	0.5	LN3588/05	ND	-	-	-	-
TP1010	0.1	LN3589/05	ND	-	-	-	-
TP1010	1	LN3590/05	ND	-	-	-	-
TP1011	0.6	LN3591/05	ND	-	-	-	-
TP1013	0.3	LN3592/05	ND	-	-	-	-
TP1013	1	LN3593/05	ND	-	-	-	-
TP1014	0.25	LN3594/05	ND	-	-	-	-
TP1014	0.5	LN3595/05	ND	-	-	-	-
TP1015	0.1	LN3596/05	ND	-	-	-	-
TP1015	2	LN3597/05	ND	-	-	-	-
TP1016	0.1	LN3598/05	ND	-	-	-	-
TP1016	1	LN3599/05	ND	-	-	-	-
TP1017	0.2	LN3600/05	ND	-	-	-	-
TP1017	2	LN3601/05	ND	-	-	-	-
TP1018	0.2	LN3602/05	ND	-	-	-	-
TP1018	1.1	LN3603/05	ND	-	-	-	-
TP1019	0.2	LN3604/05	ND	-	-	-	-
TP1019	1.1	LN3605/05	ND	-	-	-	-
TP1021	0.3	LN3606/05	Present	1	1	1	-
TP1021	0.5	LN3607/05	Present	1	-	1	-
TP1022	0.3	LN3608/05	ND	-	-	-	-
TP1022	1	LN3609/05	ND	-	-	-	-
TP1023	0.2	LN3610/05	ND	-	-	-	-
TP1023	1	LN3611/05	ND	-	-	-	-
TP1024	0.1	LN3612/05	ND	-	-	-	-
TP1024	0.6	LN3613/05	ND	-	-	-	-
TP1038	0.3	LN3614/05	ND	-	-	-	-
TP1038	2	LN3615/05	ND	-	-	-	-
TP1040	0.4	LN3616/05	ND	-	-	-	-
TP1040	1.3	LN3617/05	ND	-	-	-	-
TP1041	0.5	LN3618/05	ND	-	-	-	-
TP1041	1	LN3619/05	ND	-	-	-	-
TP1042	0.3	LN3620/05	ND	-	-	-	-
TP1042	2.3	LN3621/05	ND	-	-	-	-
TP1044	0.1	LN3622/05	ND	-	-	-	-
TP1044	0.7	LN3623/05	ND	-	-	-	-
TP1045	0.3	LN3624/05	ND	-	-	-	-
TP1045	2.6	LN3625/05	ND	-	-	-	-
TP1047	0.1	LN3626/05	ND	-	-	-	-
TP1047	0.5	LN3627/05	ND	-	-	-	-
TP1048	0.5	LN3628/05	ND	-	-	-	-
TP1048	1.2	LN3629/05	ND	-	-	-	-
TP1052	0.3	LN3630/05	ND	-	-	-	-
TP1052	1.2	LN3631/05	ND	-	-	-	-
TP1054	0.4	LN3632/05	ND	-	-	-	-
TP1054	1.1	LN3633/05	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
TP1055	0.2	LN3634/05	ND	-	-	-	-
TP1055	2	LN3635/05	ND	-	-	-	-
TP1144	0.2	LN3636/05	Present	1	-	-	-
TP1144	0.4	LN3637/05	ND	-	-	-	-
TP1145	0.2	LN3638/05	ND	-	-	-	-
TP1145	0.5	LN3639/05	ND	-	-	-	-
TP1146	0.25	LN3640/05	ND	-	-	-	-
TP1146	0.5	LN3641/05	ND	-	-	-	-
TP1148	0.3	LN3642/05	ND	-	-	-	-
TP1148	1.1	LN3643/05	ND	-	-	-	-
TP1149	0.3	LN3644/05	ND	-	-	-	-
TP1149	1	LN3645/05	ND	-	-	-	-
TP1150	0.2	LN3646/05	ND	-	-	-	-
TP1150	0.5	LN3647/05	ND	-	-	-	-
TP1152	0.3	LN3648/05	ND	-	-	-	-
TP1152	0.5	LN3649/05	ND	-	-	-	-
TP1154	0.3	LN3650/05	ND	-	-	-	-
TP1154	0.6	LN3651/05	ND	-	-	-	-
TP1156	0.1	LN3652/05	ND	-	-	-	-
TP1156	0.3	LN3653/05	ND	-	-	-	-
TP1157	0.2	LN3654/05	ND	-	-	-	-
TP1157	0.9	LN3655/05	ND	-	-	-	-
TP1158	0.15	LN3656/05	ND	-	-	-	-
TP1160	0.05	LN3657/05	ND	-	-	-	-
TP1160	2.8	LN3658/05	ND	-	-	-	-
TP1161	0.1	LN3659/05	ND	-	-	-	-
TP1161	0.6	LN3660/05	ND	-	-	-	-
TP1162	0.1	LN3661/05	ND	-	-	-	-
TP1162	0.5	LN3662/05	ND	-	-	-	-
TP1163	0.5	LN3663/05	ND	-	-	-	-
TP1163	1.6	LN3664/05	ND	-	-	-	-
TP1164	0.3	LN3665/05	ND	-	-	-	-
TP1164	1.3	LN3666/05	ND	-	-	-	-
TP1165	0.1	LN3667/05	ND	-	-	-	-
TP1165	0.6	LN3668/05	ND	-	-	-	-
TP1166	0.3	LN3669/05	ND	-	-	-	-
TP1166	1	LN3670/05	ND	-	-	-	-
TP1168	0.05	LN3671/05	ND	-	-	-	-
TP1168	0.5	LN3672/05	ND	-	-	-	-
TP1169	0.1	LN3673/05	ND	-	-	-	-
TP1169	0.6	LN3674/05	ND	-	-	-	-
TP1170	0.1	LN3675/05	ND	-	-	-	-
TP1170	0.5	LN3676/05	ND	-	-	-	-
TP1171	0.4	LN3677/05	Present	1	-	-	-
TP1171	1.2	LN3678/05	ND	-	-	-	-
TP1172	0.1	LN3679/05	ND	-	-	-	-
TP1172	0.8	LN3680/05	ND	-	-	-	-
TP1233	0.25	LN3681/05	ND	-	-	-	-
TP1233	0.5	LN3682/05	ND	-	-	-	-
TP1272	0.5	LN3683/05	ND	-	-	-	-
TP1272	2.5	LN3684/05	ND	-	-	-	-
TP1281	0.3	LN3685/05	ND	-	-	-	-
TP1281	0.6	LN3686/05	ND	-	-	-	-
TP1282	0.7	LN3687/05	ND	-	-	-	-
TP1282	1.3	LN3688/05	ND	-	-	-	-
TP1283	0.1	LN3689/05	ND	-	-	-	-
TP1283	2.6	LN3690/05	ND	-	-	-	-
TP1286	0.7	LN3691/05	ND	-	-	-	-
TP1286	1.4	LN3692/05	ND	-	-	-	-
TP1286	2.5	LN3693/05	ND	-	-	-	-
TP1362	0.3	LN3694/05	ND	-	-	-	-
TP1362	1.2	LN3695/05	ND	-	-	-	-
TP1381	0.7	LN3696/05	ND	-	-	-	-
TP1381	1.3	LN3697/05	ND	-	-	-	-
TP1387	0.3	LN3698/05	ND	-	-	-	-
TP1387	1.2	LN3699/05	ND	-	-	-	-
TP1398	0.1	LN3700/05	ND	-	-	-	-
TP1398	0.5	LN3701/05	ND	-	-	-	-
TP1400	0.1	LN3702/05	ND	-	-	-	-
TP1400	0.3	LN3703/05	ND	-	-	-	-
TP1407	0.3	LN3704/05	ND	-	-	-	-
TP1407	1.9	LN3705/05	ND	-	-	-	-
TP1408	0.2	LN3706/05	ND	-	-	-	-
TP1408	0.5	LN3707/05	ND	-	-	-	-
TP1414	0.3	LN3708/05	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
TP1414	1.1	LN3709/05	ND	-	-	-	-
TP1425	0.4	LN3710/05	ND	-	-	-	-
TP1425	1.2	LN3711/05	ND	-	-	-	-
TP1426	0.3	LN3712/05	ND	-	-	-	-
TP1426	1.2	LN3713/05	ND	-	-	-	-
TP1427	0.2	LN3714/05	ND	-	-	-	-
TP1427	0.5	LN3715/05	ND	-	-	-	-
TP1428	0.5	LN3716/05	ND	-	-	-	-
TP1428	1.1	LN3717/05	ND	-	-	-	-
TP1435	0.2	LN3718/05	ND	-	-	-	-
TP1435	1.8	LN3719/05	ND	-	-	-	-
TP1437	0.2	LN3720/05	ND	-	-	-	-
TP1437	1	LN3721/05	ND	-	-	-	-
TP1437	1.6	LN3722/05	ND	-	-	-	-
TP1484	0.1	LN3723/05	ND	-	-	-	-
TP1484	0.5	LN3724/05	ND	-	-	-	-
TP1486	0.3	LN3725/05	ND	-	-	-	-
TP1486	0.7	LN3726/05	ND	-	-	-	-
TP1489	0.1	LN3727/05	ND	-	-	-	-
TP1489	0.8	LN3728/05	ND	-	-	-	-
TP1490	0.5	LN3729/05	ND	-	-	-	-
TP1490	2	LN3730/05	ND	-	-	-	-
TP1491	0.1	LN3731/05	ND	-	-	-	-
TP1491	3	LN3732/05	ND	-	-	-	-
TP1492	0.1	LN3733/05	ND	-	-	-	-
TP1492	0.4	LN3734/05	ND	-	-	-	-
TP1494	0.5	LN3735/05	ND	-	-	-	-
TP1494	1.8	LN3736/05	ND	-	-	-	-
TP1496	0.1	LN3737/05	ND	-	-	-	-
TP1496	0.3	LN3738/05	ND	-	-	-	-
TP1497	0.25	LN3739/05	ND	-	-	-	-
TP1497	0.5	LN3740/05	ND	-	-	-	-
TP1498	0.3	LN3741/05	ND	-	-	-	-
TP1498	1.1	LN3742/05	ND	-	-	-	-
TP1509	0.1	LN3743/05	ND	-	-	-	-
TP1509	0.5	LN3744/05	ND	-	-	-	-
TP1515	0.3	LN3745/05	ND	-	-	-	-
TP1515	0.5	LN3746/05	ND	-	-	-	-
TP1517	1	LN3747/05	ND	-	-	-	-
TP1517	2.1	LN3748/05	ND	-	-	-	-
TP1158	0.45	LN3749/05	ND	-	-	-	-
AS04/01	0.05	LN3822/05	ND	-	-	-	-
AS04/01	0.15	LN3823/05	ND	-	-	-	-
AS04/01	0.3	LN3824/05	ND	-	-	-	-
AS04/02	0.05	LN3825/05	ND	-	-	-	-
AS04/02	0.15	LN3826/05	ND	-	-	-	-
AS04/02	0.3	LN3827/05	ND	-	-	-	-
AS04/03	0.05	LN3828/05	ND	-	-	-	-
AS04/03	0.15	LN3829/05	ND	-	-	-	-
AS04/03	0.3	LN3830/05	ND	-	-	-	-
AS04/04	0.05	LN3831/05	ND	-	-	-	-
AS04/04	0.15	LN3832/05	ND	-	-	-	-
AS04/04	0.3	LN3833/05	ND	-	-	-	-
AS04/05	0.05	LN3834/05	ND	-	-	-	-
AS04/05	0.15	LN3835/05	ND	-	-	-	-
AS04/05	0.3	LN3836/05	ND	-	-	-	-
AS04/06	0.05	LN3837/05	ND	-	-	-	-
AS04/06	0.15	LN3838/05	ND	-	-	-	-
AS04/06	0.3	LN3839/05	ND	-	-	-	-
AS04/07	0.05	LN3840/05	ND	-	-	-	-
AS04/07	0.15	LN3841/05	ND	-	-	-	-
AS04/07	0.3	LN3842/05	ND	-	-	-	-
AS04/08	0.05	LN3843/05	ND	-	-	-	-
AS04/08	0.15	LN3844/05	ND	-	-	-	-
AS04/08	0.3	LN3845/05	ND	-	-	-	-
AS04/09	0.05	LN3846/05	ND	-	-	-	-
AS04/09	0.15	LN3847/05	ND	-	-	-	-
AS04/09	0.3	LN3848/05	ND	-	-	-	-
AS04/10	0.05	LN3849/05	ND	-	-	-	-
AS04/10	0.15	LN3850/05	ND	-	-	-	-
AS04/10	0.3	LN3851/05	ND	-	-	-	-
AS04/11	0.05	LN3852/05	Present	1	-	-	-
AS04/11	0.15	LN3853/05	Present	1	-	-	-
AS04/11	0.3	LN3854/05	ND	-	-	-	-
AS04/12	0.05	LN3855/05	Present	1	-	1	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
AS04/12	0.15	LN3856/05	ND	-	-	-	-
AS04/12	0.3	LN3857/05	ND	-	-	-	-
AS04/13	0.05	LN3858/05	Present	1	-	-	-
AS04/13	0.15	LN3859/05	ND	-	-	-	-
AS04/13	0.3	LN3860/05	ND	-	-	-	-
AS04/14	0.05	LN3861/05	ND	-	-	-	-
AS04/14	0.15	LN3862/05	ND	-	-	-	-
AS04/14	0.3	LN3863/05	ND	-	-	-	-
AS04/15	0.05	LN3864/05	ND	-	-	-	-
AS04/15	0.15	LN3865/05	ND	-	-	-	-
AS04/15	0.3	LN3866/05	ND	-	-	-	-
AS04/16	0.05	LN3867/05	ND	-	-	-	-
AS04/16	0.15	LN3868/05	ND	-	-	-	-
AS04/16	0.3	LN3869/05	ND	-	-	-	-
AS04/17	0.05	LN3870/05	ND	-	-	-	-
AS04/17	0.15	LN3871/05	ND	-	-	-	-
AS04/17	0.3	LN3872/05	ND	-	-	-	-
AS04/18	0.05	LN3873/05	ND	-	-	-	-
AS04/18	0.15	LN3874/05	ND	-	-	-	-
AS04/18	0.3	LN3875/05	ND	-	-	-	-
AS04/19	0.05	LN3876/05	ND	-	-	-	-
AS04/19	0.15	LN3877/05	ND	-	-	-	-
AS04/19	0.3	LN3878/05	ND	-	-	-	-
AS04/20	0.05	LN3879/05	ND	-	-	-	-
AS04/20	0.15	LN3880/05	ND	-	-	-	-
AS04/20	0.3	LN3881/05	ND	-	-	-	-
AS04/21	0.05	LN3882/05	ND	-	-	-	-
AS04/21	0.15	LN3883/05	ND	-	-	-	-
AS04/21	0.3	LN3884/05	ND	-	-	-	-
AS07/01	0.05	LN3885/05	Present	1	-	-	-
AS07/01	0.15	LN3886/05	ND	-	-	-	-
AS07/01	0.3	LN3887/05	Present	1	1	1	-
AS07/02	0.05	LN3888/05	ND	-	-	-	-
AS07/02	0.15	LN3889/05	ND	-	-	-	-
AS07/02	0.3	LN3890/05	ND	-	-	-	-
AS07/03	0.05	LN3891/05	ND	-	-	-	-
AS07/03	0.15	LN3892/05	ND	-	-	-	-
AS07/03	0.3	LN3893/05	ND	-	-	-	-
AS07/04	0.05	LN3894/05	ND	-	-	-	-
AS07/04	0.15	LN3895/05	ND	-	-	-	-
AS07/04	0.3	LN3896/05	ND	-	-	-	-
AS07/05	0.05	LN3897/05	ND	-	-	-	-
AS07/05	0.15	LN3898/05	ND	-	-	-	-
AS07/05	0.3	LN3899/05	ND	-	-	-	-
AS07/06	0.05	LN3900/05	ND	-	-	-	-
AS07/06	0.15	LN3901/05	ND	-	-	-	-
AS07/06	0.3	LN3902/05	ND	-	-	-	-
AS07/07	0.05	LN3903/05	ND	-	-	-	-
AS07/07	0.15	LN3904/05	ND	-	-	-	-
AS07/07	0.3	LN3905/05	ND	-	-	-	-
AS07/08	0.05	LN3906/05	ND	-	-	-	-
AS07/08	0.15	LN3907/05	ND	-	-	-	-
AS07/08	0.3	LN3908/05	ND	-	-	-	-
AS07/09	0.05	LN3909/05	ND	-	-	-	-
AS07/09	0.15	LN3910/05	ND	-	-	-	-
AS07/09	0.3	LN3911/05	ND	-	-	-	-
AS07/10	0.05	LN3912/05	Present	1	-	1	-
AS07/10	0.15	LN3913/05	ND	-	-	-	-
AS07/10	0.3	LN3914/05	ND	-	-	-	-
AS07/11	0.05	LN3915/05	ND	-	-	-	-
AS07/11	0.15	LN3916/05	ND	-	-	-	-
AS07/11	0.3	LN3917/05	ND	-	-	-	-
AS07/12	0.05	LN3918/05	Present	1	1	1	-
AS07/12	0.15	LN3919/05	ND	-	-	-	-
AS07/12	0.3	LN3920/05	ND	-	-	-	-
AS07/13	0.05	LN3921/05	ND	-	-	-	-
AS07/13	0.15	LN3922/05	ND	-	-	-	-
AS07/13	0.3	LN3923/05	ND	-	-	-	-
AS07/14	0.05	LN3924/05	ND	-	-	-	-
AS07/14	0.15	LN3925/05	ND	-	-	-	-
AS07/14	0.3	LN3926/05	ND	-	-	-	-
AS07/15	0.05	LN3927/05	ND	-	-	-	-
AS07/15	0.15	LN3928/05	ND	-	-	-	-
AS07/15	0.3	LN3929/05	ND	-	-	-	-
AS07/16	0.05	LN3930/05	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
AS07/16	0.15	LN3931/05	ND	-	-	-	-
AS07/16	0.3	LN3932/05	ND	-	-	-	-
AS07/17	0.05	LN3933/05	ND	-	-	-	-
AS07/17	0.15	LN3934/05	ND	-	-	-	-
AS07/17	0.3	LN3935/05	ND	-	-	-	-
AS07/18	0.05	LN3936/05	ND	-	-	-	-
AS07/18	0.15	LN3937/05	ND	-	-	-	-
AS07/18	0.3	LN3938/05	ND	-	-	-	-
AS07/19	0.05	LN3939/05	ND	-	-	-	-
AS07/19	0.15	LN3940/05	ND	-	-	-	-
AS07/19	0.3	LN3941/05	ND	-	-	-	-
AS07/20	0.05	LN3942/05	Present	1	-	-	-
AS07/20	0.15	LN3943/05	ND	-	-	-	-
AS07/20	0.3	LN3944/05	ND	-	-	-	-
AS07/21	0.05	LN3945/05	ND	-	-	-	-
AS07/21	0.15	LN3946/05	ND	-	-	-	-
AS07/21	0.3	LN3947/05	ND	-	-	-	-
AS14/01	0.05	LN3948/05	ND	-	-	-	-
AS14/01	0.15	LN3949/05	ND	-	-	-	-
AS14/01	0.3	LN3950/05	ND	-	-	-	-
AS14/02	0.05	LN3951/05	ND	-	-	-	-
AS14/02	0.15	LN3952/05	ND	-	-	-	-
AS14/02	0.3	LN3953/05	ND	-	-	-	-
AS14/03	0.05	LN3954/05	ND	-	-	-	-
AS14/03	0.15	LN3955/05	ND	-	-	-	-
AS14/03	0.3	LN3956/05	ND	-	-	-	-
AS14/04	0.05	LN3957/05	ND	-	-	-	-
AS14/04	0.15	LN3958/05	ND	-	-	-	-
AS14/04	0.3	LN3959/05	ND	-	-	-	-
AS14/05	0.05	LN3960/05	ND	-	-	-	-
AS14/05	0.15	LN3961/05	ND	-	-	-	-
AS14/05	0.3	LN3962/05	ND	-	-	-	-
AS14/06	0.05	LN3963/05	ND	-	-	-	-
AS14/06	0.15	LN3964/05	ND	-	-	-	-
AS14/06	0.3	LN3965/05	ND	-	-	-	-
AS14/07	0.05	LN3966/05	ND	-	-	-	-
AS14/07	0.15	LN3967/05	ND	-	-	-	-
AS14/07	0.3	LN3968/05	ND	-	-	-	-
AS14/08	0.05	LN3969/05	ND	-	-	-	-
AS14/08	0.15	LN3970/05	ND	-	-	-	-
AS14/08	0.3	LN3971/05	ND	-	-	-	-
AS14/09	0.05	LN3972/05	ND	-	-	-	-
AS14/09	0.15	LN3973/05	ND	-	-	-	-
AS14/09	0.3	LN3974/05	ND	-	-	-	-
AS14/10	0.05	LN3975/05	ND	-	-	-	-
AS14/10	0.15	LN3976/05	ND	-	-	-	-
AS14/10	0.3	LN3977/05	ND	-	-	-	-
AS14/11	0.05	LN3978/05	Present	1	-	-	-
AS14/11	0.15	LN3979/05	ND	-	-	-	-
AS14/11	0.3	LN3980/05	ND	-	-	-	-
AS14/12	0.05	LN3981/05	ND	-	-	-	-
AS14/12	0.15	LN3982/05	ND	-	-	-	-
AS14/12	0.3	LN3983/05	ND	-	-	-	-
AS14/13	0.05	LN3984/05	ND	-	-	-	-
AS14/13	0.15	LN3985/05	ND	-	-	-	-
AS14/13	0.3	LN3986/05	ND	-	-	-	-
AS14/14	0.05	LN3987/05	ND	-	-	-	-
AS14/14	0.15	LN3988/05	ND	-	-	-	-
AS14/14	0.3	LN3989/05	ND	-	-	-	-
AS14/15	0.05	LN3990/05	ND	-	-	-	-
AS14/15	0.15	LN3991/05	ND	-	-	-	-
AS14/15	0.3	LN3992/05	ND	-	-	-	-
AS14/16	0.05	LN3993/05	ND	-	-	-	-
AS14/16	0.15	LN3994/05	ND	-	-	-	-
AS14/16	0.3	LN3995/05	ND	-	-	-	-
AS14/17	0.05	LN3996/05	ND	-	-	-	-
AS14/17	0.15	LN3997/05	ND	-	-	-	-
AS14/17	0.3	LN3998/05	ND	-	-	-	-
AS14/18	0.05	LN3999/05	ND	-	-	-	-
AS14/18	0.15	LN4000/05	ND	-	-	-	-
AS14/18	0.3	LN4001/05	ND	-	-	-	-
AS14/19	0.05	LN4002/05	ND	-	-	-	-
AS14/19	0.15	LN4003/05	ND	-	-	-	-
AS14/19	0.3	LN4004/05	ND	-	-	-	-
AS14/20	0.05	LN4005/05	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
AS14/20	0.15	LN4006/05	ND	-	-	-	-
AS14/20	0.3	LN4007/05	ND	-	-	-	-
AS14/21	0.05	LN4008/05	ND	-	-	-	-
AS14/21	0.15	LN4009/05	ND	-	-	-	-
AS14/21	0.3	LN4010/05	ND	-	-	-	-
HA1142	0.1	LN4011/05	ND	-	-	-	-
HA1159	0.1	LN4012/05	ND	-	-	-	-
HA1388	0.1	LN4013/05	ND	-	-	-	-
HA1388	1	LN4014/05	ND	-	-	-	-
HA1478	0.1	LN4015/05	ND	-	-	-	-
HA1478	0.4	LN4016/05	ND	-	-	-	-
HA1479	0.1	LN4017/05	ND	-	-	-	-
HA1479	0.4	LN4018/05	ND	-	-	-	-
HA1512	0.1	LN4019/05	ND	-	-	-	-
HA1512	0.4	LN4020/05	ND	-	-	-	-
HA1514	0.1	LN4021/05	ND	-	-	-	-
HA1617	0.1	LN4022/05	ND	-	-	-	-
HA1617	0.4	LN4023/05	ND	-	-	-	-
HA1618	0.1	LN4024/05	ND	-	-	-	-
HA1618	0.4	LN4025/05	ND	-	-	-	-
HS1627	0	LN4026/05	ND	-	-	-	-
HS1628	0	LN4027/05	ND	-	-	-	-
TP1011	2	LN4028/05	ND	-	-	-	-
TP1053	0.3	LN4029/05	ND	-	-	-	-
TP1053	1.3	LN4030/05	ND	-	-	-	-
TP1199	0.7	LN4031/05	ND	-	-	-	-
TP1200	0.1	LN4032/05	ND	-	-	-	-
TP1201	0.1	LN4033/05	ND	-	-	-	-
TP1201	0.3	LN4034/05	ND	-	-	-	-
TP1254	0.3	LN4035/05	ND	-	-	-	-
TP1254	0.5	LN4036/05	ND	-	-	-	-
TP1255	0.15	LN4037/05	ND	-	-	-	-
TP1255	0.5	LN4038/05	ND	-	-	-	-
TP1256	0.3	LN4039/05	ND	-	-	-	-
TP1256	1.2	LN4040/05	ND	-	-	-	-
TP1257	0.1	LN4041/05	ND	-	-	-	-
TP1257	0.5	LN4042/05	ND	-	-	-	-
TP1260	0.15	LN4043/05	ND	-	-	-	-
TP1260	0.3	LN4044/05	ND	-	-	-	-
TP1261	0.4	LN4045/05	ND	-	-	-	-
TP1261	1	LN4046/05	ND	-	-	-	-
TP1262	0.15	LN4047/05	ND	-	-	-	-
TP1262	0.5	LN4048/05	ND	-	-	-	-
TP1263	0.2	LN4049/05	ND	-	-	-	-
TP1263	0.45	LN4050/05	ND	-	-	-	-
TP1266	0.3	LN4051/05	ND	-	-	-	-
TP1266	1	LN4052/05	ND	-	-	-	-
TP1267	0.25	LN4053/05	ND	-	-	-	-
TP1267	1.2	LN4054/05	ND	-	-	-	-
TP1268	0.15	LN4055/05	ND	-	-	-	-
TP1268	0.5	LN4056/05	ND	-	-	-	-
TP1269	0.2	LN4057/05	ND	-	-	-	-
TP1269	0.5	LN4058/05	ND	-	-	-	-
TP1270	0.1	LN4059/05	ND	-	-	-	-
TP1270	0.3	LN4060/05	ND	-	-	-	-
TP1273	0.3	LN4061/05	ND	-	-	-	-
TP1273	0.7	LN4062/05	ND	-	-	-	-
TP1274	0.3	LN4063/05	ND	-	-	-	-
TP1274	0.5	LN4064/05	ND	-	-	-	-
TP1275	0.3	LN4065/05	ND	-	-	-	-
TP1275	0.6	LN4066/05	ND	-	-	-	-
TP1276	0.3	LN4067/05	ND	-	-	-	-
TP1276	2.2	LN4068/05	ND	-	-	-	-
TP1277	0.3	LN4069/05	ND	-	-	-	-
TP1277	0.5	LN4070/05	ND	-	-	-	-
TP1278	0.1	LN4071/05	ND	-	-	-	-
TP1278	0.5	LN4072/05	ND	-	-	-	-
TP1279	0.1	LN4073/05	ND	-	-	-	-
TP1279	1	LN4074/05	ND	-	-	-	-
TP1280	0.3	LN4075/05	ND	-	-	-	-
TP1280	1	LN4076/05	ND	-	-	-	-
TP1284	0.1	LN4077/05	ND	-	-	-	-
TP1284	0.5	LN4078/05	ND	-	-	-	-
TP1285	0.1	LN4079/05	ND	-	-	-	-
TP1285	0.7	LN4080/05	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
TP1335	0.2	LN4081/05	ND	-	-	-	-
TP1335	0.6	LN4082/05	ND	-	-	-	-
TP1470	0.3	LN4083/05	ND	-	-	-	-
TP1470	0.5	LN4084/05	ND	-	-	-	-
TP1472	0.15	LN4085/05	ND	-	-	-	-
TP1472	0.4	LN4086/05	ND	-	-	-	-
TP1474	0.2	LN4087/05	ND	-	-	-	-
TP1474	0.4	LN4088/05	ND	-	-	-	-
TP1481	0.3	LN4089/05	ND	-	-	-	-
TP1481	1	LN4090/05	ND	-	-	-	-
TP1481	2.2	LN4091/05	ND	-	-	-	-
TP1499	0.15	LN4092/05	ND	-	-	-	-
TP1499	1	LN4093/05	ND	-	-	-	-
TP1499	3	LN4094/05	ND	-	-	-	-
TP1500	0.5	LN4095/05	ND	-	-	-	-
TP1500	2	LN4096/05	ND	-	-	-	-
TP1501	0.2	LN4097/05	ND	-	-	-	-
TP1501	1.1	LN4098/05	ND	-	-	-	-
TP1503	0.7	LN4099/05	ND	-	-	-	-
TP1503	1.4	LN4100/05	ND	-	-	-	-
TP1506	0.3	LN4101/05	ND	-	-	-	-
TP1506	2.5	LN4102/05	ND	-	-	-	-
TP1625	0.1	LN4103/05	ND	-	-	-	-
TP1625	0.7	LN4104/05	ND	-	-	-	-
TP1626	0.1	LN4105/05	ND	-	-	-	-
TP1626	0.5	LN4106/05	ND	-	-	-	-
TP1629	0.3	LN4107/05	Present	1	1	-	-
TP1629	0.8	LN4108/05	ND	-	-	-	-
HA1507	0.1	LN4219/05	ND	-	-	-	-
HA1507	0.4	LN4220/05	ND	-	-	-	-
HA1508	0.1	LN4221/05	ND	-	-	-	-
HA1508	0.4	LN4222/05	ND	-	-	-	-
HA1511	0.1	LN4223/05	ND	-	-	-	-
HA1511	0.4	LN4224/05	ND	-	-	-	-
HA1513	0.1	LN4225/05	ND	-	-	-	-
HA1513	0.4	LN4226/05	ND	-	-	-	-
HA1516	0.1	LN4227/05	ND	-	-	-	-
HA1518	0.1	LN4228/05	ND	-	-	-	-
HA1518	0.4	LN4229/05	ND	-	-	-	-
HA1519	0.1	LN4230/05	ND	-	-	-	-
HA1519	0.4	LN4231/05	ND	-	-	-	-
HA1520	0.1	LN4232/05	ND	-	-	-	-
HA1520	0.4	LN4233/05	ND	-	-	-	-
HA1526	0.1	LN4234/05	ND	-	-	-	-
HA1526	0.4	LN4235/05	ND	-	-	-	-
HA1527	0.1	LN4236/05	ND	-	-	-	-
HA1527	0.4	LN4237/05	ND	-	-	-	-
HA1521	0.1	LN4711/05	ND	-	-	-	-
HA1521	0.4	LN4712/05	ND	-	-	-	-
HA1522	0.1	LN4713/05	ND	-	-	-	-
HA1522	0.4	LN4714/05	ND	-	-	-	-
HA1523	0.1	LN4715/05	ND	-	-	-	-
HA1523	0.9	LN4716/05	ND	-	-	-	-
HA1524	0.1	LN4717/05	ND	-	-	-	-
HA1524	0.4	LN4718/05	ND	-	-	-	-
HA1525	0.1	LN4719/05	ND	-	-	-	-
HA1525	0.9	LN4720/05	ND	-	-	-	-
HA1639	0.1	LN4721/05	ND	-	-	-	-
HA1639	0.4	LN4722/05	ND	-	-	-	-
HA1640	0.1	LN4723/05	ND	-	-	-	-
HA1642	0.1	LN4724/05	ND	-	-	-	-
PPG TPL	0.5	LN712/03	ND	-	-	-	-
PPG BH04	1.2	LN718/03	ND	-	-	-	-
PPG BH05	0.2	LN719/03	ND	-	-	-	-
PPG BH06	0.2	LN720/03	ND	-	-	-	-
CPT09	0.2	LN721/03	ND	-	-	-	-
CPT06	1.1	LN728/03	ND	-	-	-	-
CPT08	0.1	LN732/03	ND	-	-	-	-
CPT04	0.3	LN733/03	ND	-	-	-	-
CPT40	0.5	LN734/03	ND	-	-	-	-
CPT64	0.5	LN740/03	ND	-	-	-	-
CPT51	1	LN743/03	ND	-	-	-	-
CPT55	0.2	LN744/03	ND	-	-	-	-
CPT71	0.2	LN792/03	ND	-	-	-	-
CPT82	0.5	LN803/03	ND	-	-	-	-

**Table 16.0
Asbestos**

		No. of Samples	2716	2716	2716	2716	14
		Min	-	-	-	-	<0.001
		Mean	-	-	-	-	4.6
		Max	-	-	-	-	30.9
		No. detected	127	107	16	29	-
Exploratory Point	Depth	LabRef	Present	Chrysotile	Crocidolite	Amosite	Quantification (%)
CPT27	0.3	LN806/03	ND	-	-	-	-
PPG BH10	1	LN809/03	ND	-	-	-	-
PPG BH05	1	LN814/03	ND	-	-	-	-
PPG BH06	0.2	LN816/03	ND	-	-	-	-
CPT32	0.2	LN819/03	ND	-	-	-	-
CPT20	0.2	LN828/03	ND	-	-	-	-
CPT58	0.5	LN961/03	ND	-	-	-	-
PPG BH04	1	LN962/03	ND	-	-	-	-
CPT10	0.1	LN964/03	ND	-	-	-	-
TP2482	0.2	NOT SENT	ND	-	-	-	-
BGAWS01	0.1	20083585	ND	-	-	-	-
BGAWS01	0.5	20083587	ND	-	-	-	-
BGAWS02	0.3	20083588	ND	-	-	-	-
BGAWS02	0.5	20083589	ND	-	-	-	-
BGAWS02	1.2	20083590	ND	-	-	-	-
BGAWS06	0.1	20083591	ND	-	-	-	-
BGAWS06	0.4	20083592	ND	-	-	-	-
BGAWS06	0.7	20083593	ND	-	-	-	-
BGATP04	0.1	20083594	ND	-	-	-	-
BGATP04	0.5	20083595	ND	-	-	-	-
BGAWS04	0.6	20083597	ND	-	-	-	-
BGAWS03	0.4	20083599	ND	-	-	-	-
BGAWS05	0.3	20083600	ND	-	-	-	-
BGAWS05	0.5	20083601	ND	-	-	-	-
BGATP01	0.1	20083602	ND	-	-	-	-
BGATP01	0.5	20083603	ND	-	-	-	-
BGATP01	1	20083604	ND	-	-	-	-
BGATP02	0.1	20083605	ND	-	-	-	-
BGATP02	0.3	20083606	ND	-	-	-	-
BGATP03	0.1	20083607	ND	-	-	-	-
TP26/117	1	LN808/06	ND	-	-	-	-
TP26/117	3	LN810/06	ND	-	-	-	-
TP28/501	3	LN815/06	Present	1	-	-	-
TP28/501	4	LN816/06	ND	-	-	-	-
TP28/100	2	LN819/06	ND	-	-	-	-
TP28/100	5	LN822/06	ND	-	-	-	-
TP24/312	1	LN823/06	ND	-	-	-	-
TP24/312	5	LN827/06	ND	-	-	-	-
TP16/007	2	LN829/06	ND	-	-	-	-
TP16/007	4	LN831/06	ND	-	-	-	-
TP29/115	1	LN833/06	ND	-	-	-	-
TP29/115	3	LN835/06	ND	-	-	-	-
TP28/112	2	LN839/06	ND	-	-	-	-
TP28/112	5	LN842/06	ND	-	-	-	-
TP34/212	1	LN843/06	ND	-	-	-	-
TP34/212	5	LN847/06	ND	-	-	-	-
TP34/212	2	LN849/06	ND	-	-	-	-
TP34/212	4	LN851/06	ND	-	-	-	-
TP43/311	2	LN854/06	ND	-	-	-	-
TP43/311	4	LN856/06	ND	-	-	-	-
TP43/302	1	LN858/06	ND	-	-	-	-
TP43/302	3	LN860/06	ND	-	-	-	-
TP24/207	2	LN864/06	ND	-	-	-	-
TP24/207	4	LN866/06	ND	-	-	-	-
TP24/207	6	LN868/06	ND	-	-	-	-
TP28/208	3	LN871/06	ND	-	-	-	-
TP28/208	4	LN872/06	ND	-	-	-	-
TP28/215	1	LN874/06	ND	-	-	-	-
TP28/215	5	LN878/06	ND	-	-	-	-
TP35/001	2	LN880/06	ND	-	-	-	-
TP35/001	4	LN882/06	ND	-	-	-	-
BGATP01	0.1	20083602	Present	-	-	-	-